

2/pst

## DESCRIPTION

Pharmaceutical compositions exhibiting thrombopoietin receptor agonism

5

## Technical Field

The present invention relates to pharmaceutical compositions exhibiting thrombopoietin receptor agonism.

10

## Background Art

Thrombopoietin, polypeptide cytokine composed of 332 amino acids, activates the production of platelets by stimulating the differentiation and proliferation of megakaryocytes through the receptor and is expected as a medicine for hemopathy accompanied with the unusual number of platelets, for example, thrombocytopenia and the like. DNA sequences encoding the thrombopoietin receptor have been described in Proc. Natl. Acad. Sci., 89:5640-5644 (1992). Low molecular peptides having an affinity for the thrombopoietin receptor is also known (JP98/72492A, and WO96/40750), but these peptide derivatives are not generally practical for oral administration.

20

1,4-Benzodiazepine derivatives as a low molecule compound having an affinity to the thrombopoietin receptor is described in JP99/1477A.

The compounds having a similar structure of the present invention compound are described in JP92/99770A, Chem. Pharm. Bull., 1982, 30, 3580, JP94/172339A (EP512899), JP90/308240A, WO97/32863, Arzneimittel Forsch/Drug Res., 1998, 48, 651, JP95/173143A, JP93/85551A, JP85/443A,


10048008.012502



lower alkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl,  $R^F$  is a hydrogen atom or optionally substituted aryl, W is an oxygen atom or a sulfur atom;

- 5  $Z^1$  is optionally substituted arylene, optionally substituted heteroarylene, optionally substituted non-aromatic heterocycle-diyl, or optionally substituted cycloalkyl-diyl;

$A^1$  is a ring represented by the formula:




- 10 wherein  $R^1$  and  $R^2$  are both hydrogen atoms or taken together may form an oxygen atom or a sulfur atom;  $R^3$  and  $R^4$  are both hydrogen atoms or taken together may form an oxygen atom or a sulfur atom;  $R^5$  is a hydrogen atom or lower alkyl; Q and V are each independently -O-, -S-, -NR<sup>B</sup>- (wherein  $R^B$  is a hydrogen atom or lower alkyl), or -CH<sub>2</sub>-; m is 1, 2, or 3;

- 15 a broken line (---) represents the presence or absence of a bond, its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

In more detail, the invention relates to the following II) to XX).

- 20 II) A pharmaceutical composition exhibiting thrombopoietin agonism which contains a compound of I), wherein  $X^1$  is optionally substituted 5-member heteroaryl or a group represented by the formula:




wherein E is  $-(CH_2)_{1-3}-$ ,  $-O-CH_2-$ , or  $-S-CH_2-$ ;  $R^6$  and  $R^7$  are each independently a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, optionally substituted thienyl, or optionally substituted phenyl.

5

Preferred is a pharmaceutical composition exhibiting thrombopoietin agonism which contains a compound of I), wherein  $X^1$  is phenyl optionally substituted with one or more group(s) selected from lower alkyl, lower alkyloxy, lower alkylthio, arylazo, aralkyloxy, aryl, halo(lower)alkyl, halogen, and hydroxy.

10

III) A pharmaceutical composition exhibiting thrombopoietin agonism which contains a compound of I), wherein  $X^1$  is a group represented by the formula:



15

wherein E is  $-(CH_2)_{1-3}-$ ,  $-O-CH_2-$ , or  $-S-CH_2-$ ;  $R^6$  and  $R^7$  are each independently a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, optionally substituted thienyl, or optionally substituted phenyl;  $R^8$  is a hydrogen atom or lower alkyl.


20

IV) A pharmaceutical composition of any one of I) to III), wherein  $Y^1$  is  $-NHCO-$ ,  $-CONH-$ ,  $-NHCH_2-$ , or  $-NHSO_2-$ .

V) A pharmaceutical composition of any one of I) to IV), wherein  $Z^1$  is 1,4-


25 phenylene.

VI) A pharmaceutical composition of any one of I) to V), wherein A<sup>1</sup> is a ring represented by the formula:



wherein R<sup>8</sup> is a hydrogen atom or lower alkyl; M is -S-, -O-, -N(R<sup>c</sup>)-, or -CH<sub>2</sub>- (wherein R<sup>c</sup> is a hydrogen atom or lower alkyl); T is an oxygen atom or a sulfur atom.

A pharmaceutical composition exhibiting thrombopoietin agonism of any one of I) to V), wherein A<sup>1</sup> is a ring represented by the formula:



is preferred.

VII) A pharmaceutical composition of any one of I) to VI), wherein the broken line represents the presence of a bond.

VIII) A pharmaceutical composition exhibiting thrombopoietin agonism of any one of I) to VII), which is for treating or preventing hemopathy.

IX) A pharmaceutical composition exhibiting thrombopoietin agonism of any

one of I) to VII), which is a platelet production modifier.

X) Use of a compound of any one of I) to VII), for preparation of a pharmaceutical composition for treating hemopathy.


5

XI) A method for treating hemopathy of a mammal, including a human, which comprises administration to said mammal of a compound of any one of I) to VII) in a pharmaceutically effective amount.

10 XII) A compound represented by the formula (II)



wherein  $X^2$  is optionally substituted 5-member heteroaryl or a group represented by the formula:



15

wherein E is  $-(CH_2)_{1-3}$ ,  $-O-CH_2$ , or  $-S-CH_2$ ;  $R^6$  and  $R^7$  are each independently a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, optionally substituted thienyl, or optionally substituted phenyl;


20  $Y^2$  is  $-NR^GCO-(CH_2)_{0-2}$ ,  $-NR^GCO-(CH_2)_{0-2}-W$ ,  $-NR^GCO-CH=CH-$ ,  $-W-(CH_2)_{1-5}-NR^GCO-(CH_2)_{0-2}$ ,  $-W-(CH_2)_{1-5}-CONR^G-(CH_2)_{0-2}$ ,  $-CONR^G-(CH_2)_{0-2}$ ,  $-(CH_2)_{0-5}-NR^G-SO_2-(CH_2)_{0-5}$ ,  $-(CH_2)_{0-5}-SO_2-NR^G-(CH_2)_{0-5}$ ,  $-NR^G-(CH_2)_{0-2}$ ,  $-NR^G-CO-NR^G$ ,  $-NR^G-CS-NR^G$ ,  $-N=C(SR^G)-NR^G$ ,  $-NR^GCSNR^GCO$ ,  $-N=C(SR^G)-NR^GCO$ ,  $-NR^G-(CH_2)_{1-2}-NR^GCO$ ,  $-NR^GCONR^GNR^GCO$ , or  $-N=C(NR^GR^G)-$

NR<sup>G</sup>-CO-,

wherein R<sup>G</sup> is each independently a hydrogen atom or optionally substituted lower alkyl, R<sup>F</sup> is a hydrogen atom or optionally substituted aryl, W is an oxygen atom or a sulfur atom;

- 5 Z<sup>2</sup> is optionally substituted phenylene, optionally substituted 2,5-pyridine-diyl, optionally substituted 2,5-thiophene-diyl, or optionally substituted 2,5-furan-diyl;


A<sup>2</sup> is a ring represented by the formula:



- 10 wherein R<sup>1</sup> and R<sup>2</sup> are both hydrogen atoms or taken together may form an oxygen atom or a sulfur atom; R<sup>3</sup> and R<sup>4</sup> are both hydrogen atoms or taken together may form an oxygen atom or a sulfur atom; R<sup>5</sup> is a hydrogen atom or lower alkyl; Q and V are each independently -O-, -S-, -NR<sup>B</sup>- (wherein R<sup>B</sup> is a hydrogen atom or lower alkyl), or -CH<sub>2</sub>-; m is 1, 2, or 3;

- 15 a broken line (---) represents the presence or absence of a bond, provided that X<sup>2</sup> is not oxazole, its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.


XIII) A compound of XII), wherein X<sup>2</sup> is a group represented by the formula:



- 20 wherein E is -(CH<sub>2</sub>)<sub>1-3</sub>-, -O-CH<sub>2</sub>-, or -S-CH<sub>2</sub>-; R<sup>6</sup> and R<sup>7</sup> are each independently a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, optionally

substituted thienyl, or optionally substituted phenyl;  $R^8$  is a hydrogen atom or lower alkyl,  
its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

- 5 XIV) A compound of XII), wherein  $X^2$  is a group represented by the formula:



wherein E is as defined in XII;

$R^9$  is a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, or optionally substituted aminocarbonyl;

- 10  $R^{10}$  and  $R^{11}$  are each independently a hydrogen atom, halogen, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, nitro, or optionally substituted amino,

its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

- 15 XV) A compound of any one of XII) to XIV), wherein  $Y^2$  is  $-NHCO-$ ,  $-CONH-$ ,  $-NHCH_2-$ , or  $-NHSO_2-$ ,


its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

XVI) A compound of any one of XII) to XIV), wherein  $Z^2$  is 1,4-phenylene,

- 20 its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.




XVII) A compound of any one of XII) to XVI), wherein A<sup>2</sup> is a ring represented by the formula:




wherein R<sup>8</sup> is a hydrogen atom or lower alkyl; M is -S-, -O-, -N(R<sup>c</sup>)-, or -CH<sub>2</sub>-  
 5 (wherein R<sup>c</sup> is a hydrogen atom or lower alkyl); T is an oxygen atom or a sulfur atom,  
 its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

XVIII) A compound of any one of XII) to XVII), wherein the broken line  
 10 represents the presence of a bond,  
 its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

XIX) A compound represented by the formula III-A:



15 wherein, R<sup>9</sup> is a hydrogen atom, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, or optionally substituted aminocarbonyl;  
 R<sup>10</sup> and R<sup>11</sup> are each independently a hydrogen atom, halogen, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, nitro, or optionally substituted amino;  
 20 Y<sup>3</sup> is -NHCO- or -CONH-;  
 A<sup>3</sup> is a ring represented by the formula:




or



wherein  $R^8$  is a hydrogen atom or lower alkyl; M is -S-, -O-, -N( $R^c$ )-, or -CH<sub>2</sub>- (wherein  $R^c$  is a hydrogen atom or lower alkyl); T is an oxygen atom or a sulfur atom,

- 5 its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

XX) A compound represented by the formula III-B:



wherein  $R^9$ ,  $R^{10}$ ,  $R^{11}$ ,  $Y^3$ , and  $A^3$  ring are as defined in XIX,

- 10 its prodrug, or their pharmaceutically acceptable salt, or solvate thereof.

XXI) A pharmaceutical composition containing a compound of any one of XII) to XX) as an active ingredient.

- 15 XXII) A pharmaceutical composition which contains as an active ingredient a compound of any one of XII) to XX), which is for exhibiting for thrombopoietin agonism.

- XXIII) A pharmaceutical composition containing as the active ingredient a  
20 compound of any one of XII) to XX), which is a platelet production modifier

XXIV) A platelet production modifier which contains as the active ingredient a compound of any one of XII) to XX).

XXV) Use of a compound of any one of XII) to XX) for preparation of a pharmaceutical composition for treating hemopathy.

- 5 XXVI) A method for treating hemopathy of a mammal, including a human, which comprises administration to said mammal of a compound of any one of XII) to XX) in a pharmaceutically effective amount.

10 In the present specification, the term "halogen" means fluoro, chloro, bromo, and iodo.

15 In the present specification, the term "lower alkyl" employed alone or in combination with other terms means a straight- or branched chain monovalent hydrocarbon group having 1 to 8 carbon atom(s). Examples of alkyl include methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, n-pentyl, isopentyl, neo-pentyl, n-hexyl, isohexyl, n-heptyl, n-octyl and the like. C1 to C6 alkyl is preferred. C1 to C3 alkyl is more preferred.

20 The term "alkenyl" in the present specification means a straight- or branched chain monovalent hydrocarbon group having 2 to 8 carbon atoms and at least one double bond. Examples of the alkenyl include vinyl, allyl, 1-propenyl, 2-propenyl, crotonyl, isopentenyl, a variety of butenyl isomers and the like. C2 to C6 alkenyl is preferred. C2 to C4 alkenyl is more preferred.

25 The term "lower alkynyl" used in the present specification means a straight or branched chain monovalent hydrocarbon group having 2 to 8 carbon atoms and at least one triple bond. The alkynyl may contain (a) double bond(s). Examples of the alkynyl include ethynyl, 2-propynyl, 6-

heptynyl, 7-octynyl and the like.

In the present specification, the term "cycloalkyl" employed alone or in combination with other terms means cycloalkyl group having 3 to 8 carbon atoms. Examples of cycloalkyl group include cyclopropyl, cyclobutyl, 5 cyclopentyl, cyclohexyl, cycloheptyl, cyclooctyl and the like. C3 to C6 cycloalkyl is preferred.

10 In the present specification, the term "aryl" employed alone or in combination with other terms means monocyclic or condensed ring aromatic hydrocarbons. Examples of aryl include phenyl, 1-naphtyl, 2-naphtyl, anthryl, and the like.

15 The term "aralkyl" herein used means the above mentioned "lower alkyl" substituted with the above mentioned "aryl" at any possible position. Examples of the aralkyl are benzyl, phenethyl (e.g., 2-phenethyl and the like), phenylpropyl (e.g., 3-phenylpropyl and the like), naphthylmethyl (e.g., 1-naphthylmethyl and 2-naphthylmethyl and the like), anthrylmethyl (e.g., 9-anthrylmethyl and the like), and the like. Benzyl and phenylethy are preferred.

20

In the present specification, the term "heteroaryl" employed alone or in combination with other terms means a 5 to 6 membered aromatic heterocyclic group which contains one or more hetero atoms selected from the group consisting of oxygen, sulfur, and nitrogen atoms in the ring and may be 25 fused with cycloalkyl, aryl, non-aromatic heterocyclic group, and other heteroaryl at any possible position. Examples of the heteroaryl are pyrrolyl (e.g., 1-pyrrolyl, 2-pyrrolyl, 3-pyrrolyl), furyl (e.g., 2-furyl, 3-furyl), thienyl

- (e.g., 2-thienyl 3-thienyl), imidazolyl (e.g., 2-imidazolyl, 4-imidazolyl), pyrazolyl (e.g., 1-pyrazolyl, 3-pyrazolyl), isothiazolyl (e.g., 3-isothiazolyl), isoxazolyl (e.g., 3-isoxazolyl), oxazolyl (e.g., 2-oxazolyl), thiazolyl (e.g., 2-thiazolyl), pyridyl (e.g., 2-pyridyl, 3-pyridyl, 4-pyridyl), pyrazinyl (e.g., 2-pyrazinyl), pyrimidinyl (e.g., 2-pyrimidinyl, 4-pyrimidinyl), pyridazinyl (e.g., 3-pyridazinyl), tetrazolyl (e.g., 1H-tetrazolyl), oxadiazolyl (e.g., 1,3,4-oxadiazolyl), thiadiazolyl (e.g., 1,3,4-thiadiazolyl), indoliziny (e.g., 2-indoliziny, 6-indoliziny), isoindolyl (2-isoindolyl), indolyl (e.g., 1-indolyl, 2-indolyl, 3-indolyl), indazolyl (e.g., 3-indazolyl), puriyl (e.g., 8-puriyl),
- 10 quinoliziny (e.g., 2-quinoliziny), isoquinolyl (e.g., 3-isoquinolyl), quinolyl (e.g., 3-quinolyl, 5-quinolyl), phthalazinyl (e.g., 1-phthalazinyl), naphthyridiny (e.g., 2-naphthyridiny), quinolanyl (2-quinolanyl), quinazoliny (e.g., 2-quinazoliny), cinnoliny (e.g., 3-cinnoliny), pteridinyl (e.g., 2-pteridinyl), carbazolyl (e.g., 2-carbazolyl, 4-carbazolyl),
- 15 phenanthridiny (e.g., 2-phenanthridiny, 3-phenanthridiny), acridiny (e.g., 1-acridiny, 2-acridiny), dibenzofuranyl (e.g., 1-dibenzofuranyl, 2-dibenzofuranyl), benzimidazolyl (e.g., 2-benzimidazolyl), benzisoxazolyl (e.g., 3-benzisoxazolyl), benzoxazolyl (e.g., 2-benzoxazolyl), benzoxadiazolyl (e.g., 4-benzoxadiazolyl), benzisothiazolyl (e.g., 3-benzisothiazolyl), benzothiazolyl
- 20 (e.g., 2-benzothiazolyl), benzofuryl (e.g., 3-benzofuryl), benzothieryl (e.g., 2-benzothieryl) and the like.

Preferable are thiazolyl, isoxazolyl, isothiazolyl, thienyl, furyl, pyrrolyl, imidazolyl, carbazolyl benzothiazolyl, pyridyl, and pyrazolyl as "heteroaryl" for X<sup>1</sup>.

25

In the present specification, the term "5-membered heteroaryl" means a 5 membered aromatic heterocyclic group which contains one or more

hetero atoms selected from the group consisting of oxygen, sulfur, and nitrogen atoms. Examples of the 5-membered heteroaryl are thienyl, furyl, pyrrolyl, imidazolyl, pyrazolyl, isothiazolyl, isoxazolyl, thiazolyl and the like. Preferable is thiazolyl.

5

The term "heteroarylalkyl" herein used means the above-mentioned "lower alkyl" substituted with the above-mentioned "heteroaryl" at any possible position. Examples of the heteroarylalkyl are thiazolylmethyl (e.g., 2-thiazolylmethyl), thiazolylethyl (e.g., 2-thiazolyl-2-ethyl), imidazolylmethyl (e.g., 4-imidazolylmethyl), pyridylmethyl (e.g., 2-pyridylmethyl, 3-pyridylmethyl, 4-pyridylmethyl), pyridylethyl (e.g., 2-pyridylethyl) and the like.

10

In the present specification, the term "non-aromatic heterocyclic group" employed alone or in combination with other terms means a 5 to 7 membered non-aromatic ring which contains one or more hetero atoms selected from the group consisting of oxygen, sulfur, and nitrogen atoms in the ring and the 5 to 7 membered non-aromatic ring may be condensed with two or more rings selected from the group consisting of cycloalkyl, aryl, heteroaryl, and the 5 to 7 membered non-aromatic ring. Examples of the non-aromatic heterocyclic group are pyrrolidinyl (e.g., 1-pyrrolidinyl, 2-pyrrolidinyl), pyrrolinyl (e.g., 3-pyrrolinyl), imidazolidinyl (e.g., 2-imidazolidinyl), imidazolinyl (e.g., imidazolinyl), pyrazolidinyl (e.g., 1-pyrazolidinyl, 2-pyrazolidinyl), pyrazolinyl (e.g., pyrazolinyl), piperidinyl (e.g., piperidino, 2-piperidinyl), piperazinyl (e.g., 1-piperazinyl), indolynyl (e.g., 1-indolynyl), isoindolynyl (e.g., isoindolynyl), morpholinyl (e.g., morpholino, 3-morpholinyl), indenothiazole (e.g., 8H-indeno[1,2-d]thiazole), dihydronaphthothiazole (4,5-

15

20

25

10048008.012502

10048008.012502

dihydronaphto[1,2-d]thiazole), dihydrothiazabenzazulene (e.g., 5,6-dihydro-4H-3-thia-1-aza-benzo[e]azulene), chromenothiazole (e.g., 4H-chromeno[4,3-d]thiazole), thiochromenothiazole (e.g., 4H-thiochromeno[4,3-d]thiazole), and the like.

5

The term "arylene" herein used means a divalent group of the above-mentioned "aryl". Examples of the arylene are phenylene, naphthylene, and the like. Mentioned in more detail, it is exemplified by 1,2-phenylene, 1,3-phenylen, 1,4-phenylene, and the like. Preferable is 1,4-phenylene.

10

The term "heteroarylene" herein used means a divalent group of the above-mentioned "heteroaryl". Examples of the heteroarylene are thionphene-diyl, furan-diyl, pyridine-diyl, and the like. Mentioned in more detail, it is exemplified by 2,5-thionphene-diyl, 2,5-furan-diyl, 2,5-pyridine-  
15 diyl, and the like.

15

The term "non-aromatic heterocycle-diyl" herein used means a divalent group of an above-mentioned "non-aromatic heterocyclic group". Examples of the non-aromatic heterocycle-diyl are pyrrolidine-diyl, piperidine-diyl, pyrazine-diyl and the like  
20

20

The term "cycloalkyl-diyl" herein used means a divalent group of the above-mentioned "cycloalkyl". Examples of the cycloalkyl-diyl are cyclopentyl-diyl, cyclohexyl-diyl and the like.

25

The term "lower alkyloxycarbonyl" herein used are methyloxycarbonyl, ethyloxycarbonyl, n-propyloxycarbonyl, isopropyloxycarbonyl, n-

butyloxycarbonyl, t-butyloxycarbonyl, n-pentyloxycarbonyl and the like.

In the present specification, the term "acyl" employed alone or in combination with other terms means alkylcarbonyl in which alkyl group is the above-mentioned "lower alkyl" and arylcarbonyl in which aryl group is the above-mentioned "aryl". Examples of the acyl are acetyl, propionyl, benzoyl, and the like. "Lower alkyl" and "aryl" may be substituted respectively with substituents mentioned below.

The term "lower alkyloxy" herein used are methyloxy, ethyloxy, n-propyloxy, i-propyloxy, n-butyloxy, i-butyloxy, sec-butyloxy, tert-butyloxy, and the like. Methyloxy, ethyloxy, n-propyloxy, i-propyloxy and n-butyloxy are preferred.

The term "lower alkylthio" herein used are methylthio, ethylthio, and the like.

In the present specification, the term "halo(lower)alkyl" employed alone or in combination with other terms means the above-mentioned "lower alkyl" which is substituted with the above mentioned "halogen" at 1 to 8 positions, preferably, at 1 to 5. Examples of the halo(lower)alkyl are trifluoromethyl, trichloromethyl, difluoroethyl, trifluoroethyl, dichloroethyl, trichloroethyl, and the like. Preferable is trifluoromethyl.

Examples of the term "acyloxy" herein used are acetyloxy, propionyloxy, benzoyloxy and the like.



10048008 "012502

In the present specification, the term "optionally substituted amino" employed alone or in combination with other terms includes amino substituted with one or two of the above mentioned "lower alkyl", "aralkyl", "heteroarylalkyl" or "acyl". Examples of the optionally substituted amino are amino, methylamino, dimethylamino, ethylmethylamino, diethylamino, benzylamino, acetylamino, benzoylamino and the like. Preferable are amino, methylamino, dimethylamino, ethylmethylamino, diethylamino and acetylamino.

Examples of the term "optionally substituted aminocarbonyl" herein used are aminocarbonyl, methylaminocarbonyl, dimethylaminocarbonyl, ethylmethylaminocarbonyl, diethylaminocarbonyl and the like. Preferable are aminocarbonyl, methylaminocarbonyl, and dimethylaminocarbonyl.

The substituents of "optionally substituted lower alkyl" are cycloalkyl, lower alkenyl, lower alkyliden, hydroxy, lower alkyloxy, mercapto, lower alkylthio, halogen, nitro, cyano, carboxy, lower alkyloxycarbonyl, halo(lower)alkyl, halo(lower)alkyloxy, substituted or unsubstituted amino, substituted or unsubstituted aminocarbonyl, acyl, acyloxy, optionally substituted non-aromatic heterocyclic group, aryloxy (e.g., phenyloxy), aralkyloxy (e.g., benzyloxy), lower alkylsulfonyl, guanidino, azo group, optionally substituted ureide, =N-O- (acyl) and the like. These substituents are able to locate at one or more of any possible positions.

Preferable are lower alkyloxycarbonyl, ethyliden, or =N-O-COCH<sub>3</sub>, as substituents of "optionally substituted lower alkyl" for R<sup>6</sup>, R<sup>7</sup> and R<sup>9</sup>.

Preferable are unsubstituted alkyl, as "optionally substituted lower alkyl" for R<sup>A</sup>. Lower alkyloxycarbonyl as substituents is preferred.

10048008.012502

The substituents of "optionally substituted arylene", "optionally substituted phenylene", "optionally substituted heteroarylene", "optionally substituted 2,5-pyridine-diyl", "optionally substituted 2,5-thiophene-diyl", "optionally substituted 2,5-furan-diyl", "optionally substituted non-aromatic heterocycle-diyl", "optionally substituted cycloalkyl-diyl", "optionally substituted aryl", "optionally substituted thienyl", "optionally substituted phenyl", "optionally substituted heteroaryl", "optionally substituted 5-membered heteroaryl", "optionally substituted aralkyl", "optionally substituted heteroarylalkyl", "optionally substituted non-aromatic heterocyclic group", and "optionally substituted ureide" herein used are optionally substituted lower alkyl, cycloalkyl, lower alkenyl, lower alkynyl, hydroxy, lower alkyloxy, aralkyloxy, mercapto, lower alkylthio, halogen, nitro, cyano, carboxy, lower alkyloxycarbonyl, halo(lower)alkyl, halo(lower)alkyloxy, unsubstituted or substituted amino, unsubstituted or substituted aminocarbonyl, acyl, acyloxy, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted non-aromatic heterocyclic group, optionally substituted aralkyl, lower alkylsulfonyl, guanidino, azo group, -N=N-(optionally substituted phenyl) or optionally substituted ureide and the like. These substituents are able to locate at one or more of any possible positions.

Preferable are unsubstituted groups as substituents of "optionally substituted arylene", "optionally substituted phenylene", "optionally substituted heteroarylene", "optionally substituted 2,5-pyridine-diyl",

10048008.012502

"optionally substituted 2,5-thiophene-diyl", "optionally substituted 2,5-furan-diyl", "optionally substituted non-aromatic heterocycle-diyl", "optionally substituted cycloalkyl-diyl". Halogen, nitro, cyano, lower alkyl, lower alkyloxy as substituents are preferred.

5

The examples of substituents of "optionally substituted aryl" and "optionally substituted aralkyl" for  $X^1$  are lower alkyl, hydroxy lower alkyl, hydroxy, lower alkyloxy, lower alkylthio, halogen, nitro, cyano, carboxy, lower halo(lower)alkyl, halo(lower)alkyloxy, aralkyloxy, unsubstituted or substituted amino, unsubstituted or substituted aminocarbonyl, aryl, heteroaryl, non-aromatic heterocyclic group, arylazo (e.g., phenylazo), and the like. Preferable substituents are lower alkyl, hydroxy, lower alkyloxy, lower alkylthio, halogen, halo(lower)alkyl, halo(lower)alkyloxy, aralkyloxy, -N=N-(phenyl), alkylendioxy, and the like.

15

The examples of "optionally substituted aryl" for  $X^1$  are phenyl, 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, 3,4-dimethylphenyl, 4-ethylphenyl, 4-t-butylphenyl, 4-n-butylphenyl, 4-n-hexylphenyl, 4-n-octylphenyl, 3,5-di-t-butyl-4-hydroxyphenyl, 4-ethoxyphenyl, 4-fluorophenyl, 3,4-dichlorophenyl, 3,5-dichlorophenyl, 4-iodophenyl, 4-trifluoromethylphenyl, 4-methylthiophenyl, 4-phenylmethoxyphenyl, 4-phenyazophenyl, 4-phenylphenyl, 2-naphthyl, benzodioxoryl (e.g., 1,3-benzodioxoryl), and the like..

25

The substituents of "optionally substituted thienyl" and "optionally substituted phenyl" for  $R^6$  and  $R^7$  are lower alkyl, lower alkyl substituted with unsubstituted or substituted amino, lower alkenyl, lower alkynyl, hydroxy,

lower alkyloxy, mercapto, lower alkylthio, halogen, nitro, cyano, carboxy, lower alkyloxycarbonyl, halo(lower)alkyl, halo(lower)alkyloxy, unsubstituted or substituted amino, unsubstituted or substituted aminocarbonyl, acyl, formyl, acyloxy, optionally substituted phenyl, aryl (e.g., phenyl), heteroaryl  
5 (imidazolyl), non-aromatic heterocyclic group (e.g., morpholino, piperaziny), aralkyl, arylazo, and the like. Preferable are lower alkyl, lower alkyloxy, halogen, nitro, carboxy, lower alkyloxycarbonyl, halo(lower)alkyl, halo(lower)alkyloxy, unsubstituted or substituted amino, unsubstituted or substituted aminocarbonyl, aryl, arylazo and the like.

10 The examples of "optionally substituted phenyl" for R<sup>6</sup> and R<sup>7</sup> are phenyl, 3-methylphenyl, 4-methylphenyl, 4-t-butylphenyl, 4-n-pentylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-carboxyphenyl, 4-methyloxycarbonylphenyl, 4-ethyloxycarbonylphenyl, 4-isopropoxyloxycarbonyl,  
15 4-n-butyloxycarbonyl, 4-t-butyloxycarbonyl, 2-fluorophenyl, 3-fluorophenyl, 4-fluorophenyl, 2,4-difluorophenyl, 2,6-difluorophenyl, 3,4-difluorophenyl, 2,4,5-trifluorophenyl, 2,3,4,5,6-pentafluorophenyl, 4-chlorophenyl, 2,4-dichlorophenyl, 3,4-dichlorophenyl, 3,5-dichlorophenyl, 3-bromophenyl, 4-bromophenyl, 4-iodophenyl, 3-fluoro-4-methoxyphenyl, 3-trifluoromethylphenyl, 4-trifluoromethylphenyl, 2-trifluoromethoxyphenyl,  
20 4-acetylaminophenyl, 4-aminocarbonylphenyl, 4-N-methylaminocarbonylphenyl, 4-N,N-dimethylaminocarbonyl, 2-nitrophenyl, 4-nitrophenyl, 4-phenylphenyl, 4-phenylazophenyl, and the like.

25 Preferable are lower alkyl, cycloalkyl, lower alkenyl, lower alkynyl, hydroxy, lower alkyloxy, aralkyloxy, mercapto, lower alkylthio, halogen, nitro, cyano, carboxy, lower alkyloxycarbonyl, halo(lower)alkyl, halo(lower)alkyloxy,

unsubstituted or substituted amino, unsubstituted or substituted aminocarbonyl, acyl, acyloxy, guanidino, azo group, and the like as substituents of "optionally substituted aryl", "optionally substituted heteroaryl", "optionally substituted aralkyl", and "optionally substituted heteroarylalkyl" for R<sup>A</sup>. These substituents are able to locate at one or more of any possible positions.

Preferable is phenyl as "optionally substituted aryl" for R<sup>F</sup>.

The substituents of "optionally substituted heteroaryl", "optionally substituted heteroarylalkyl", "optionally substituted non-aromatic heterocyclic group" for X<sup>1</sup> and the substituents of "optionally substituted 5-membered heteroaryl" for X<sup>2</sup> are optionally substituted lower alkyl, lower alkenyl (e.g., =CH-CH<sub>3</sub>), lower alkynyl, hydroxy, lower alkyloxy, mercapto, lower alkylthio, halogen, nitro, cyano, carboxy, lower alkyloxyccarbonyl, halo(lower)alkyl, halo(lower)alkyloxy, substituted or unsubstituted amino, substituted or unsubstituted aminocarbonyl, acyl (e.g., aryloxyccarbonyl optionally substituted with halogen, nitro, cyano and the like), acyloxy, optionally substituted phenyl, aryl, optionally substituted heteroaryl (e.g., 2-pyridyl, 3-pyridyl, 4-pyridyl, 3-thienyl, 5-methylpyridine-2-yl, 3-quinolyl, 5-chlorothiophene-2-yl, 5-bromothiophene-2-yl), non-aromatic heterocyclic group, aralkyl, =N-O-(acyl), and the like. Preferable are optionally substituted lower alkyl, lower alkenyl, lower alkyloxyccarbonyl, optionally substitute phenyl, heteroaryl, =N-O-(acyl), and the like.

When hetero atom is nitrogen atom, the nitrogen atom may be substituted with alkyl, oxo and the like.

In the present specification, the term "hemopathy" means hemopathy accompanied with the unusual number of platelet. For example the hemopathy is thrombocytopenia (after bone marrow transplantation, after chemotherapy, anaplastic anemia, bone marrow dysplasia syndrome, acquired thrombopenia of intractable sudden thrombocytopenic purpura and the like, congenital thrombopenia of thrombopoietin deficiency and the like) and the like.

#### Brief description of the drawing

10 Figure 1: The chart shows the stimulation activity of a present invention for the proliferation and differentiation of megakaryocyte precursor cells, by counting megakaryocyte colonies formed from human bone marrow cells.

15 Figure 2: The chart represents proliferation of the human TPO dependent cells manifesting human TPO receptors by the present invention compound, wherein the x-axis is concentration of the present invention compound, and the y-axis is absorption as an indicator of cell proliferation. White circle is a response of human TPO, and black circle is a response of the compound (B-17).

20 Figure 3: The chart represents proliferation of the human TPO independent cell manifesting no human TPO receptor by the present invention compound, wherein the x-axis is a concentration of the present invention compound, and the y-axis is absorption as an indicator of cell proliferation. White circle is a response of human TPO, and black circle is a response of the compound (B-17).


25 Figure 4: The chart represents proliferation of the murine TPO independent cell manifesting murine TPO receptor by the present invention compound,

wherein the x-axis is a concentration of the present invention compound, and the y-axis is absorption as an indicator of cell proliferation. White circle is a response of human TPO, and black circle is a response of the compound (B-17)

# Best Mode for Carrying Out the Invention

Compounds (I) of the invention can be synthesized by the following methods A-C and the similar process. And it is possible to produce the compounds in accordance with the procedure described in WO97/05135 and WO97/39737.

## (Method A)



wherein A<sup>1</sup> is as defined above, Z<sup>3</sup> is optionally substituted arylene, optionally substituted heteroarylene, optionally substituted non-aromatic heterocycle-diyl, or optionally substituted cycloalkyl-diyl, X<sup>3</sup> is optionally substituted aryl, optionally substituted aralkyl, optionally substituted heteroaryl, or optionally substituted heteroarylalkyl, R<sup>12</sup> is lower alkyl.

## (Process 1)

Commercial available compound Z<sup>1</sup> (compound (IV)) having lower alkyloxycarbonyl and aldehyde groups as substituents is used as a starting material.

The compound (IV) is also obtained by the following methods 1)-3). 1)

10048008.012502

A carboxy group of the compound having lower alkyloxycarbonyl and carboxy groups as substituents is treated with ethyl chlorocarbonate to give mixed acid anhydride. 2) A usual reductive reaction (e.g., reductive reaction with sodium borohydride) gives a compound having lower alkyloxycarbonyl and hydroxy groups. 3) A usual oxidative reaction (e.g., Swern oxidation, Dess-Martin Oxidation and the like) obtains compound (IV) having alkyloxycarbonyl and aldehyde groups.

This is the process of obtaining bezyliden derivatives by the reaction of aldehyde derivatives with 2,4-thiazolidine-dione. Compound (IV) is reacted with 2,4-thiazolidine-dione under reflux in the presence of acetic acid and piperidine as a catalyst in a solvent such as benzene, toluene to obtain the desired compound. (Knoevenagel Reaction).

A derived double bond may be reduced by a usual reductive reaction (e.g., hydrogenation) at any appropriate process. In case of a presence of a functional group(s) possibly interfering the reaction, the group(s) can be protected in accordance with a method described in "Protective Groups in Organic Synthesis" (Theodora W. Green (John Wiley & Sons)) and the like, and then deprotected at an appropriate process.

20 (Process 2)

This is the conversion of alkyloxy derivatives to carboxylic acid derivatives by the hydrolysis. It can be carried out by usual hydrolysis. For example, compound (V) is reacted in the presence of acetic acid, hydrochloric acid, and the like to give the carboxylic acid derivative (compound (VI)).

(Process 3)




1048008-012502

This process is the reaction of carboxylic acid derivatives (VI) and amine derivatives (VII) to obtain amide derivative (I-A) by an active ester method, an acid chloride method, a mixed acid anhydride method, and the like. This process is performed in a solvent such as tetrahydrofuran, dioxane, dichloromethane, toluene, benzene. An active ester method can be carried out by using 1-hydroxybenzotriazole, hydroxysuccinimide, dimethylaminopyridine and the like, dicyclohexylcarbodiimide 1-ethyl-3-(dimethylaminopropyl)carbodiimide hydrochloride, and the like as a condensing agent. A acid chloride method can be performed by conversion of a free carboxylic acid with thionyl chloride, oxalyl chloride as a reagent to an acid chloride. A mixed acid anhydride method can be carried out by the reaction of carboxylic acid with ethyl chloroformate isobutyl chloroformate and the like to obtain acid mix anhydride. Bases such as triethylamine, pyridine may be used in the reaction, if necessary.

Commercial available compound Z<sup>1</sup> (compound (IV)) having lower alkyloxycarbonyl and aldehyde groups as substituents is used as a starting material.

The compound (VII) is commercial available but it is also obtained by means of the following methods. 1) Compound (VII) having two successive rings can be obtained by Suzuki Reaction when X<sup>3</sup> is optionally substituted aryl, optionally substituted aryl, or the like and when above-mentioned substituents are aryl or heteroaryl. 2) Compound (VII') can be given by the following method when X<sup>3</sup> is optionally substituted thiazole.



wherein  $R^D$  and  $R^E$  are hydrogen atoms, optionally substituted lower alkyl, carboxy, lower alkyloxycarbonyl, optionally substituted aminocarbonyl, or optionally substituted phenyl and the like, Hal is halogen.


5 (Process 1)

This process is halogenation. It can be carried out by a usual halogenation. For example, bromination can be performed by the reaction with bromine in mixed solvent of methanol and chloroform.

10 (Process 2)

This is a process of constructing a thiazole ring. For example, the desired thiazole (VII') derivative can be obtained by the reaction with thiourea in a solvent such as methanol.

15 (Method B)



wherein  $A^1$ ,  $X^3$ , and  $Z^3$  are as defined above, Boc is t-butyloxycarbonyl

(Process 1)

20 The present process is the conversion of a carboxy group to an amino group protected with Boc. For example, the desired compound can be obtained by the reaction of the compound (IV) with diphenylphosphoryl azide

in a solvent such as dimethylformamide, toluene, ether, dioxane in a presence of t-butanol and a base such as triethylamine.


(Process 2)

5 The present process is a deprotection of Boc. It can be deprotected in accordance of a method described in Protective Groups in Organic Synthesis, Theodora W Green (John Wiley & Sons) and the like. For example, compound (X) is treated with trifluoroacetic acid to give the desired deprotected compound (XI).

10 (Process 3)

This process may be carried out in the same manner as that described in process 3 of method A.

15 (Method C)




wherein A<sup>1</sup>, X<sup>3</sup>, Z<sup>3</sup>, and Hal are as defined above

The present process is the treating acid halogenide (XIII) of compound (VI) with ammonium isothiocyanate and the following reaction of the above-mentioned compound (VII) to give the desired compound (I-C).

A compound represented by the formula (I), wherein Y<sup>1</sup> is not -CONH-, -NHCO-, or -NHC(=S)NHC(=O)-, can be synthesized in the same manner as that described in above mentioned methods A-C.


N-alkylation can be carried by a usual alkylation.

When Y<sup>1</sup> is -N(-alkyl)-CO-, Z<sup>1</sup> is optionally substituted thiazole, the said compound is represented by equilibrium as follows.



Both a cis isomer and a trans isomer are included when a broken line represents a presence of a bond in the formulae (I), (II), and (III). For example, a cis isomer and a trans isomer can be as follows, when A<sup>1</sup> ring is thiazolidine-dione.

10



wherein X<sup>1</sup>, Y<sup>1</sup>, and Z<sup>1</sup> are as defined above.

15 The term "solvate" includes, for example, solvates with organic solvents, hydrates, and the like.

The term "compound of the present invention" herein used includes a pharmaceutically acceptable salt or solvate thereof. The salt is exemplified by a salt with alkali metals (e.g., lithium, sodium, potassium, and the like), alkaline earth metals (e.g., magnesium, calcium, and the like), ammonium, organic bases, amino acids, mineral acids (e.g., hydrochloric acid, hydrobromic acid, phosphoric acid, sulfuric acid, and the like), or organic acids (e.g., acetic

20

acid, citric acid, maleic acid, fumaric acid, benzenesulfonic acid, p-toluenesulfonic acid, and the like). These salts can be formed by the usual method. These hydrates can coordinate with any water molecules when hydrates are formed.

5

Prodrug is a derivative of the compound having a group which can be decomposed chemically or metabolically, and such prodrug is a compound according to the present invention which becomes pharmaceutically active by means of solvolysis or by placing the compound in vivo under a physiological condition. The method of both selection and manufacture of appropriate prodrug derivatives is described in, for example, Design of Prodrugs, Elsevier, Amsterdam, 1985). For instance, prodrugs such as an ester derivative which is prepared by reacting a basal acid compound with a suitable alcohol, or an amide derivative which is prepared by reacting a basal acid compound with a suitable amine are exemplified when the compounds according to present invention have a carboxylic group. Particularly preferred esters as prodrugs are methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert-butyl, morpholinoethyl, and N,N-diethylglycolamido, and the like. For instance, prodrugs such as an acyloxy derivative which is prepared by reacting a basal hydroxy compound with a suitable acyl halide or a suitable acid anhydride, or an amide derivative which is prepared by reacting a basal acid compound with a suitable amine are exemplified when the compounds according to present invention have a hydroxy group. Particularly preferred acyloxy derivatives as prodrugs -OCOC<sub>2</sub>H<sub>5</sub>, -OCO(t-Bu), -OCOC<sub>15</sub>H<sub>31</sub>, -OCO(m-COONa-Ph), -COCH<sub>2</sub>CH<sub>2</sub>COONa, -OCOCH(NH<sub>2</sub>)CH<sub>3</sub>, -OCOCH<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, and the like. For instance, prodrugs such as an amide derivative which is prepared by reacting a basal amino compound with a suitable acid halide or a suitable acid anhydride are exemplified when the compounds according to present invention have an amino group. Particularly preferred amide as prodrugs are -NHCO(CH<sub>2</sub>)<sub>20</sub>CH<sub>3</sub>, -NHCOCH(NH<sub>2</sub>)CH<sub>3</sub>, and the like.

The compound of the present invention is not restricted to any particular isomers but includes all possible isomers and racemic modifications.

5

The present invention compounds show excellent thrombopoietin receptor agonism as described in examples mentioned later, and may be used as a pharmaceutical composition (platelet production modifier) for hemopathy accompanied with the unusual number of platelet, for example thrombocytopenia and the like. And the present compound may be used as a peripheral blood stem cell releasing promoter, a differentiation-inducer of megakaryocytic leukemic cell, a platelet increasing agent of a platelet donor and the like.

10  
15

When the compound of the present invention is administered to a person for the treatment of the above diseases, it can be administered orally as powder, granules, tablets, capsules, pilulae, and liquid medicines, or parenterally as injections, suppositories, percutaneous formulations, insufflation, or the like. An effective dose of the compound is formulated by being mixed with appropriate medicinal admixtures such as excipient, binder, penetrant, disintegrators, lubricant, and the like if necessary. Parenteral injections are prepared by sterilizing the compound together with an appropriate carrier.

20  
25

The dosage varies with the conditions of the patients, administration route, their age, and body weight. In the case of oral administration, the dosage can generally be between 0.1 to 100 mg/kg/day, and preferably 1 to 20

mg/kg/day for adult.

The following examples are provided to further illustrate the present invention and are not to be constructed as limiting the scope thereof.

5

Abbreviations described below are used in the following examples.

Me : methyl

Et : ethyl

<sup>i</sup>Pr : isopropyl

10 <sup>n</sup>Bu : butyl

<sup>t</sup>Bu : tert-butyl

<sup>i</sup>Bu : isobutyl

<sup>n</sup>Pen : n-pentyl

<sup>n</sup>Hex : n-hexyl

15 <sup>n</sup>Oct : n-octyl

Ph : phenyl

Bn : benzyl

Bz : benzoyl

Py : pyridyl

20 Ac : acetyl

Boc : t-butyloxycarbonyl


DMF : dimethylformamide シ°メチルホルムアミド°

DMSO : dimethylsulfoxide

Example

25 Example 1 The preparation of compound (A-1)

10048008-012502



(Process 1)

To a solution of methyl terephthalaldehyde (25 g) and rhodanine  
 5 (23.3 g) in toluene, 1M piperazine-toluene solution (6.2 ml) and 1M acetic acid  
 - toluene solution (6.2 ml) were added, and the resulting solution was heated  
 under reflux overnight. After cooling, filtration of the resulting crystal gave  
 compound (2) 34.6 g.

<sup>1</sup>H NMR(DMSO-d<sub>6</sub>,  $\delta$  ppm) 13.18 (bs, 1H), 8.07 (d, 2H, J = 8.7 Hz), 7.73 (d,  
 10 2H, J = 8.7 Hz), 7.68 (s, 1H), 3.88 (s, 1H).

(Process 2)

A suspension of compound (2) (34.6 g) in dioxane (160 ml), acetic acid  
 (250 ml), and 6N hydrochloric acid (88 ml) was refluxed at 120°C for 5 h.  
 15 Water (350 ml) was poured into the reaction mixture and after cooling the  
 filtration of crystal gave compound (3) 30.0 g.

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>,  $\delta$  ppm): 13.95 (bs, 1H), 13.24 (bs, 1H), 8.06 (d, 2H, J =



8.4 Hz), 7.72 (d, 2H, J = 8.4 Hz), 7.69 (s, 1H).

(Process 3)

10048008.012502  
A mixture of compound (3) (3 g) in dioxane (20 ml) and thionyl  
5 chloride (10 ml) was heated to dissolve at 100°C. Evaporation of the solvent  
under the reduced pressure gave carboxylic acid chloride. The obtained  
carboxylic acid chloride was not purified to proceed to a further reaction. To  
the solution of carboxylic acid chloride (286 mg) and compound (4) (368 mg)  
synthesized by process 4 in dioxane (50 ml), pyridine (162  $\mu$ l) was added and  
10 the reaction mixture heated at 100°C for 2 h. After cooling and evaporation  
of the solvent under the reduced pressure, methanol (6 ml) and water (2 ml)  
were added to the residue and then the resulting crystal was filtrated.  
Recrystallization from DMF yielded 220 mg of compound (A-1).  
1H NMR (DMSO-d<sub>6</sub>,  $\delta$  ppm): 13.94 (bs, 1H), 12.93 (s, 1H), 8.23 (d, 2H, J = 8.5  
15 Hz), 8.21 (d, 1H, J = 2.1 Hz), 7.91 - 7.97 (m, 1H), 7.93 (s, 1H), 7.76 (d, 2H, J =  
8.5 Hz), 7.73 (s, 1H), 7.70 (s, 1H).

(Process 4)

20 To a solution of 3', 4'-dichloroacetophenone (5) (5.67 g) in 10%  
methanol-chloroform, bromine (1.52 ml) was added, and then the reaction  
solution was stirred at room temperature until the color of bromine  
disappeared. After evaporation of the solvent under the reduced pressure,  
the residue was dissolved in ethanol, thiourea (2.28 g) was added and the  
mixture was refluxed for 2 hours. After removing the solvent by evaporation  
25 under reduced pressure, ethyl acetate - water was added to the residue, then  
the precipitated crystal was collected by filtration. To the crystal was added  
ethyl acetate - a saturated sodium carbonate solution, then the ethyl acetate


layer was separated, dried, and evaporated to obtain 3.38 g of compound (4).

$^1\text{H}$  NMR ( $\text{CDCl}_3$   $\delta$  ppm): 7.89 (d, 1H,  $J = 2.2$  Hz), 7.69 (dd, 1H,  $J = 8.5$  Hz, 2.2 Hz), 7.43 (d, 1H,  $J = 8.2$  Hz), 6.74 (s, 1H), 5.06 (bs, 1H).

Compound (A-2) to Compound (A-73) were synthesized in a manner  
5 similar to Example 1. Their physical data were shown in Tables 1 to 8.

10048008.012502

Table 1



Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
2	A-2		H	13.90 (bs, 1H), 12.94 (s, 1H), 8.25 (d, 2H, J = 8.1 Hz), 7.96 (d, 1H, J = 6.9 Hz), 7.77 (d, 1H, J = 8.1 Hz), 7.73 (s, 1H), 7.71 (s, 1H), 7.46 (t, 2H, J = 7.5 Hz), 7.35 (t, 2H, J = 6.9 Hz)
3	A-3		H	13.95 (bs, 1H), 12.92 (s, 1H), 8.24 (d, 2H, J = 8.1 Hz), 7.97 - 8.02 (m, 2H), 7.76 (d, 1H, J = 8.1 Hz), 7.72 (s, 1H), 7.70 (s, 1H), 7.26 - 7.31 (m, 2H)
4	A-4		H	13.90 (bs, 1H), 12.95 (s, 1H), 8.24 (d, 2H, J = 8.4 Hz), 7.92 (d, 2H, J = 8.7 Hz), 7.80 (s, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.70 (s, 1H), 7.66 (d, 2H, J = 8.7 Hz)
5	A-5		H	13.90 (bs, 1H), 12.92 (s, 1H), 8.24 (d, 2H, J = 7.8 Hz), 7.98 (d, 2H, J = 8.7 Hz), 7.79 (s, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.71 (s, 1H), 7.52 (d, 2H, J = 7.8 Hz)
6	A-6		H	13.92 (bs, 1H), 12.89 (s, 1H), 8.25 (d, 2H, J = 8.2 Hz), 7.76 (d, 1H, J = 8.2 Hz), 7.71 (s, 1H), 7.26 (d, 2H, J = 8.5 Hz), 2.34 (s, 3H)
7	A-7		H	13.90 (bs, 1H), 12.95 (s, 1H), 8.26 (d, 2H, J = 8.4 Hz), 8.06 (d, 2H, J = 7.5 Hz), 7.92 - 8.12 (m, 8H), 7.47 - 7.52 (m, 2H), 7.36 - 7.41 (m, 2H)
8	A-8		H	13.90 (bs, 1H), 12.88 (s, 1H), 8.24 (d, 2H, J = 8.4 Hz), 7.89 (d, 2H, J = 7.8 Hz), 7.76 (d, 2H, J = 7.8 Hz), 7.70 (s, 1H), 7.55 (s, 1H), 7.01 (d, 2H, J = 8.4 Hz), 3.80 (s, 3H)
9	A-9		H	13.90 (bs, 1H), 12.93 (s, 1H), 8.21 (d, 2H, J = 8.1 Hz), 7.94 (d, 1H, J = 7.5 Hz), 7.79 - 7.83 (m, 2H), 7.75 (d, 2H, J = 8.1 Hz), 7.70 (s, 1H), 7.61 - 7.66 (m, 1H), 7.59 (s, 1H)
10	A-10	t-Bu	H	13.85 (bs, 1H), 12.30 (s, 1H), 8.21 (d, 2H, J = 8.1 Hz), 7.73 (d, 2H, J = 8.1 Hz), 7.70 (s, 1H), 6.84 (s, 1H), 1.31 (s, 9H)

Table 2










Example No.	Compound No.	R <sup>s</sup>	R <sup>r</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
11	A-11		H	13.92 (bs, 1H), 12.93 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 7.87 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.65 (s, 1H), 7.47 (d, 2H, J = 8.5 Hz), 1.32 (s, 9H)
12	A-12		H	13.97 (bs, 1H), 13.00 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.08 (dd, 4H, J = 19.2 Hz, 8.5 Hz), 7.94 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 3.81 (s, 3H)
13	A-13		H	13.88 (bs, 1H), 12.91 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.86 (d, 2H, J = 8.1 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.64 (s, 1H), 7.27 (d, 2H, J = 8.1 Hz), 2.60 (t, 2H, J = 7.8 Hz), 1.60 (q, 2H, J = 6.6 Hz), 1.27 - 1.36 (m, 2H), 0.87 (t, 3H, J = 6.6 Hz)
14	A-14		H	13.90 (bs, 1H), 13.05 (s, 1H), 8.34 (d, 2H, J = 8.5 Hz), 8.24 (t, 4H, J = 8.2 Hz), 8.10 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H)
15	A-15		H	13.92 (bs, 1H), 12.99 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.75 (d, 1H, J = 8.5 Hz), 7.71 (s, 1H), 7.64 (s, 1H), 7.44 (d, 1H, J = 4.1 Hz), 7.14 (d, 1H, J = 4.1 Hz)
16	A-16		H	13.90 (bs, 1H), 12.93 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.84 (bs, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.61 - 7.62 (m, 2H), 7.56 (s, 2H)
17	A-17		H	13.95 (bs, 1H), 13.00 (s, 1H), 8.65 - 8.67 (m, 1H), 8.26 (d, 2H, J = 8.4 Hz), 8.09 - 8.12 (m, 1H), 7.80 - 8.05 (m, 1H), 8.03 (s, 1H), 7.78 (d, 2H, J = 8.4 Hz), 7.70 (s, 1H), 7.55 (s, 1H), 7.73 (s, 1H), 7.43 - 7.47 (m, 3H)
18	A-18		H	13.01 (s, 1H), 9.22 (d, 1H, J = 2.1 Hz), 8.62 (dd, 1H, J = 5.1 Hz, 1.2 Hz), 8.45 (d, 1H, J = 8.4 Hz), 8.25 (d, 2H, J = 8.1 Hz), 7.98 (s, 1H), 7.77 (d, 2H, J = 8.1 Hz), 7.72 (s, 1H), 7.64 (dd, 1H, J = 8.1 Hz, 5.1 Hz)
19	A-19		H	13.15 (s, 1H), 8.92 (d, 2H, J = 6.3 Hz), 8.56 (s, 1H), 8.40 (d, 2H, J = 6.3 Hz), 8.25 (d, 2H, J = 8.5 Hz), 7.77 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H)

Table 3









Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
20	A-20		H	13.93 (bs, 1H), 12.93 (s, 1H), 8.23 (d, 2H, J = 8.4 Hz), 7.93 - 8.01 (m, 1H), 7.82 (s, 1H), 7.80 - 7.82 (m, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.71 (s, 1H)
21	A-21		H	13.97 (bs, 1H), 13.00 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.64 (s, 1H), 7.41 (d, 1H, J = 3.8 Hz), 7.24 (d, 1H, J = 3.8 Hz)
22	A-22		H	13.94 (bs, 1H), 12.97 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.04 (d, 2H, J = 8.7 Hz), 7.96 (d, 2H, J = 8.7 Hz), 7.99 (bs, 2H), 7.88 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.73 (s, 1H)
23	A-23		H	13.94 (bs, 1H), 12.97 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.04 (d, 2H, J = 8.7 Hz), 7.96 (d, 2H, J = 8.7 Hz), 7.99 (bs, 2H), 7.88 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.73 (s, 1H), 2.81 (d, 3H, J = 4.2 Hz)
24	A-24		H	14.01 (bs, 1H), 12.94 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.01 (d, 2H, J = 8.2 Hz), 7.82 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.49 (d, 2H, J = 8.2 Hz), 2.98 (s, 6H)
25	A-25		H	13.90 (bs, 1H), 13.01 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.01 - 8.12 (m, 4H), 7.93 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 5.16 (quint, 1H, J = 6.0 Hz), 1.35 (d, 6H, J = 6.0 Hz)
26	A-26		H	13.92 (bs, 1H), 13.01 (s, 1H), 8.25 (d, 2H, J = 8.4 Hz), 8.03 - 8.12 (m, 4H), 7.93 (s, 1H), 7.77 (d, 2H, J = 8.4 Hz), 7.72 (s, 1H), 4.30 (t, 2H, J = 6.6 Hz), 1.67 - 1.76 (m, 2H), 1.41 - 1.51 (2-m., 2H), 0.95 (t, 3H, J = 7.2 Hz)
27	A-27		H	13.05 (s, 1H), 9.16 (s, 1H), 8.80 (d, 1H, J = 7.8 Hz), 8.24 (d, 2H, J = 8.4 Hz), 7.16 (s, 1H), 7.90 (d, 1H, J = 8.7 Hz), 7.77 (d, 2H, J = 8.4 Hz), 7.72 (s, 1H), 2.74 (d, 3H)
28	A-28	-CH <sub>2</sub> COOEt	H	13.94 (bs, 1H), 12.82 (s, 1H), 8.21 (d, 2H, J = 8.7 Hz), 7.74 (d, 2H, J = 8.7 Hz), 7.71 (s, 1H), 7.08 (s, 1H), 4.09 (q, 2H, J = 6.9 Hz), 3.75 (s, 2H), 1.20 (t, 3H, J = 7.2 Hz)

Table 4

Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
29	A-29		H	13.91 (bs, 1H), 12.86 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.22 (s, 1H), 7.09 (q, 1H, J = 6.9 Hz), 3.68 (s, 3H), 1.89 (d, 3H, J = 6.9 Hz)
30	A-30		H	13.94 (bs, 1H), 13.23 (s, 1H), 8.24 (d, 2H, J = 8.1 Hz), 7.98 (s, 1H), 7.75 (d, 2H, J = 8.1 Hz), 7.71 (s, 1H), 4.46 (q, 1H, J = 7.2 Hz), 2.10 (s, 3H), 1.35 (t, 3H, J = 7.2 Hz)
31	A-31		H	13.90 (bs, 1H), 13.08 (s, 1H), 9.64 (d, 1H, J = 2.1 Hz), 9.10 (s, 1H), 8.27 (d, 2H, J = 8.5 Hz), 8.20 (d, 2H, J = 8.1 Hz), 8.17 (s, 1H), 7.92 (td, 1H, J = 8.7 Hz, 1.8 Hz), 7.76 - 7.81 (m, 3H), 7.72 (s, 1H)
32	A-32		-COOEt	14.04 (bs, 1H), 13.30 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 7.73 - 7.76 (m, 4H), 7.70 (s, 1H), 7.44 - 7.46 (m, 3H), 4.22 (q, 2H, J = 6.9 Hz), 1.23 (t, 3H, J = 6.9 Hz)
33	A-33		-COOMe	13.97 (bs, 1H), 13.31 (s, 1H), 8.24 (d, 2H, J = 8.4 Hz), 8.76 (d, 2H, J = 8.4 Hz), 7.73 - 7.76 (m, 2H), 7.70 (s, 1H), 7.44 - 7.46 (m, 3H), 3.75 (s, 1H)
34	A-34		-CH <sub>2</sub> COOMe	13.88 (bs, 1H), 12.89 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.60 - 7.63 (m, 2H), 7.38 - 7.51 (d, 3H), 3.99 (s, 2H), 3.68 (s, 3H)
35	A-35		-(CH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> Me	13.93 (bs, 1H), 12.80 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.46 - 7.51 (m, 2H), 7.46 - 7.51 (m, 2H), 7.36 - 7.42 (m, 1H), 3.6 (s, 3H), 3.17 (t, 2H, J = 7.4 Hz), 2.72 (t, 2H, J = 7.4 Hz)
36	A-36		-(CH <sub>2</sub> ) <sub>2</sub> CO <sub>2</sub> Et	13.93 (bs, 1H), 12.80 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.46 - 7.51 (m, 2H), 7.46 - 7.51 (m, 2H), 7.36 - 7.42 (m, 1H), 4.05 (q, 2H, J = 7.1 Hz), 3.17 (t, 2H, J = 7.4 Hz), 2.72 (t, 2H, J = 7.4 Hz), 1.16 (t, 2H, J = 7.1 Hz)

Table 5





















Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
37	A-37		CH <sub>3</sub>	13.90 (bs, 1H), 12.80 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.74 (d, 2H, J = 8.5 Hz), 7.72 (d, 2H, J = 8.2 Hz), 7.71 (s, 1H), 7.53 (d, 2H, J = 8.2 Hz), 2.51 (s, 3H)
38	A-38		Et	13.87 (bs, 1H), 12.76 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.70 (s, 1H), 7.62 - 7.65 (m, 2H), 7.45 - 7.50 (m, 2H), 7.35 - 7.40 (m, 1H), 2.93 (q, 2H, J = 7.7 Hz), 1.29 (t, 3H, J = 7.7 Hz)
39	A-39	Me		13.93 (bs, 1H), 12.98 (s, 1H), 8.30 (d, 2H, J = 9.0 Hz), 8.23 (d, 2H, J = 8.2 Hz), 7.79 (d, 2H, J = 9.0 Hz), 7.75 (d, 2H, J = 8.2 Hz), 7.70 (s, 1H), 2.50 (s, 1H)
40	A-40		H	13.92 (bs, 1H), 12.76 (s, 1H), 8.19 (d, 4H, J = 8.8 Hz), 7.72 (d, 2H, J = 8.2 Hz), 7.69 (s, 1H), 7.54 (d, 2H, J = 8.2 Hz), 7.05 (s, 1H), 4.17 (s, 2H)
41	A-41		Me	13.15 (s, 1H), 8.92 (d, 2H, J = 6.3 Hz), 8.56 (s, 1H), 8.40 (d, 2H, J = 6.3 Hz), 8.25 (d, 2H, J = 8.5 Hz), 7.77 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H)
42	A-42		COOMe	13.90 (bs, 1H), 13.31 (s, 1H), 8.24 (d, 2H, J = 8.7 Hz), 7.80 - 7.84 (m, 2H), 7.75 (d, 1H, J = 8.7 Hz), 7.70 (s, 1H), 7.26 - 7.32 (m, 2H), 3.76 (s, 3H)
43	A-43		CH <sub>2</sub> CH <sub>2</sub> Cl	13.92 (bs, 1H), 12.86 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 1H, J = 8.5 Hz), 7.71 (s, 1H), 7.65 - 7.69 (m, 2H), 7.28 - 7.34 (m, 2H), 3.91 (t, 2H, J = 6.6 Hz), 3.33 (t, 2H, J = 6.6 Hz)
44	A-44		Me	13.92 (bs, 1H), 12.81 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.74 (d, 2H, J = 8.5 Hz), 7.70 (s, 1H), 7.52 - 7.63 (m, 2H), 7.28 - 7.34 (m, 2H), 2.38 (s, 3H)
45	A-45		CON(Me) <sub>2</sub>	13.96 (bs, 1H), 13.15 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 7.77 (d, 2H, J = 8.5 Hz), 7.23 (s, 1H), 7.65 - 7.69 (m, 2H), 7.37 - 7.51 (m, 3H), 2.97 (s, 3H), 2.67 (s, 3H)
46	A-46		CONH <sub>2</sub>	13.94 (bs, 1H), 13.10 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 7.72 - 7.81 (m, 5H), 7.52 (bs, 2H), 7.41 - 7.49 (m, 3H)

Table 6

Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
47	A-47		CONHMe	13.90 (bs, 1H), 13.11 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.18 (q, 1H, J = 4.7 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.71 - 7.74 (m, 3H), 7.37 - 7.48 (m, 3H), 2.71 (d, 3H, J = 4.7 Hz)
48	A-48		*-CH <sub>2</sub> -	13.95 (bs, 1H), 13.00 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.56 - 7.60 (m, 2H), 7.36 - 7.41 (m, 1H), 7.23 - 7.29 (m, 1H), 3.92 (s, 2H)
49	A-49		*-(CH <sub>2</sub> ) <sub>2</sub> -	13.92 (bs, 1H), 12.85 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.72 - 7.77 (m, 4H), 7.18 - 7.32 (m, 3H), 2.96 - 3.05 (m, 4H)
50	A-50		*-(CH <sub>2</sub> ) <sub>3</sub> -	13.89 (bs, 1H), 12.76 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.99 (d, 1H, J = 7.1 Hz), 7.75 (d, 2H, J = 8.1 Hz), 7.71 (s, 1H), 7.19 - 7.34 (m, 3H), 7.296 (t, 2H, J = 7.1 Hz), 2.78 - 2.81 (m, 2H), 2.07 - 2.15 (m, 2H)
51	A-51		CH <sub>2</sub> CH <sub>2</sub> Cl	13.95 (bs, 1H), 12.90 (s, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.66 - 7.71 (m, 2H), 7.57 - 7.62 (m, 2H), 3.91 (t, 2H, J = 6.8 Hz), 3.33 (t, 2H, J = 6.8 Hz)
52	A-52		H	13.99 (bs, 1H), 12.92 (s, 1H), 10.03 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.88 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.66 (d, 2H, J = 8.5 Hz), 7.59 (s, 1H), 2.07 (s, 3H)
53	A-53		H	13.98 (bs, 1H), 12.95 (s, 1H), 8.33 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.23 - 8.27 (m, 1H), 7.98 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.69 - 7.72 (m, 3H)
54	A-54	H		13.90 (bs, 1H), 8.22 (d, 2H, J = 8.5 Hz), 8.14 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.75 (s, 1H), 7.62 - 7.70 (m, 2H)
55	A-55	H		13.87 (bs, 1H), 12.86 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.98 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.68 - 7.52 (m, 2H), 7.42 - 7.47 (m, 2H), 7.30 - 7.35 (m, 1H)
56	A-56		H	13.89 (bs, 1H), 12.95 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.75 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.36 (s, 1H), 7.11 (s, 1H), 2.40 (s, 3H)

10048008, 012502



Table 7


















Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
57	A-57		H	13.89 (bs, 1H), 12.77 (s, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.29 (s, 1H), 7.07 (d, 1H, J = 1.1 Hz), 2.60 (s, 3H), 2.40 (s, 3H)
58	A-58		*-OCH <sub>2</sub> -	14.03 (bs, 1H), 12.99 (s, 1H), 8.23 (d, 2H, J = 8.2 Hz), 7.75 (d, 2H, J = 8.2 Hz), 7.69 (s, 1H), 7.54 (d, 1H, J = 2.5 Hz), 7.24 (dd, 1H, J = 8.5 Hz, 2.5 Hz), 6.97 (d, 1H, J = 8.5 Hz), 5.54 (s, 2H)
59	A-59		*-SCH <sub>2</sub> -	13.84 (bs, 1H), 12.95 (s, 1H), 8.34 (d, 2H, J = 8.5 Hz), 7.86 - 7.90 (m, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.34 - 7.37 (m, 1H), 7.19 - 7.30 (m, 2H), 4.32 (s, 2H)
60	A-60		H	13.93 (bs, 1H), 12.93 (s, 1H), 8.23 (d, 2H, J = 8.4 Hz), 7.93 - 8.01 (m, 1H), 7.82 (s, 1H), 7.80 - 7.82 (m, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.71 (s, 1H)
61	A-61		H	13.94 (bs, 1H), 13.01 (s, 1H), 8.25 (d, 2H, J = 8.2 Hz), 8.18 (d, 2H, J = 8.2 Hz), 7.96 (s, 1H), 7.82 (d, 2H, J = 8.2 Hz), 7.76 (d, 2H, J = 8.2 Hz), 7.71 (s, 1H)
62	A-62		H	13.94 (bs, 1H), 12.91 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.96 (s, 1H), 7.67 - 7.80 (m, 6H), 7.22 - 7.28 (m, 1H), 3.88 (s, 3H)
63	A-63		H	13.95 (bs, 1H), 12.97 (s, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.00 - 8.02 (m, 1H), 7.94 - 7.96 (m, 6H), 7.77 (d, 2H, J = 8.5 Hz), 7.73 (s, 1H), 7.60 (t, 1H, J = 7.8 Hz), 7.34 - 7.36 (m, 1H)
64	A-64		H	13.97 (bs, 1H), 12.97 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.87 (s, 1H), 7.26 - 7.84 (m, 6H), 7.72 (s, 1H), 7.47 - 7.54 (m, 1H), 7.15 - 7.21 (m, 1H)
65	A-65		CO <sub>2</sub> Me	13.40 (s, 1H), 8.24 (d, 2H, J = 8.2 Hz), 7.97 (d, 2H, J = 8.5 Hz), 7.83 (d, 2H, J = 8.0 Hz), 7.76 (d, 2H, J = 8.0 Hz), 7.70 (s, 1H), 3.77 (s, 3H)
66	A-66		H	8.24 (d, 2H, J = 8.5 Hz), 7.77 (d, 2H, J = 8.5 Hz), 7.73 (s, 1H), 7.72 (s, 1H)

Table 8


Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
67	A-67		H	13.96 (bs, 1H), 12.98 (s, 1H), 8.25 (d, 2H, J = 8.2 Hz), 8.09 - 8.15 (m, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.73 (s, 1H), 7.63 (d, 1H, j = 2.5 Hz), 7.31 - 7.45 (m, 3H)
68	A-68		H	13.96 (bs, 1H), 12.96 (s, 1H), 8.23 (d, 2H, J = 8.2 Hz), 7.86 (d, 1H, J = 7.9 Hz), 7.62 - 7.78 (m, 6H), 7.35 (s, 1H)
69	A-69		H	13.93 (bs, 1H), 13.03 (s, 1H), 8.24 (d, 2H, J = 8.2 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.72 (s, 1H), 7.47 - 7.57 (m, 1H), 7.55 (s, 1H), 7.17 - 7.28 (m, 2H)
70	A-70		H	13.95 (bs, 1H), 12.97 (s, 1H), 8.25 (d, 2H, J = 8.2 Hz), 8.09 - 7.18 (m, 1H), 7.76 (d, 2H, J = 8.2 Hz), 7.72 (m, 1H), 7.60 (d, 1H, J = 2.7 Hz), 7.36 - 7.44 (m, 1H), 7.20 - 7.27 (m, 1H)
71	A-71		H	13.96 (bs, 1H), 12.94 (s, 1H), 8.23 (d, 2H, J = 8.2 Hz), 7.97 - 8.06 (m, 1H), 7.75 (d, 2H, J = 8.2 Hz), 7.67 - 7.72 (m, 1H), 7.69 (s, 1H), 7.67 (d, 1H, J = 2.5 Hz)
72	A-72		H	13.99 (bs, 1H), 12.92 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 8.19 (t, 2H, J = 1.6 Hz), 7.95 - 7.98 (m, 1H), 7.87 (s, 1H), 7.77 (d, 2H, J = 8.5 Hz), 7.52 - 7.56 (m, 1H), 7.42 (t, 1H, J = 8.0 Hz)
73	A-73		H	13.97 (bs, 1H), 12.95 (s, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.72 - 7.84 (m, 8H)

202210-8008400T

Compound (B-1) to Compound (B-25) were synthesized in a manner similar to Example 1 by using 1,4-thiazolidine-dione instead of rhodanine. Their physical data were shown in Tables 9 to 11.

202210-80084007  
10048008-012502

Table 9



Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
74	B-1		H	12.92 (s, 1H), 12.72 (bs, 1H), 8.24 (d, 2H, J = 8.4 Hz), 7.95 - 7.98 (m, 2H), 7.87 (s, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.73 (s, 1H), 7.43 - 7.48 (m, 2H), 7.32 - 7.37 (m, 1H)
75	B-2		H	12.89 (s, 1H), 12.75 (bs, 1H), 8.24 (d, 2H, J = 8.4 Hz), 7.97 - 8.02 (m, 2H), 7.87 (s, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.70 (s, 1H), 7.26 - 7.32 (m, 2H)
76	B-3		H	12.92 (s, 1H), 12.73 (bs, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.94 (d, 2H, J = 7.1 Hz), 7.90 (s, 1H), 7.86 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.65 (d, 2H, J = 7.1 Hz)
77	B-4		H	12.91 (s, 1H), 12.72 (bs, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.98 (d, 2H, J = 8.5 Hz), 7.86 (s, 1H), 7.79 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.52 (d, 2H, J = 8.5 Hz)
78	B-5		H	12.89 (s, 1H), 12.75 (bs, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.87 (s, 1H), 7.85 (d, 1H, J = 8.1 Hz), 7.76 (d, 2H, J = 8.5 Hz), 7.64 (s, 1H), 7.26 (d, 1H, J = 8.1 Hz), 2.34 (s, 3H)
79	B-6		H	12.94 (s, 1H), 12.74 (bs, 1H), 8.25 (d, 2H, J = 8.4 Hz), 8.06 (d, 2H, J = 8.1 Hz), 7.87 (s, 1H), 7.72 - 7.79 (m, 7H), 7.49 (t, 2H, J = 7.5 Hz), 7.38 (t, 2H, J = 7.5 Hz)
80	B-7		H	12.89 (s, 1H), 12.76 (bs, 1H), 8.24 (d, 2H, J = 8.4 Hz), 7.99 (d, 2H, J = 8.7 Hz), 7.86 (s, 1H), 7.76 (d, 2H, J = 8.4 Hz), 7.56 (s, 1H), 7.01 (d, 2H, J = 8.7 Hz), 3.80 (s, 3H)
81	B-8		H	12.85 (s, 1H), 12.73 (bs, 1H), 8.21 (d, 2H, J = 8.7 Hz), 7.94 (dd, 1H, J = 7.8 Hz, 1.2 Hz), 7.86 (s, 1H), 7.78 - 7.83 (m, 2H), 7.74 (d, 2H, J = 8.7 Hz), 7.61 - 7.67 (m, 1H), 7.59 (s, 1H)

Table 10
















Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
82	B-9	t-Bu	H	12.70 (s, 1H), 8.20 (d, 2H, J = 8.7 Hz), 7.84 (s, 1H), 7.73 (d, 2H, J = 8.7 Hz), 6.84 (s, 1H), 1.31 (s, 9H)
83	B-10	t-Bu- 	H	12.90 (s, 1H), 12.73 (bs, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.88 (d, 2H, J = 8.5 Hz), 7.87 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 7.64 (s, 1H), 7.47 (d, 2H, J = 8.5 Hz), 1.32 (s, 9H)
84	B-11	MeOOC- 	H	12.97 (s, 1H), 12.72 (bs, 1H), 8.25 (d, 2H, J = 8.5 Hz), 8.08 (dd, 4H, J = 18.9 Hz, 8.8 Hz), 7.94 (s, 1H), 7.87 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz), 3.81 (s, 3H)
85	B-12	n-Pen- 	H	12.89 (s, 1H), 12.72 (bs, 1H), 8.24 (d, 2H, J = 8.7 Hz), 7.87 (s, 1H), 7.85 (d, 2H, J = 8.4 Hz), 7.75 (d, 2H, J = 8.4 Hz), 7.63 (s, 1H), 7.26 (d, 2H, J = 8.7 Hz), 2.60 (t, 2H, J = 7.8 Hz), 1.55 - 1.65 (m, 2H), 1.27 - 1.36 (m, 2H), 0.87 (t, 3H, J = 7.8 Hz)
86	B-13	O <sub>2</sub> N- 	H	13.03 (s, 1H), 12.73 (bs, 1H), 8.34 (d, 2H, J = 8.5 Hz), 8.24 (d, 2H, J = 8.7 Hz), 8.22 (d, 2H, J = 8.7 Hz), 8.09 (s, 1H), 7.86 (s, 1H), 7.76 (d, 2H, J = 8.5 Hz)
87	B-14	Cl- 	H	12.89 (s, 1H), 12.73 (bs, 1H), 8.23 (d, 2H, J = 8.7 Hz), 7.87 (s, 1H), 7.75 (d, 2H, J = 8.7 Hz), 7.64 (s, 1H), 7.44 (d, 1H, J = 3.9 Hz), 7.15 (d, 1H, J = 3.9 Hz)
88	B-15		H	12.89 (s, 1H), 12.72 (bs, 1H), 8.24 (d, 2H, J = 8.5 Hz), 7.87 (s, 1H), 7.83 - 7.84 (m, 1H), 7.75 (d, 2H, J = 8.5 Hz), 7.62 - 7.63 (m, 2H), 7.56 (s, 1H)
89	B-16	Cl- 	H	12.92 (s, 1H), 12.73 (bs, 1H), 8.24 (d, 2H, J = 8.7 Hz), 8.22 (d, 1H, J = 2.4 Hz), 7.95 (dd, 1H, J = 8.4 Hz, 2.4 Hz), 7.94 (s, 1H), 7.86 (s, 1H), 7.77 (d, 2H, J = 8.7 Hz), 7.73 (d, 1H, J = 8.4 Hz)
90	B-17	Br- 	H	12.99 (s, 1H), 12.75 (bs, 1H), 8.38 (m, 1H), 8.25 (m, 2H), 7.99 (m, 2H), 7.87 (s, 1H), 7.77 (d, 2H, J = 8.4 Hz), 7.55 (m, 4H), 7.73 (m, 1H)
91	B-18	F- 	H	12.91 (s, 1H), 12.76 (bs, 1H), 8.86 (s, 1H), 8.23 (d, 2H, J = 8.7 Hz), 7.96 (m, 1H), 7.83 (m, 1H), 7.82 (s, 1H), 7.75 (d, 2H, J = 8.7 Hz), 7.52 (m, 1H)

Table 11


Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
92	B-19		H	12.99(s, 1H), 12.75 (bs, 1H), 8.38 (1H, m), 8.26 (d, 2H, J=8.7 Hz), 7.99 (m, 2H), 7.87(s, 1H), 7.77 (d, 2H, J=8.7 Hz), 7.56 (m, 4H), 7.73 (m, 1H)
93	B-20	H	H	12.72 (bs, 2H), 8.22 (d, 2H, J=8.7 Hz), 7.86 (s, 1H), 7.58 (d, 1H, J=3.6 Hz), 7.75 (d, 2H, J=8.7 Hz), 7.31 (d, 1H, J=3.6 Hz)
94	B-21		*-(CH <sub>2</sub> ) <sub>2</sub> -	12.84 (s, 1H), 12.73 (bs, 1H), 8.23 (d, 2H, J = 8.5 Hz), 7.86 (s, 1H), 7.75 (d, 2H, J = 8.5 Hz), 7.74 (d, 1H, J = 6.9 Hz), 7.18 - 7.32 (m, 3H), 2.96 - 3.05 (m, 4H)
95	B-22		*-(CH <sub>2</sub> ) <sub>3</sub> -	12.75 (s, 2H), 8.23 (d, 2H, J = 8.5 Hz), 8.00 (d, 2H, J = 7.4 Hz), 7.86 (s, 1H), 7.75 (d, 2H, J = 8.5 Hz), 7.19 - 7.33 (m, 3H), 2.96 (t, 2H, J = 6.8 Hz), 2.78 - 2.82 (m, 2H), 2.06 - 2.15 (m, 2H)
96	B-23		CH <sub>2</sub> CH <sub>2</sub> Cl	12.86 (s, 1H), 12.74 (bs, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.86 (s, 1H), 7.75 (d, 2H, J = 8.5 Hz), 7.65 - 7.69 (m, 2H), 7.29 - 7.35 (m, 2H), 3.91 (t, 2H, J = 6.8 Hz), 3.32 (t, 2H, J = 6.8 Hz)
97	B-24		Me	12.76 (s, 1H), 12.70 (bs, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.85 (s, 1H), 7.74 (d, 2H, J = 8.5 Hz), 7.72 (d, 2H, J = 8.5 Hz), 7.53 (d, 2H, J = 8.5 Hz), 2.51 (s, 1H)
98	B-25		CH <sub>2</sub> Me	12.77 (s, 1H), 12.70 (bs, 1H), 8.22 (d, 2H, J = 8.5 Hz), 7.86 (s, 1H), 7.75 (d, 2H, J = 8.5 Hz), 7.62 - 7.65 (m, 2H), 7.45 - 7.50 (m, 2H), 7.35 - 7.40 (m, 1H), 2.93 (q, 2H, J = 7.4 Hz), 1.29 (t, 3H, J = 7.4 Hz)

10048008-012502

Compound (C-1) to Compound (C-9) were synthesized in a manner similar to Example 1 by using 1,4-oxazolidine-dione instead of rhodanine. Their physical data were shown in Tables 12.

10048008.012502

Table 12



Example No.	Compound No.	R <sup>6</sup>	R <sup>7</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
99	C-1		H	12.88 (s, 1H), 12.54 (bs, 1H), 8.22 (s, 1H), 8.20 (d, 2H, J = 5.8 Hz), 7.91 - 7.97 (m, 4H), 7.72 (d, 1H, J = 8.5 Hz), 6.83 (s, 1H)
100	C-2		H	12.96 (s, 1H), 12.54 (bs, 1H), 8.22 (d, 2H, J = 8.7 Hz), 8.04 - 8.13 (m, 1H), 7.94 (s, 1H), 7.93 (d, 2H, J = 6.9 Hz), 6.84 (s, 1H), 3.88 (s, 3H)
101	C-3		H	12.89 (s, 1H), 12.55 (bs, 1H), 8.21 (d, 2H, J = 8.5 Hz), 7.89 - 8.03 (m, 1H), 7.93 (d, 2H, J = 8.5 Hz), 7.89 - 7.86 (m, 1H), 7.82 (s, 1H), 7.48 - 7.57 (m, 1H), 6.83 (s, 1H)
102	C-4		H	12.96 (s, 1H), 12.55 (bs, 1H), 8.20 (d, 2H, J = 8.5 Hz), 7.92 (d, 2H, J = 8.5 Hz), 7.34 (s, 1H), 7.42 (d, 1H, J = 3.8 Hz), 7.24 (d, 2H, J = 3.8 Hz), 6.83 (s, 1H)
103	C-5		*-(CH <sub>2</sub> ) <sub>2</sub> -	12.81 (s, 1H), 12.54 (bs, 1H), 8.21 (d, 2H, J = 8.5 Hz), 7.92 (d, 2H, J = 8.5 Hz), 7.74 (d, 2H, J = 7.4 Hz), 7.18 - 7.32 (m, 3H), 6.83 (s, 1H), 2.95 - 3.05 (m, 4H)
104	C-6		*-(CH <sub>2</sub> ) <sub>3</sub> -	12.72 (s, 1H), 12.56 (bs, 1H), 8.20 (d, 2H, J = 8.5 Hz), 8.01 (d, 1H, J = 7.4 Hz), 7.92 (d, 2H, J = 8.5 Hz), 7.20 - 7.34 (m, 3H), 6.82 (s, 1H), 2.97 (t, 2H, J = 6.8 Hz), 2.79 - 2.81 (m, 2H), 2.09 - 2.13 (m, 2H)
105	C-7		CH <sub>2</sub> CH <sub>2</sub> Cl	12.83 (s, 1H), 12.55 (bs, 1H), 8.19 (d, 2H, J = 8.5 Hz), 7.92 (d, 2H, J = 8.5 Hz), 7.65 - 7.70 (m, 2H), 8.28 - 7.35 (m, 2H), 6.83 (s, 1H), 3.91 (t, 2H, J = 6.9 Hz), 3.34 (t, 2H, J = 6.9 Hz)
106	C-8		Me	12.75 (s, 1H), 12.53 (bs, 1H), 8.19 (d, 2H, J = 8.5 Hz), 7.91 (d, 2H, J = 8.5 Hz), 7.72 (d, 2H, J = 8.5 Hz), 7.53 (d, 2H, J = 8.5 Hz), 6.82 (s, 1H), 2.51 (s, 3H)
107	C-9		CH <sub>2</sub> Me	12.74 (s, 1H), 12.55 (bs, 1H), 8.19 (d, 2H, J = 8.5 Hz), 7.92 (d, 2H, J = 8.5 Hz), 7.62 - 7.65 (m, 2H), 7.45 - 7.50 (m, 2H), 7.35 - 7.40 (m, 1H), 6.83 (s, 1H), 2.93 (q, 2H, J = 7.4 Hz), 1.30 (t, 3H, J = 7.4 Hz)


10048008.012502



Compound (D-1) to Compound (D-20) were synthesized in a manner similar to Example 1 by using commercial available amines instead of compound (4) in process 3. Their physical data were shown in Tables 13 to 15.

10048008.012502

Table 13




Example No.	Compound No.	X	RA	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
108	D-1		H	7.64 (2H, d, J = 8.7 Hz), 7.71 (2H, d, J = 8.7 Hz), 7.74 (2H, d, J = 8.7 Hz), 7.86(1H, s), 8.06 (2H, d, J = 8.1 Hz), 12.70(1H, br.s)
109	D-2		H	7.21 (2H, dd, J = 8.7 Hz, J <sub>HF</sub> = 8.7 Hz), 7.75 (2H, d, J = 8.7 Hz), 7.80 (2H, m), 7.86 (1H, s), 8.06 (2H, d, J = 8.7 Hz), 10.42 (1H, s), 12.72 (1H, bs)
110	D-3		H	1.33 (3H, t, J = 6.9 Hz), 4.45 (2H, q, J = 6.9 Hz), 7.20 (1H, dd, J = 8.1 Hz, 8.1 Hz), 7.46 (1H, dd, J = 8.1 Hz, 8.1 Hz), 7.60 (2H, m), 7.75 (1H, m), 7.76 (2H, d, J = 8.7 Hz), 7.88 (1H, s), 8.15 (2H, d, J = 8.7 Hz), 8.58 (1H, s), 10.43 (1H, s), 12.72 (1H, bs)
111	D-4		H	1.16 (3H, t, J = 7.2 Hz), 2.30 (3H, s), 3.40 (2H, q, J = 7.2 Hz), 3.56 (2H, t, 5.4 Hz), 3.68 (2H, m), 6.44 (1H, bs), 6.58 (1H, d, J = 7.5 Hz), 6.63 (1H, s), 6.64 (1H, d, J = 7.5 Hz), 7.14 (1H, dd, J = 7.5 Hz, 7.5 Hz), 7.52 (2H, d, J = 8.7 Hz), 7.77 (2H, d, J = 8.7 Hz), 7.83 (1H, s)
112	D-5		Ph	6.95 (1H, dd, J = 7.5 Hz, 7.5 Hz), 7.23 (3H, m), 7.38 (6H, m), 7.60 (2H, m), 7.69 (2H, m), 7.77 (1H, s), 9.02 (1H, s), 9.25 (1H, s), 12.66 (1H, bs)
113	D-6		Me	3.47 (3H, s), 7.41 (2H, d, J = 9.0 Hz), 7.47 (4H, m), 7.58 (3H, m), 7.78 (2H, d, J = 9.0 Hz), 7.84 (2H, m), 12.62 (1H, bs)
114	D-7		H	3.83 (3H, s), 7.07 (1H, dd, J = 2.4 Hz, 9.0 Hz), 7.62 (1H, d, J = 2.4 Hz), 7.68 (1H, d, J = 9.0 Hz), 7.76 (2H, d, J = 8.4 Hz), 7.87 (1H, s), 8.23 (2H, d, J = 8.4 Hz), 12.75 (1H, s), 12.88 (1H, s)
115	D-8		H	7.58 (3H, m), 7.77 (2H, d, J = 8.7 Hz), 7.88 (2H, m), 7.95 (3H, m), 8.06 (2H, m), 8.11 (2H, d, J = 8.7 Hz), 10.72 (1H, s), 12.72 (1H, bs)
116	D-9		H	4.49 (2H, d, J = 6.0 Hz), 7.25(1H, m), 7.33 (4H, m), 7.69 (2H, d, J = 8.1 Hz), 7.83 (1H, s), 8.01 (2H, d, J = 8.1 Hz), 9.17 (1H, t, J = 6.0 Hz), 12.69 (1H, bs)

Table 14

Example No.	Compound No.	X	R <sup>A</sup>	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
117	D-10		H	2.47 (3H, s), 7.27 (2H, d, J = 9.0 Hz), 7.74 (4H, m), 7.85 (1H, s), 8.06 (2H, d, J = 9.0 Hz), 12.60 (1H, bs)
118	D-11		H	12.45 (bs, 1H), 10.29 (s, 1H), 8.07 (d, 2H, J = 8.1 Hz), 7.87 (s, 1H), 7.74 (d, 2H, J = 8.1 Hz), 7.67 (d, 2H, 8.7 Hz), 7.18 (d, 2H, J = 8.7 Hz), 2.56 (t, 2H, J = 7.5 Hz), 1.50 - 1.61 (m, 2H), 1.25 - 1.37 (m, 2H), 0.91 (t, 3H, J = 7.5 Hz)
119	D-12		H	13.94 (bs, 1H), 12.25 (s, 1H), 8.17 (d, 2H, J = 8.4 Hz), 7.88 - 7.92 (m, 2H), 7.77 (d, 2H, J = 8.4 Hz), 7.72 (s, 1H), 7.52 - 7.53 (m, 3H), 6.96 (s, 3H)
120	D-13		H	3.893 (3H, s), 7.026 (1H, s), 7.756 (2H, d, J = 8.4 Hz), 7.851 (1H, s), 8.028-8.100 (4H, m), 8.156 (2H, d, J = 8.4 Hz), 12.277 (1H, s), 12.714 (1H, br)
121	D-14		H	7.556 (1H, dd, J = 2.1, 8.4 Hz), 7.730-7.769 (4H, m), 7.865 (1H, s), 7.943 (1H, d, J = 8.4 Hz), 8.236 (2H, d, J = 8.4 Hz), 12.732 (1H, s), 12.963 (1H, br)
122	D-15		H	7.019 (1H, br), 7.332-7.381 (1H, m), 7.467 (2H, t, J = 7.7 Hz), 7.711-7.785 (4H, m), 7.862 (1H, s), 8.147 (2H, d, J = 8.7 Hz), 11.024 (1H, s), 12.5 (1H, br)
123	D-16		H	3.879 (3H, s), 7.107 (1H, s), 7.732 (2H, d, J = 8.4 Hz), 7.861 (1H, s), 7.933 (2H, d, J = 8.7 Hz), 8.086 (2H, d, J = 8.7 Hz), 8.152 (2H, d, J = 8.4 Hz), 11.124 (1H, s), 12.711 (1H, br)
124	D-17		H	7.31-7.37 (2H, m), 7.735 (2H, d, J = 9.0 Hz), 7.86-7.83 (2H, m), 7.871 (1H, s), 8.149-8.178 (3H, m), 8.298 (2H, d, J = 8.7 Hz), 8.73 (1H, s), 11.058 (1H, s), 12.707 (1H, br)
125	D-18		H	1.352 (3H, t, J = 7.2 Hz), 4.350 (2H, q, J = 7.2 Hz), 7.728 (2H, d, J = 8.4 Hz), 7.862 (1H, s), 7.919 (2H, d, J = 8.4 Hz), 8.062 (2H, d, J = 8.4 Hz), 8.164 (2H, d, J = 8.7 Hz), 11.119 (1H, s), 12.716 (1H, br)

10048008.012502

Table 15




Example No.	Compound No.	X	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
126	D-19		13.98(bs, 1H), 11.82(s, 1H), 8.15(d, 2H, J = 8.2 Hz), 7.80(d, 2H, J = 8.2 Hz), 7.72(s, 1H), 7.65(d, 2H, J = 8.0 Hz), 7.43(t, 2H, J = 8.0 Hz), 7.39(s, 1H), 7.30(t, 1H, J = 8.0 Hz), 7.30(s, 1H).
127	D-20		12.1(bs, 2H), 11.9(bs, 1H), 8.19 (d, 2H, J = 8.5 Hz), 7.79 (d, 2H, J = 8.5 Hz), 7.74 (d, 2H, J = 8.5 Hz), 7.71 (s, 1H), 7.46 (s, 1H), 7.40(d, 2 H, J = 8.5 Hz)

10048008.012502

Compound (E-1) to Compound (E-5) were synthesized in a manner similar to Example 1 by using methyl 5-formyl-furancarboxylate, methyl 5-formyl-thiophenecarboxylate, and methyl 4-formyl-nicotinate instead of methyl terephthalaldehyde. Their physical data were shown in Tables 16.

10048008-012502

Table 16




Examp eNo.	Com pound No.	X	Z	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
128	E-1			7.23 (1H, d, J = 3.9 Hz), 7.65 (1H, s), 7.71 (1H, d, J = 8.4 Hz), 7.88-7.94 (3H, m), 8.19 (1H, d, J = 2.4 Hz), 12.6 (1H, br), 12.92 (1H, s)
129	E-2			7.69-7.73 (2H, m), 7.90-7.94 (2H, m), 8.05 (1H, s), 8.19 (1H, d, J = 2.1 Hz), 8.33 (1H, d, J = 4.2 Hz), 12.7 (1H, br), 13.06 (1H, s)
130	E-3			3.87 (3H, s), 7.72 (1H, d, J = 4.2 Hz), 7.91 (1H, s), 8.02-8.10 (5H, m), 8.34 (1H, d, J = 4.2 Hz), 12.7 (1H, br), 13.11 (1H, s)
131	E-4			13.75 (bs, 1H), 13.08 (s, 1H), 9.37 (d, 1H, J = 2.1 Hz), 8.56 (dd, 1H, J = 8.2 Hz, 2.4 Hz), 8.21 (d, 1H, J = 1.8 Hz), 8.05 (d, 1H, J = 7.9 Hz), 7.95 (s, 1H), 7.94 (dd, 1H, J = 9.1 Hz), 2.1 Hz), 7.75 (s, 1H), 7.33 (d, 1H, J = 8.5 Hz)
132	E-5			13.77 (bs, 1H), 13.15 (s, 1H), 9.48 (d, 1H, J = 2.7 Hz), 8.57 (dd, 1H, J = 8.4 Hz, 2.4 Hz), 8.02 - 8.12 (m, 4H), 7.96 (s, 1H), 7.92 - 8.02 (m, 1H), 7.75 (s, 1H), 3.88 (s, 3H)

Compound (F-1) to Compound (F-4) were synthesized in a manner similar to Example 1 by using methyl 4-formyl-phenoxyacetate, methyl 4-formyl-cinnamate, instead of methyl terephthaldehydate. Their physical data were shown in Tables 17.

10048008.012502

Table 17




Example No.	Compound No.	R <sup>6</sup>	Y	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
133	F-1			4.50 (2H, s), 7.15 (2H, d, J = 8.7 Hz), 7.58 (2H, d, 8.7 Hz), 7.76 (1H, s), 7.88-7.918 (2H, m), 8.15 (1H, d, J = 1.8 Hz), 12.52 (1H, br), 12.60 (1H, s)
134	F-2			3.87 (3H, s), 5.00 (2H, s), 7.16 (2H, d, J = 8.7 Hz), 7.59 (2H, d, J = 8.7 Hz), 7.76 (1H, s), 7.88 (1H, s), 8.01-8.08 (4H, m), 12.50 (1H, br), 12.65 (1H, s)
135	F-3			3.87 (3H, s), 7.01 (1H, d, J = 16.2 Hz), 7.66-7.88 (7H, m), 8.01-8.10 (4H, m), 12.64 (1H, s)
136	F-4			6.99 (1H, d, J = 15.9 Hz), 7.65-7.79 (7H, m), 7.86 (1H, s), 7.89 (1H, dd, J = 2.1 Hz, 8.7 Hz), 8.13 (1H, d, J = 2.1 Hz), 12.58 (1H, s)

10048008.012502



Example 137



(Process 1)

To a suspension of compound (3) (1.10 g) synthesized by Process 2 in Example 1 in methanol (300 ml), 10% Palladium-Carbon (0.55 g) was added and the reaction mixture was stirred under hydrogen atmosphere. Removing Palladium-Carbon by filtration and evaporation of the solvent under reduced pressure yielded 1.05 g of compound (6).

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 12.46 (bs, 1H), 7.99 (d, 2H, J = 8.4 Hz), 7.37 (d, 2H, J = 8.4 Hz), 4.95 (dd, 1H, J = 9.0 Hz, 4.5 Hz), 3.45 (dd, 1H, J = 14.4 Hz, 4.5 Hz), 3.22 (dd, 1H, J = 14.4 Hz, 9.0 Hz)


(Process 2)

A mixture of compound (6) (1.0 g) in dioxane (20 ml) and thionyl chloride (10 ml) was heated to dissolve at 100°C. Evaporation of the solvent under reduced pressure gave carboxylic acid chloride. The obtained carboxylic acid chloride was not purified to proceed to the further reaction. To the solution of the carboxylic acid chloride (286 mg), and 2-amino-4-(3',4'-difluorophenyl)thiazole (212 mg) in dioxane (50 ml), pyridine (121 μl) was added and the reaction mixture was heated at 100°C for 2 hours. After evaporation of the solvent under reduced pressure, the residue was purified by silica gel column chromatography (hexane - ethyl acetate ; 2 : 1) to obtain compound (G-1).

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 12.75 (s, 1H), 12.11 (bs, 1H), 8.08 (d, 2H, J = 8.2

Hz), 7.93 - 8.01 (m, 1H), 7.80 - 7.84 (m, 1H), 7.80 (s, 1H), 7.48 - 7.59 (m, 1H), 7.44 (d, 2H, J = 8.2 Hz), 5.01 (dd, 1H, J = 8.8 Hz, 4.7 Hz), 3.48 (dd, 1H, J = 14.0 Hz, 4.7 Hz), 3.26 (dd, 1H, J = 14.0 Hz, 8.8 Hz)



# 5 Example 138



Compound (G-2) was synthesized in a manner similar to Example 137 by using 2-amino-5-(5'-bromothiophenyl)thiazole instead of 2-amino-4-(3',4'-difluorophenyl)thiazole.

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>,  $\delta$  ppm): 12.81 (s, 1H), 12.10 (bs, 1H), 8.08 (d, 2H, J = 8.2 Hz), 7.61 (s, 1H), 7.43 (d, 2H, J = 8.2 Hz), 7.40 (d, 1H, J = 4.1 Hz), 7.24 (d, 1H, J = 4.1 Hz), 5.01 (dd, 1H, J = 8.8 Hz, 4.4 Hz), 3.58 (dd, 1H, J = 14.0 Hz, 4.4 Hz), 3.25 (dd, 1H, J = 14.0 Hz, 8.8 Hz)

# Example 139



(Process 1)

To a suspension of p-formyl-benzoic acid (3.0 g) in chloroform (30 ml) and thionyl chloride (6 ml), one drop of DMF was added and the mixture was refluxed. After confirmation of the dissolution of the mixture, evaporation of the solvent under reduced pressure gave 3.0 g of compound (7). The obtained compound (7) was subjected to the reaction without further purification. To the solution of compound (4) (2.52 g) in DMF, sodium hydride (0.45 mg) was added in an ice bath. After the reaction mixture was stirred at room temperature for 30 min, 1.36 g of compound (7) was added. After stirring for further 30 min, the resulting mixture was quenched with methanol and acidified with 1N hydrochloric acid. Extraction with ethyl acetate, evaporation of the solvent, and recrystallization from chloroform gave 1.06 g of compound (8).

<sup>1</sup>H NMR(DMSO-d<sub>6</sub>,  $\delta$  ppm) 13.04 (bs, 1H), 10.13 (s, 1H), 8.30 (d, 2H, J = 8.4 Hz), 8.22 (d, 1H, J = 2.1 Hz), 8.07 (d, 2H, J = 8.4 Hz), 7.95 (dd, 1H, J = 8.4 Hz, 2.1 Hz), 7.95 (s, 1H), 7.73 (d, 1H, J = 8.4 Hz).

(Process 2)

To a solution of hydantoin (2.0 g) in acetic acid, bromine (1.3 ml) was added at 85°C. The reaction solution was stirred at 85°C for 30 min and then cooled to 30°C, triethyl phosphite (4.8 ml) was added to the solution maintaining the temperature from 40 to 45°C. After the reaction mixture is stirred at room temperature for 90 min, ether was added and then filtration of the precipitated crystal gave 1.1 g of the compound.

<sup>1</sup>H NMR(DMSO-d<sub>6</sub>,  $\delta$  ppm) 10.91 (s, 1H), 8.41 (s, 1H), 4.76 (dd, 1H, J = 14.7 Hz, 1.2 Hz), 4.04 - 4.13 (m, 4H), 1.25 (t, 6H, J = 7.2 Hz).

(Process 3)

10048008 " 012502

A mixture of sodium (10 mg) in ethanol (1m l) was stirred at room temperature. After confirmation of dissolution of sodium, compound 5 (10)(108 mg) was added and the reaction mixture was stirred at room temperature for 10 min. After compound (10)(159 mg) was added, the reaction mixture was stirred at room temperature. Evaporation of the solvent under reduced pressure and recrystallization of the residue from methanol obtained compound (H-1). Compound (H-1) was obtained as the 10 mixture of E isomer and Z isomer.

E isomer:


$^1\text{H}$  NMR (DMSO- $d_6$ ,  $\delta$  ppm): 12.81 (bs, 1H), 10.76 (bs, 1H), 10.46 (s, 1H), 8.22 (d, 1H,  $J = 2.4$  Hz), 8.15 (d, 2H,  $J = 8.7$  Hz), 7.95 (dd, 1H,  $J = 8.7$  Hz, 2.4 Hz), 7.91 (s, 1H), 7.78 (d, 2H,  $J = 8.7$  Hz), 7.73 (d, 1H,  $J = 8.7$  Hz), 6.48 (s, 1H).

15 Z isomer:

$^1\text{H}$  NMR (DMSO- $d_6$ ,  $\delta$  ppm): 11.35 (bs, 1H), 11.26 (bs, 1H), 10.13 (s, 1H), 8.22 (d, 1H,  $J = 2.4$  Hz), 8.10 (d, 2H,  $J = 9.0$  Hz), 8.05 (d, 2H,  $J = 9.0$  Hz), 7.95 (dd, 1H,  $J = 8.7$  Hz, 2.4 Hz), 7.91 (s, 1H), 7.73 (d, 1H,  $J = 8.7$  Hz), 6.38 (s, 1H).

Compound (H-2) to Compound (H-5) were synthesized in a manner 20 similar to above-mentioned method. Their physical data were shown in Tables 18.


Table 18



Example No.	Compound No.	M	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
140	H-2	NH	S	12.85 (bs, 1H), 12.47 (bs, 1H), 12.33 (bs, 1H), 8.22 (d, 1H, J = 1.8 Hz), 8.16 (d, 2H, J = 8.2 Hz), 7.91 - 7.97 (m, 4H), 7.73 (d, 1H, J = 8.5 Hz), 6.54 (s, 1H)
141	H-3	CH <sub>2</sub>	O	12.88 (s, 1H), 11.51 (s, 1H), 8.21 (d, 1H, J = 2.1 Hz), 8.20 (d, 2H, J = 9.3 Hz), 7.95 (dd, 1H, J = 8.1 Hz, 2.1 Hz), 7.92 (s, 1H), 7.80 (d, 2H, J = 9.3 Hz), 7.72 (d, 1H, J = 8.1 Hz), 7.46 (t, 1H, J = 2.1 Hz), 3.74 (d, 1H, J = 2.1 Hz)
142	H-4	NMe	O	9.48 (bs, 1H), 8.21 (s, 1H), 8.19 (dd, 4H, J = 13.2 Hz, 7.8 Hz), 7.94 (d, 1H, J = 6.6 Hz), 7.89 (s, 1H), 7.72 (d, 1H, J = 8.1 Hz), 6.47 (s, 1H), 2.71 (d, 3H, J = 4.8 Hz)
143	H-5	O	S	12.91 (s, 1H), 8.21 - 8.24 (m, 3H), 7.93 - 8.01 (m, 4H), 7.72 (d, 1H, J = 8.2 Hz), 6.57 (s, 1H)

10048008.012502

Example 144, 145



(Process 1)

5 To a solution of the compound (8)(0.2 g) prepared in accordance to Example 139 - Process 1 in DMF was added sodium hydride (32 mg) in an ice bath and the reaction solution was stirred at room temperature for 30 min. To the solution was added methyl iodide (0.2 ml) and then the reaction mixture was stirred for one hour. The reaction mixture was quenched with

10 iced water and extracted with ethyl acetate. After evaporation of the solvent under reduced pressure, the residue was purified with a column chromatography (hexane - ethyl acetate; 4 : 1) to give 100 mg of the compound (11) and 33 mg of the compound (12).

Compound (11)

<sup>1</sup>H NMR(DMSO-d<sub>6</sub>, δ ppm) 10.12 (s, 1H), 8.22 (d, 1H, J = 2.1 Hz), 8.07 (d, 2H, J = 8.1 Hz), 8.03 (s, 1H), 7.97 (dd, 1H, J = 8.1 Hz, 2.1 Hz), 7.89 (d, 2H, J = 8.4 Hz), 7.72 (d, 1H, J = 8.4 Hz), 3.63 (s, 3H).

Compound (12)

5 <sup>1</sup>H NMR(CDCl<sub>3</sub>, δ ppm) 10.16 (s, 1H), 8.49 (d, 2H, J = 8.0 Hz), 7.97 (d, 2H, J = 8.0 Hz), 7.61 (d, 1H, J = 8.2 Hz), 7.55 (d, 1H, J = 2.2 Hz), 7.27 (dd, 1H, J = 8.2 Hz, 2.2 Hz), 6.67 (s, 1H), 3.78 (s, 3H).

(Process 2)


10 To a solution of the compound (11) (84 mg), and rhodanine (32 mg) in toluene (4 ml) were added 1M piperidine-toluene solution (20 μl) and 1M acetic acid-toluene (20 μl), and then the reaction mixture was refluxed for one hour. After cooling, filtration of the precipitated crystal gave 77 mg of compound (I-1).

15 <sup>1</sup>H NMR(DMSO-d<sub>6</sub>, δ ppm) 13.85 (bs, 1H), 8.21(d, 1H, J = 1.8 Hz), 8.003 (s, 1H), 7.97 (dd, 1H, J = 8.7 Hz, 2.1 Hz), 7.83 (d, 2H, J = 8.1 Hz), 7.76 (d, 2H, J = 8.1 Hz), 7.72 (s, 1H), 7.71 (d, 1H, J = 8.7 Hz), 3.65 (s, 3H).

To a solution of the compound (12) (42 mg), and rhodanine (16 mg) in toluene (2 ml) were added 1M piperidine-toluene solution (10 μl) and 1M acetic acid-toluene (10 μl), and then the reaction mixture was refluxed for two hours. After cooling, filtration of the precipitated crystal gave 36 mg of compound (I-2).

25 <sup>1</sup>H NMR(DMSO-d<sub>6</sub>, δ ppm) 13.90 (bs, 1H), 8.36 (d, 2H, J = 8.5 Hz), 7.93 (d, 1H, J = 1.9 Hz), 7.83 (d, 1H, J = 8.2 Hz), 7.72 (d, 2H, J = 8.5 Hz), 7.70 (s, 1H), 7.62 (dd, 1H, J = 8.2 Hz, 1.9 Hz), 3.75 (s, 3H).

Example 146, 147, 148



The compound (A-12)(120 mg) prepared in a manner of Example 1 was dissolved in dioxane (5 ml) and 1N sodium hydroxide (5 ml) and the reaction solution was stirred at room temperature for 30 min. And then the mixture was acidified with 1N hydrochloric acid (5 ml) and evaporated under reduced pressure. The residue was washed with water and recrystallization from DMF-methanol obtained 72 mg of (J-1).

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 8.20 (d, 2H, J = 8.5 Hz), 7.98 (s, 4H), 7.74 (s, 1H), 7.64 (d, 2H, J = 8.5 Hz), 7.22 (s, 1H).

Neutralization of compound (I-1) with one equivalent of sodium hydroxide obtained (J-2)


<sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 13.92 (bs, 1H), 12.98 (s, 1H), 8.25 (d, 2H, J = 8.4 Hz), 8.01 - 8.10 (m, 4H), 7.92 (s, 1H), 7.77 (d, 2H, J = 8.4 Hz), 7.71 (s, 1H).

Neutralization of compound (J-1) with two equivalents of sodium hydroxide obtained (I-3)

<sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 8.20 (d, 2H, J = 8.1 Hz), 7.93 (dd, 4H, J = 11.4 Hz, 8.4 Hz), 7.71 (s, 1H), 7.61 (d, 2H, J = 8.1 Hz), 7.21 (s, 1H).

Example 149





(Process 1)

To a solution of compound (3)(10 g) synthesized in Example 1-Process 2 in tert-buthanol (200 ml) and dioxane (66 ml) was added triethylamine (5.6 ml) and diphenylphosphoryl azide (8.63 ml), and the reaction solution was refluxed for 2 hours. After evaporation of the solvent under reduced pressure, water was added to the mixture and extracted with ethyl acetate. After evaporation of the solvent under reduced pressure, the residue was purified with recrystallization (ethyl acetate) to yield 4.41 g of the compound (13).

$^1\text{H}$  NMR(DMSO- $d_6$ ,  $\delta$  ppm) 12.50 (bs, 1H), 9.78 (s, 1H), 7.69 (s, 1H), 7.61 (d, 2H,  $J = 9.0$  Hz), 7.51 (d, 2H,  $J = 9.0$  Hz), 1.49 (s, 9H).

(Process 2)

The compound (13)(3.15 g) was dissolved in trifluoroacetic acid (15 ml) and the solution was stirred at room temperature for 15 min. After evaporation of the solvent under reduced pressure, recrystallization of the residue from diisopropyl ether gave 2.10 g of (14).

$^1\text{H}$  NMR(DMSO- $d_6$ ,  $\delta$  ppm) 12.29 (bs, 1H), 7.60 (s, 1H), 7.29 (d, 2H,  $J = 8.7$  Hz), 6.67 (d, 2H,  $J = 8.7$  Hz).


(Process 3)

To a solution of the compound (14)(220 mg) in dioxane (50 ml) were added pyridine (121  $\mu$ l) and 4-n-butyl benzoyl chloride (187  $\mu$ l) and the reaction solution was stirred at room temperature for 3 hours. After evaporation of the solvent, to the residue were added methanol (6 ml) and water (2 ml) and then the precipitated crystal was filtrated. Recrystallization from methanol yielded 232 mg of the compound (K-1).

$^1\text{H}$  NMR(DMSO- $d_6$ ,  $\delta$  ppm) 12.56 (bs, 1H), 10.47 (s, 1H), 7.75 (s, 1H), 7.78 (d, 2H,  $J = 8.7$  Hz), 7.63 (d, 2H,  $J = 8.7$  Hz), 2.67 (t, 2H,  $J = 7.5$  Hz), 1.59 (quant, 2H,  $J = 7.5$  Hz), 1.32 (sexth, 2H,  $J = 7.2$  Hz), 0.91 (t, 3H,  $J = 7.5$  Hz)











Compound (K-2) to Compound (K-29) were synthesized in a manner similar to above-mentioned method. Their physical data were shown in Tables 19-22.

Table 19



Examp leNo.	Com pound No.	X	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
150	K-2		O	12.56 (bs, 1H), 10.73 (s, 1H), 8.61 (s, 1H), 8.01 - 8.12 (m, 6H), 7.78 (s, 1H), 7.63 - 7.69 (m, 4H)
151	K-3		O	10.35 (s, 1H), 7.95 (d, 2H, J = 8.8 Hz), 7.75 (s, 1H), 8.52 - 7.75 (m, 4H), 7.08 (d, 1H, J = 8.2 Hz), 6.15 (s, 2H)
152	K-4		O	12.55 (bs, 1H), 10.39 (s, 1H), 7.98 (d, 2H, J = 8.9 Hz), 7.96 (d, 2H, J = 8.9 Hz), 7.75 (s, 1H), 7.59 (d, 2H, J = 8.9 Hz), 7.32 - 7.50 (m, 5H), 7.16 (d, 2H, J = 8.9 Hz), 8.22 (s, 2H)
153	K-5		O	12.56 (bs, 1H), 10.59 (s, 1H), 8.08 (d, 2H, J = 8.5 Hz), 7.86 (d, 2H, J = 8.2 Hz), 7.76 - 7.79 (m, 2H), 7.76 (s, 1H), 7.62 (d, 2H, J = 8.8 Hz), 7.50 - 7.55 (m, 2H), 7.41 - 7.46 (m, 1H)
154	K-6		O	12.56 (bs, 1H), 10.47 (s, 1H), 7.97 (d, 2H, J = 9.0 Hz), 7.89 (d, 2H, J = 8.1 Hz), 7.76 (s, 1H), 7.63 (d, 2H, J = 9.0 Hz), 7.35 (d, 2H, J = 8.1 Hz), 2.66 (t, 2H, J = 7.2 Hz), 1.60 (quant, 2H, J = 7.2 Hz), 1.29 (bs, 6H), 0.84 - 0.88 (m, 3H)
155	K-7		O	12.55 (bs, 1H), 10.38 (s, 1H), 7.96 (d, 4H, J = 9.0 Hz), 7.75 (s, 1H), 7.69 (d, 2H, J = 9.0 Hz), 7.06 (d, 2H, J = 9.0 Hz), 4.12 (q, 2H, J = 6.9 Hz), 1.36 (t, 3H, J = 6.9 Hz)
156	K-8		O	12.56 (bs, 1H), 10.46 (s, 1H), 7.97 (d, 2H, J = 8.7 Hz), 7.89 (d, 2H, J = 8.4 Hz), 7.75 (s, 1H), 7.60 (d, 2H, J = 8.4 Hz), 7.36 (d, 2H, J = 8.7 Hz), 2.66 (t, 2H, J = 7.2 Hz), 1.58 - 1.62 (m, 2H), 1.24 - 1.27 (m, 8H), 0.83 - 0.88 (m, 3H)
157	K-9		O	12.55 (bs, 1H), 10.42 (s, 1H), 7.97 (d, 2H, J = 8.7 Hz), 7.70 - 7.76 (m, 3H), 7.60 (d, 2H, J = 8.7 Hz), 7.30 (d, 2H, J = 8.1 Hz), 2.32 (s, 1H), 2.31 (s, 1H)
158	K-10		O	12.55 (bs, 1H), 10.75 (s, 1H), 8.17 (d, 2H, J = 8.0 Hz), 7.97 (d, 2H, J = 8.8 Hz), 7.93 (t, 1H, J = 8.0 Hz), 7.76 (s, 1H), 7.63 (d, 2H, J = 8.8 Hz)

Table 20

Examp eNo.	Com pound No.	X	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
159	K-11		O	12.56 (bs, 1H), 10.47 (s, 1H), 7.97 (d, 2H, J = 9.0 Hz), 7.90 (d, 2H, J = 8.4 Hz), 7.76 (s, 1H), 7.60 (d, 2H, J = 9.0 Hz), 7.57 (d, 2H, J = 8.4 Hz), 1.33 (s, 9H)
160	K-12		O	12.57 (bs, 1H), 10.69 (s, 1H), 7.99 (d, 2H, J = 2.1 Hz), 7.94 (d, 2H, J = 9.0 Hz), 7.89 (t, 1H, J = 1.8 Hz), 7.76 (s, 1H), 7.63 (d, 2H, J = 9.0 Hz)
161	K-13		O	12.55 (bs, 1H), 10.46 (s, 1H), 7.97 (d, 2H, J = 8.8 Hz), 7.90 (d, 2H, J = 8.1 Hz), 7.76 (s, 1H), 7.50 (d, 2H, J = 8.8 Hz), 7.38 (d, 2H, J = 8.1 Hz), 2.69 (q, 2H, J = 7.7 Hz), 1.22 (t, 3H, J = 7.7 Hz)
162	K-14		O	12.59 (bs, 1H), 10.67 (s, 1H), 8.23 (d, 1H, J = 2.1 Hz), 7.95 (d, 1H, J = 8.4 Hz), 7.94 (d, 2H, J = 8.4 Hz), 7.84 (d, 2H, J = 8.4 Hz), 7.76 (s, 1H), 7.62 (d, 1H, J = 9.0 Hz)
163	K-15		O	12.55 (bs, 1H), 10.45 (s, 1H), 7.97 (d, 2H, J = 8.7 Hz), 7.89 (d, 2H, J = 8.4 Hz), 7.75 (s, 1H), 7.60 (d, 2H, J = 8.7 Hz), 7.35 (d, 1H, J = 8.4 Hz), 2.37 (s, 3H)
164	K-16		S	13.79 (bs, 1H), 10.53 (s, 1H), 7.98 (d, 2H, J = 8.8 Hz), 7.74 - 7.78 (m, 2H), 7.62 (d, 2H, J = 8.8 Hz), 7.61 (s, 1H), 7.24 - 7.44 (m, 2H), 2.41 (s, 3H)
165	K-17		S	13.79 (bs, 1H), 10.36 (s, 1H), 7.93 (d, 2H, J = 8.7 Hz), 7.68 (s, 1H), 7.60 (d, 2H, J = 8.7 Hz), 7.59 (d, 1H, J = 6.9 Hz), 5.75 (s, 1H), 1.44 (s, 1H)
166	K-18		S	10.50 (s, 1H), 7.98 (d, 2H, J = 8.7 Hz), 7.90 (d, 2H, J = 8.7 Hz), 7.61 (d, 2H, J = 8.7 Hz), 7.59 (d, 2H, J = 8.5 Hz), 7.55 (s, 1H), 1.33 (s, 9H)
167	K-19		S	13.79 (bs, 1H), 10.62 (s, 1H), 8.09 (d, 2H, J = 8.5 Hz), 7.86 (d, 2H, J = 8.5 Hz), 7.77 (d, 2H, J = 8.5 Hz), 7.63 (d, 2H, J = 8.5 Hz), 7.62 (s, 1H), 7.50 - 7.55 (m, 2H), 7.41 - 7.46 (m, 1H)
168	K-20		S	13.81 (bs, 1H), 10.77 (s, 1H), 8.61 (s, 1H), 8.02 - 8.13 (m, 6H), 7.63 - 7.68 (m, 5H)


10048008.012502

Table 21

Example No.	Compound No.	X	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
169	K-21		S	13.79 (bs, 1H), 10.39 (s, 1H), 7.97 (d, 2H, J = 8.8 Hz), 7.61 (s, 1H), 7.60 (d, 2H, J = 8.8 Hz), 7.59 (d, 1H, J = 9.9 Hz), 7.53 (d, 1H, J = 1.8 Hz), 7.07 (d, 1H, J = 8.2 Hz), 6.15 (s, 2H)
170	K-22		S	13.79 (s, 1H), 10.49 (s, 1H), 7.99 (d, 2H, J = 8.8 Hz), 7.91 (d, 2H, J = 8.2 Hz), 7.61 (d, 2H, J = 8.8 Hz), 7.61 (s, 1H), 7.38 (d, 2H, J = 8.2 Hz), 2.70 (q, 2H, J = 7.4 Hz), 1.22 (t, 3H, J = 7.4 Hz)
171	K-23		S	13.79 (bs, 1H), 10.49 (s, 1H), 7.99 (d, 2H, J = 8.8 Hz), 7.89 (d, 2H, J = 8.2 Hz), 7.61 (d, 2H, J = 8.8 Hz), 7.61 (s, 1H), 7.37 (d, 2H, J = 8.2 Hz), 2.37 (t, 2H, J = 7.4 Hz), 1.57 - 1.64 (m, 2H), 1.26 - 1.38 (m, 2H), 0.91 (t, 3H, J = 7.1 Hz)
172	K-24		S	13.80 (bs, 1H), 10.79 (s, 1H), 8.17 (d, 2H, J = 8.4 Hz), 7.99 (d, 2H, J = 8.7 Hz), 7.94 (d, 2H, J = 8.4 Hz), 7.64 (d, 1H, J = 8.7 Hz), 7.65 (s, 1H)
173	K-25		S	13.80 (bs, 1H), 10.71 (s, 1H), 7.99 (d, 2H, J = 1.6 Hz), 7.95 (d, 2H, J = 8.5 Hz), 7.89 (t, 1H, J = 1.9 Hz), 7.63 (d, 2H, J = 8.5 Hz), 7.61 (s, 1H)
174	K-26		S	13.78 (bs, 1H), 10.48 (s, 1H), 7.98 (d, 2H, J = 9.0 Hz), 7.89 (d, 2H, J = 8.1 Hz), 7.61 (d, 2H, J = 9.0 Hz), 7.61 (s, 1H), 7.36 (d, 2H, J = 8.1 Hz), 2.40 (s, 3H)

10048008.012502


Table 22



Example No.	Compound No.	X	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
175	K-27		O	12.57 (bs, 1H), 10.88 (s, 1H), 8.53 (s, 1H), 8.15 - 8.19 (m, 2H), 8.07 (d, 2H, J = 8.8 Hz), 7.78 (s, 1H), 7.65 (d, 2H, J = 8.8 Hz), 7.50 - 7.55 (m, 2H), 7.40 - 7.45 (m, 1H)
176	K-28		O	12.58 (bs, 1H), 10.91 (s, 1H), 8.69 (s, 1H), 8.48 (d, 1H, J = 1.9 Hz), 8.15 (dd, 1H, J = 8.8 Hz, 1.9 Hz), 8.04 (d, 2H, J = 8.8 Hz), 7.78 (d, 1H, J = 8.8 Hz), 7.76 (s, 1H), 7.64 (d, 1H, J = 8.8 Hz)
177	K-29		S	13.82 (bs, 1H), 10.95 (s, 1H), 8.72 (s, 1H), 8.50 (d, 1H, J = 1.9 Hz), 8.16 (dd, 1H, J = 8.5 Hz, 1.9 Hz), 8.08 (d, 2H, J = 8.8 Hz), 7.80 (d, 1H, J = 8.5 Hz), 7.67 (d, 1H, J = 8.8 Hz), 7.63 (s, 1H)

10048008.012502

Example 178



(Process 1)

To a solution of the compound (13)(1.7 g) synthesized in Example 149-Process 1 in dioxane (200 ml) was added 10% palladium-carbon (0.7 g) and the reaction mixture was stirred under hydrogen atmosphere. Filtration of palladium-carbon and evaporation of the solvent under reduced pressure obtained 1.39 g of the compound (15).

<sup>1</sup>H NMR (CDCl<sub>3</sub>, δ ppm): 8.38 (s, 1H), 7.32 (d, 2H, J = 8.4 Hz), 7.26 (s, 1H), 7.15 (d, 2H, J = 8.4 Hz), 6.54 (s, 1H), 4.50 (dd, 1H, J = 9.3 Hz, 3.9 Hz), 3.46 (dd, 1H, J = 14.4 Hz, 3.9 Hz), 3.22 (dd, 1H, J = 14.4 Hz, 9.3 Hz), 1.52 (s, 9H).

(Process 2)

A solution of the compound (15)(4.23 g) in dichloromethane (20 ml) and trifluoroacetic acid (10 ml) was stirred at room temperature for 15 min. After evaporation of the solvent under reduced pressure, the residue was recrystallized from diisopropyl ether to give 3.8 g of the compound (16).

<sup>1</sup>H NMR(DMSO-d<sub>6</sub>, δ ppm) 7.25 (d, 2H, J = 8.4 Hz), 7.09 (d, 2H, J = 8.4 Hz), 4.90 (dd, 1H, J = 8.7 Hz, 4.5 Hz), 4.35 (dd, 1H, J = 14.4 Hz, 4.5 Hz), 3.12 (dd, 1H, J = 14.4 Hz, 8.7 Hz).

(Process 3)

To a solution of the compound (16)(220 mg) in dioxane (50 ml) were added pyridine (121 $\mu$ l) and 3,5-dichlorobenzoyl chloride (180 $\mu$ l) and then the  
5 reaction solution was stirred at room temperature for 3 hours. After evaporation of the solvent under reduced pressure, the residue was purified with a column chromatography (hexane-ethyl acetate ; 2:1) to yield 103 mg of the compound (L-1).


<sup>1</sup>H NMR(DMSO-d<sub>6</sub>,  $\delta$  ppm) 12.02 (bs, 1H), 10.41 (s, 1H), 7.97 (d, 2H, J = 1.9  
10 Hz), 7.87 (t, 1H, J = 1.9 Hz), 7.69 (d, 2H, J = 8.5 Hz), 7.24 (d, 2H, J = 8.5 Hz), 4.91 (dd, 1H, J = 8.8 Hz, 4.4 Hz), 3.36 (dd, 1H, J = 14.3 Hz, 4.4 Hz), 3.12 (dd, 1H, J = 14.3 Hz, 8.8 Hz)

Compound (L-2) to Compound (L-3) were synthesized in a manner  
15 similar to above-mentioned method. Their physical data were shown in Table 23.

10048008-012502




Table 23



Example No.	Compound No.	X	T	<sup>1</sup> H-NMR (δ) ppm (DMSO d-6)
179	L-2		O	12.04 (bs, 1H), 10.47 (s, 1H), 8.14 (d, 2H, J = 8.2 Hz), 7.92 (d, 2H, J = 8.2 Hz), 7.72 (d, 2H, J = 8.5 Hz), 7.25 (d, 2H, J = 8.5 Hz), 4.92 (dd, 1H, J = 8.9 Hz, 4.4 Hz), 3.36 (dd, 1H, J = 14.4 Hz, 4.4 Hz), 3.12 (dd, 1H, J = 14.4 Hz, 8.9 Hz)
180	L-3		O	12.05 (bs, 1H), 10.56 (s, 1H), 7.86 (d, 2H, J = 8.4 Hz), 7.71 (d, 2H, J = 8.7 Hz), 7.34 (d, 2H, J = 8.7 Hz), 7.22 (d, 2H, J = 8.4 Hz), 4.91 (dd, 1H, J = 9.0 Hz, 4.5 Hz), 3.34 (dd, 1H, J = 13.8 Hz, 4.5 Hz), 3.10 (dd, 1H, J = 13.8 Hz, 9.0 Hz), 2.66 (t, 2H, J = 7.5 Hz), 1.58 (quant, 2H, J = 8.1 Hz), 1.26 - 1.37 (m, 2H), 0.91 (t, 3H, J = 7.5 Hz)

10048008-012502


Example 181



(Process 1)

- 5 A mixture of the compound (3)(3 g) prepared in Example 1-Process 2 in dioxane (20 ml) and thionyl chloride (10 ml) was heated and dissolved at 100°C. Evaporation of the solvent under reduced pressure gave carboxylic acid chloride. The carboxylic acid chloride was not purified and used in further reactions. After a solution of the carboxylic acid chloride (143 mg),
- 10 ammonium thiocyanate (42 mg) in dioxane (25 ml) was stirred at room temperature for 15 min, 3,4-dichloroaniline was added thereto. The reaction solution was stirred at room temperature for 1 hour and the solvent was evaporated under reduced pressure. To the residue were added methanol (6 ml) and water (2 ml) and the precipitated crystal was filtrated.
- 15 Recrystallization from DMF obtained 104 mg of the compound (M-1).
- <sup>1</sup>H NMR (DMSO-d<sub>6</sub>, δ ppm): 13.91 (bs, 1H), 12.49 (s, 1H), 11.83 (s, 1H), 8.07 - 8.12 (m, 3H), 7.63 - 7.76 (m, 5H).

- The following compound was synthesized in a manner similar to
- 20 above-mentioned method.



Abbreviation described below are used.

- Me:methyl, Et:ethyl, nPr:n-propyl, iPr:isobutyl, nBu:n-butyl, iBu:isobutyl,  
tBu:t-butyl, Pen:n-pentyl, Ph:phenyl, Bn:benzyl, Bz:benzoyl, Ac:acetyl,  
5 diF:difluoro, diCl:dichloro, diBr:dibromo, diI:diiodo, diMe:dimethyl,  
thiophene:thiophene, thienyl:thienyl, Py:pyridil, pyridine:pyridine,  
pyridinium: pyridinium, Quinoline: Quinoline, Benzodioxole: Benzodioxole,  
pyrazinyl: pyrazinyl, pyrrolyl: pyrrolyl, pyrrole: pyrrole, oxide: oxide, indole:  
indole, imidazolyl: imidazolyl, morpholino: morpholino, piperazinyl:  
10 piperazinyl, furyl: furyl, furan: furan, thiazolyl: thiazolyl, benzodioxin:  
benzodioxin, and benzo[b]furan:benzo[b]furan  
(Compound No: R<sup>6</sup>, R<sup>7</sup>, M, T) = (N-1: Ph, Me, S, S), (N-3: 4-Br-Ph, Me, S, S),  
(N-4: 4-Me-Ph, Me, S, S), (N-5: 4-Ph-Ph, Me, S, S), (N-6: 4-OMe-Ph, Me, S, S),  
(N-7: 4-tBu-Ph, Me, S, S), (N-8: 4-COOMe-Ph, Me, S, S), (N-9: 4-Pen-Ph, Me, S,  
15 S), (N-10: 4-NO<sub>2</sub>-Ph, Me, S, S), (N-11: 5-Cl-thiophene-2-yl, Me, S, S), (N-12:  
3-Thienyl, Me, S, S), (N-13: 2-Py, Me, S, S), (N-14: 3-Py, Me, S, S), (N-15: 4-Py,  
Me, S, S), (N-16: 3,4-diF-Ph, Me, S, S), (N-17: 5-Br-thiophene-2-yl, Me, S, S),  
(N-18: 4-CONH<sub>2</sub>-Ph, Me, S, S), (N-19: 4-CON(Me)H-Ph, Me, S, S), (N-20: 4-  
CON(Me)<sub>2</sub>-Ph, Me, S, S), (N-21: 4-iPrOC(=O)-Ph, Me, S, S), (N-22: 4-  
20 nBuOC(=O)-Ph, Me, S, S), (N-23: 6-Me-pyridine-3-yl, Me, S, S), (N-24:  
Quinoline-3-yl, Me, S, S), (N-25: 4-NH<sub>2</sub>-Ph, Me, S, S), (N-26: 4-N(Ac)H-Ph, Me,  
S, S), (N-27: 4-OH-Ph, Me, S, S), (N-28: 3,4-di(OH)<sub>2</sub>-Ph, Me, S, S), (N-29: 3,4-  
di(NH<sub>2</sub>)-Ph, Me, S, S), (N-30: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Me, S, S), (N-31: 4-SH-Ph, Me,  
S, S), (N-32: 4-SMe-Ph, Me, S, S), (N-33: 3,4-diBr-Ph, Me, S, S), (N-34: 4-  
25 N(Me)H-Ph, Me, S, S), (N-35: 4-N(Me)<sub>2</sub>-Ph, Me, S, S), (N-36: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Me,  
S, S), (N-37: 4-Et-Ph, Me, S, S), (N-38: 4-iPr-Ph, Me, S, S), (N-39: 4-nPr-Ph,  
Me, S, S), (N-40: 4-nBu-Ph, Me, S, S), (N-41: 4-iBu-Ph, Me, S, S), (N-42: 3,4-

- diMe-Ph, Me, S, S), (N-43: 1,3-Benzodioxole-5-yl, Me, S, S), (N-44: N-Me-pyridinium-4-yl, Me, S, S), (N-45: N-Me-pyridinium-3-yl, Me, S, S), (N-46: 5-Me-Pyridine-2-yl, Me, S, S), (N-47: 2-Pyrazinyl, Me, S, S), (N-48: 3-Pyrrolyl, Me, S, S), (N-49: 1-Me-pyrrole-3-yl, Me, S, S), (N-50: Pyridine N-oxide-4-yl, Me, S, S), (N-51: Pyridine N-oxide-3-yl, Me, S, S), (N-52: 6-OH-pyridine-3-yl, Me, S, S), (N-53: 6-SH-pyridine-3-yl, Me, S, S), (N-54: 1-Ac-pyrrole-3-yl, Me, S, S), (N-55: 4-CF<sub>3</sub>-Ph, Me, S, S), (N-56: 4-CN-Ph, Me, S, S), (N-57: 4-CHO-Ph, Me, S, S), (N-58: 3-Cl-Ph, Me, S, S), (N-59: 3-Br-Ph, Me, S, S), (N-60: 3-F-Ph, Me, S, S), (N-61: 3-I-Ph, Me, S, S), (N-62: 4-I-Ph, Me, S, S), (N-63: 4-OCF<sub>3</sub>-Ph, Me, S, S), (N-64: 3,4-diI-Ph, Me, S, S), (N-65: Indole-6-yl, Me, S, S), (N-66: 1-Ac-indole-6-yl, Me, S, S), (N-67: 1-Me-indole-6-yl, Me, S, S), (N-68: 4-(1-Imidazolyl)-Ph, Me, S, S), (N-69: 4-Morpholino-Ph, Me, S, S), (N-70: 4-(1-Piperazinyl)-Ph, Me, S, S), (N-71: 2,5-diMe-thiophene-3-yl, Me, S, S), (N-72: 2-Furyl, Me, S, S), (N-73: 5-Me-furan-2-yl, Me, S, S), (N-74: 5-Me-furan-2-yl, Me, S, S), (N-75: 2-Thiazolyl, Me, S, S), (N-76: 1:4-Benzodioxin-6-yl, Me, S, S), (N-77: Benzo[b]furan-2-yl, Me, S, S), (N-78: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Me, S, S), (N-79: 4-N(Me)HCH<sub>2</sub>-Ph, Me, S, S), (N-80: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Me, S, S), (N-81: 6-Cl-pyridine-3-yl, Me, S, S), (N-82: 5,6-diCl-pyridine-3-yl, Me, S, S), (N-83: 5-Cl-pyridine-2-yl, Me, S, S), (N-84: 4:5-diCl-pyridine-2-yl, Me, S, S), (N-85: 4-ClCH<sub>2</sub>-Bn, Me, S, S), (N-86: Bn, Me, S, S), (N-87: 4-Cl-Bn, Me, S, S), (N-88: 4-Br-Bn, Me, S, S), (N-89: 4-F-Bn, Me, S, S), (N-90: 3,4-diCl-Bn, Me, S, S), (N-91: 3,4-diBr-Bn, Me, S, S), (N-92: 3,4-diF-Bn, Me, S, S), (N-93: 4-Cl-Bz, Me, S, S), (N-94: 3,4-diCl-Bz, Me, S, S), (N-95: 4-Br-Bz, Me, S, S), (N-96: 3,4-diBr-Bz, Me, S, S), (N-97: 4-F-Bz, Me, S, S), (N-98: 3,4-diF-Bz, Me, S, S), (N-99: 4-NO<sub>2</sub>-Bn, Me, S, S), (N-100: 4-CN-Bn, Me, S, S), (N-101: Ph, Et, S, S), (N-102: 4-F-Ph, Et, S, S), (N-103: 4-Br-Ph, Et, S, S), (N-104: 4-Me-Ph, Et, S, S), (N-105: 4-Ph-Ph, Et, S, S), (N-106: 4-OMe-Ph, Et, S, S), (N-107: 4-tBu-Ph, Et,

- S, S), (N-108: 4-COOMe-Ph, Et, S, S), (N-109: 4-Pen-Ph, Et, S, S), (N-110: 4-NO<sub>2</sub>-Ph, Et, S, S), (N-111: 5-Cl-thiophene-2-yl, Et, S, S), (N-112: 3-Thienyl, Et, S, S), (N-113: 2-Py, Et, S, S), (N-114: 3-Py, Et, S, S), (N-115: 4-Py, Et, S, S), (N-116: 3,4-diF-Ph, Et, S, S), (N-117: 5-Br-thiophene-2-yl, Et, S, S), (N-118: 4-CONH<sub>2</sub>-Ph, Et, S, S), (N-119: 4-CON(Me)H-Ph, Et, S, S), (N-120: 4-CON(Me)<sub>2</sub>-Ph, Et, S, S), (N-121: 4-iPrOC(=O)-Ph, Et, S, S), (N-122: 4-nBuOC(=O)-Ph, Et, S, S), (N-123: 6-Me-pyridine-3-yl, Et, S, S), (N-124: Quinoline-3-yl, Et, S, S), (N-125: 4-NH<sub>2</sub>-Ph, Et, S, S), (N-126: 4-N(Ac)H-Ph, Et, S, S), (N-127: 4-OH-Ph, Et, S, S), (N-128: 3,4-di(OH)<sub>2</sub>-Ph, Et, S, S), (N-129: 3,4-di(NH<sub>2</sub>)-Ph, Et, S, S), (N-130: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Et, S, S), (N-131: 4-SH-Ph, Et, S, S), (N-132: 4-SMe-Ph, Et, S, S), (N-133: 3,4-diBr-Ph, Et, S, S), (N-134: 4-N(Me)H-Ph, Et, S, S), (N-135: 4-N(Me)<sub>2</sub>-Ph, Et, S, S), (N-136: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Et, S, S), (N-137: 4-Et-Ph, Et, S, S), (N-138: 4-iPr-Ph, Et, S, S), (N-139: 4-nPr-Ph, Et, S, S), (N-140: 4-nBu-Ph, Et, S, S), (N-141: 4-iBu-Ph, Et, S, S), (N-142: 3,4-diMe-Ph, Et, S, S), (N-143: 1,3-Benzodioxole-5-yl, Et, S, S), (N-144: N-Me-pyridinium-4-yl, Et, S, S), (N-145: N-Me-pyridinium-3-yl, Et, S, S), (N-146: 5-Me-Pyridine-2-yl, Et, S, S), (N-147: 2-Pyrazinyl, Et, S, S), (N-148: 3-Pyrrolyl, Et, S, S), (N-149: 1-Me-pyrrole-3-yl, Et, S, S), (N-150: Pyridine N-oxide-4-yl, Et, S, S), (N-151: Pyridine N-oxide-3-yl, Et, S, S), (N-152: 6-OH-pyridine-3-yl, Et, S, S), (N-153: 6-SH-pyridine-3-yl, Et, S, S), (N-154: 1-Ac-pyrrole-3-yl, Et, S, S), (N-155: 4-CF<sub>3</sub>-Ph, Et, S, S), (N-156: 4-CN-Ph, Et, S, S), (N-157: 4-CHO-Ph, Et, S, S), (N-158: 3-Cl-Ph, Et, S, S), (N-159: 3-Br-Ph, Et, S, S), (N-160: 3-F-Ph, Et, S, S), (N-161: 3-I-Ph, Et, S, S), (N-162: 4-I-Ph, Et, S, S), (N-163: 4-OCF<sub>3</sub>-Ph, Et, S, S), (N-164: 3,4-diI-Ph, Et, S, S), (N-165: Indole-6-yl, Et, S, S), (N-166: 1-Ac-indole-6-yl, Et, S, S), (N-167: 1-Me-indole-6-yl, Et, S, S), (N-168: 4-(1-imidazolyl)-Ph, Et, S, S), (N-169: 4-Morphorino-Ph, Et, S, S), (N-170: 4-(1-Piperazinyl)-Ph, Et, S, S), (N-171: 2:5-diMe-thiophene-3-yl, Et, S,

- S), (N-172: 2-Furyl, Et, S, S), (N-173: 5-Me-furan-2-yl, Et, S, S), (N-174: 5-Me-furan-2-yl, Et, S, S), (N-175: 2-Thiazolyl, Et, S, S), (N-176: 1:4-Benzodioxin-6-yl, Et, S, S), (N-177: Benzo[b]furan-2-yl, Et, S, S), (N-178: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Et, S, S), (N-179: 4-N(Me)HCH<sub>2</sub>-Ph, Et, S, S), (N-180: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Et, S, S), (N-181: 6-Cl-pyridine-3-yl, Et, S, S), (N-182: 5,6-diCl-pyridine-3-yl, Et, S, S), (N-183: 5-Cl-pyridine-2-yl, Et, S, S), (N-184: 4:5-diCl-pyridine-2-yl, Et, S, S), (N-185: 4-ClCH<sub>2</sub>-Bn, Et, S, S), (N-186: Bn, Et, S, S), (N-187: 4-Cl-Bn, Et, S, S), (N-188: 4-Br-Bn, Et, S, S), (N-189: 4-F-Bn, Et, S, S), (N-190: 3,4-diCl-Bn, Et, S, S), (N-191: 3,4-diBr-Bn, Et, S, S), (N-192: 3,4-diF-Bn, Et, S, S), (N-193: 4-Cl-Bz, Et, S, S), (N-194: 3,4-diCl-Bz, Et, S, S), (N-195: 4-Br-Bz, Et, S, S), (N-196: 3,4-diBr-Bz, Et, S, S), (N-197: 4-F-Bz, Et, S, S), (N-198: 3,4-diF-Bz, Et, S, S), (N-199: 4-NO<sub>2</sub>-Bn, Et, S, S), (N-200: 4-CN-Bn, Et, S, S), (N-201: Ph, COOMe, S, S), (N-203: 4-Br-Ph, COOMe, S, S), (N-204: 4-Me-Ph, COOMe, S, S), (N-205: 4-Ph-Ph, COOMe, S, S), (N-206: 4-OMe-Ph, COOMe, S, S), (N-207: 4-tBu-Ph, COOMe, S, S), (N-208: 4-COOMe-Ph, COOMe, S, S), (N-209: 4-Pen-Ph, COOMe, S, S), (N-210: 4-NO<sub>2</sub>-Ph, COOMe, S, S), (N-211: 5-Cl-thiophene-2-yl, COOMe, S, S), (N-212: 3-Thienyl, COOMe, S, S), (N-213: 2-Py, COOMe, S, S), (N-214: 3-Py, COOMe, S, S), (N-215: 4-Py, COOMe, S, S), (N-216: 3,4-diF-Ph, COOMe, S, S), (N-217: 5-Br-thiophene-2-yl, COOMe, S, S), (N-218: 4-CONH<sub>2</sub>-Ph, COOMe, S, S), (N-219: 4-CON(Me)H-Ph, COOMe, S, S), (N-220: 4-CON(Me)<sub>2</sub>-Ph, COOMe, S, S), (N-221: 4-iPrOC(=O)-Ph, COOMe, S, S), (N-222: 4-nBuOC(=O)-Ph, COOMe, S, S), (N-223: 6-Me-pyridine-3-yl, COOMe, S, S), (N-224: Quinoline-3-yl, COOMe, S, S), (N-225: 4-NH<sub>2</sub>-Ph, COOMe, S, S), (N-226: 4-N(Ac)H-Ph, COOMe, S, S), (N-227: 4-OH-Ph, COOMe, S, S), (N-228: 3,4-di(OH)<sub>2</sub>-Ph, COOMe, S, S), (N-229: 3,4-di(NH<sub>2</sub>)<sub>2</sub>-Ph, COOMe, S, S), (N-230: 3:4-[N(Ac)H]<sub>2</sub>-Ph, COOMe, S, S), (N-231: 4-SH-Ph, COOMe, S, S), (N-232: 4-SMe-Ph, COOMe, S, S), (N-233: 3,4-diBr-Ph,

- COOMe, S, S), (N-234: 4-N(Me)H-Ph, COOMe, S, S), (N-235: 4-N(Me)<sub>2</sub>-Ph, COOMe, S, S), (N-236: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, COOMe, S, S), (N-237: 4-Et-Ph, COOMe, S, S), (N-238: 4-iPr-Ph, COOMe, S, S), (N-239: 4-nPr-Ph, COOMe, S, S), (N-240: 4-nBu-Ph, COOMe, S, S), (N-241: 4-iBu-Ph, COOMe, S, S), (N-242: 3,4-diMe-Ph, COOMe, S, S), (N-243: 1,3-Benzodioxole-5-yl, COOMe, S, S), (N-244: N-Me-pyridinium-4-yl, COOMe, S, S), (N-245: N-Me-pyridinium-3-yl, COOMe, S, S), (N-246: 5-Me-Pyridine-2-yl, COOMe, S, S), (N-247: 2-Pyrazinyl, COOMe, S, S), (N-248: 3-Pyrrolyl, COOMe, S, S), (N-249: 1-Me-pyrrole-3-yl, COOMe, S, S), (N-250: Pyridine N-oxide-4-yl, COOMe, S, S), (N-251: Pyridine N-oxide-3-yl, COOMe, S, S), (N-252: 6-OH-pyridine-3-yl, COOMe, S, S), (N-253: 6-SH-pyridine-3-yl, COOMe, S, S), (N-254: 1-Ac-pyrrole-3-yl, COOMe, S, S), (N-255: 4-CF<sub>3</sub>-Ph, COOMe, S, S), (N-256: 4-CN-Ph, COOMe, S, S), (N-257: 4-CHO-Ph, COOMe, S, S), (N-258: 3-Cl-Ph, COOMe, S, S), (N-259: 3-Br-Ph, COOMe, S, S), (N-260: 3-F-Ph, COOMe, S, S), (N-261: 3-I-Ph, COOMe, S, S), (N-262: 4-I-Ph, COOMe, S, S), (N-263: 4-OCF<sub>3</sub>-Ph, COOMe, S, S), (N-264: 3,4-diI-Ph, COOMe, S, S), (N-265: Indole-6-yl, COOMe, S, S), (N-266: 1-Ac-indole-6-yl, COOMe, S, S), (N-267: 1-Me-indole-6-yl, COOMe, S, S), (N-268: 4-(1-Imidazolyl)-Ph, COOMe, S, S), (N-269: 4-Morphorino-Ph, COOMe, S, S), (N-270: 4-(1-Piperazinyl)-Ph, COOMe, S, S), (N-271: 2:5-diMe-thiophene-3-yl, COOMe, S, S), (N-272: 2-Furyl, COOMe, S, S), (N-273: 5-Me-furan-2-yl, COOMe, S, S), (N-274: 5-Me-furan-2-yl, COOMe, S, S), (N-275: 2-Thiazolyl, COOMe, S, S), (N-276: 1:4-Benzodioxin-6-yl, COOMe, S, S), (N-277: Benzo[b]furan-2-yl, COOMe, S, S), (N-278: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, S, S), (N-279: 4-N(Me)HCH<sub>2</sub>-Ph, COOMe, S, S), (N-280: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, S, S), (N-281: 6-Cl-pyridine-3-yl, COOMe, S, S), (N-282: 5,6-diCl-pyridine-3-yl, COOMe, S, S), (N-283: 5-Cl-pyridine-2-yl, COOMe, S, S), (N-284: 4:5-diCl-pyridine-2-yl, COOMe, S, S), (N-285: 4-ClCH<sub>2</sub>-Bn, COOMe, S, S), (N-286: Bn, COOMe, S, S),

- (N-287: 4-Cl-Bn, COOMe, S, S), (N-288: 4-Br-Bn, COOMe, S, S), (N-289: 4-F-Bn, COOMe, S, S), (N-290: 3,4-diCl-Bn, COOMe, S, S), (N-291: 3,4-diBr-Bn, COOMe, S, S), (N-292: 3,4-diF-Bn, COOMe, S, S), (N-293: 4-Cl-Bz, COOMe, S, S), (N-294: 3,4-diCl-Bz, COOMe, S, S), (N-295: 4-Br-Bz, COOMe, S, S), (N-296: 3,4-diBr-Bz, COOMe, S, S), (N-297: 4-F-Bz, COOMe, S, S), (N-298: 3,4-diF-Bz, COOMe, S, S), (N-299: 4-NO<sub>2</sub>-Bn, COOMe, S, S), (N-300: 4-CN-Bn, COOMe, S, S), (N-302: H, 4-F-Ph, S, S), (N-303: H, 4-Br-Ph, S, S), (N-304: H, 4-Me-Ph, S, S), (N-305: H, 4-Ph-Ph, S, S), (N-306: H, 4-OMe-Ph, S, S), (N-307: H, 4-tBu-Ph, S, S), (N-308: H, 4-COOMe-Ph, S, S), (N-309: H, 4-Pen-Ph, S, S), (N-310: H, 4-NO<sub>2</sub>-Ph, S, S), (N-311: H, 5-Cl-thiophene-2-yl, S, S), (N-312: H, 3-Thienyl, S, S), (N-313: H, 2-Py, S, S), (N-314: H, 3-Py, S, S), (N-315: H, 4-Py, S, S), (N-316: H, 3,4-diF-Ph, S, S), (N-317: H, 5-Br-thiophene-2-yl, S, S), (N-318: H, 4-CONH<sub>2</sub>-Ph, S, S), (N-319: H, 4-CON(Me)H-Ph, S, S), (N-320: H, 4-CON(Me)<sub>2</sub>-Ph, S, S), (N-321: H, 4-iPrOC(=O)-Ph, S, S), (N-322: H, 4-nBuOC(=O)-Ph, S, S), (N-323: H, 6-Me-pyridine-3-yl, S, S), (N-324: H, Quinoline-3-yl, S, S), (N-325: H, 4-NH<sub>2</sub>-Ph, S, S), (N-326: H, 4-N(Ac)H-Ph, S, S), (N-327: H, 4-OH-Ph, S, S), (N-328: H, 3,4-di(OH)<sub>2</sub>-Ph, S, S), (N-329: H, 3,4-di(NH<sub>2</sub>)-Ph, S, S), (N-330: H, 3,4-[N(Ac)H]<sub>2</sub>-Ph, S, S), (N-331: H, 4-SH-Ph, S, S), (N-332: H, 4-SMe-Ph, S, S), (N-333: H, 3,4-diBr-Ph, S, S), (N-334: H, 4-N(Me)H-Ph, S, S), (N-335: H, 4-N(Me)<sub>2</sub>-Ph, S, S), (N-336: H, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, S, S), (N-337: H, 4-Et-Ph, S, S), (N-338: H, 4-iPr-Ph, S, S), (N-339: H, 4-nPr-Ph, S, S), (N-340: H, 4-nBu-Ph, S, S), (N-341: H, 4-iBu-Ph, S, S), (N-342: H, 3,4-diMe-Ph, S, S), (N-343: H, 1,3-Benzodioxole-5-yl, S, S), (N-344: H, N-Me-pyridinium-4-yl, S, S), (N-345: H, N-Me-pyridinium-3-yl, S, S), (N-346: H, 5-Me-Pyridine-2-yl, S, S), (N-347: H, 2-Pyrazinyl, S, S), (N-348: H, 3-Pyrrolyl, S, S), (N-349: H, 1-Me-pyrrole-3-yl, S, S), (N-350: H, Pyridine N-oxide-4-yl, S, S), (N-351: H, Pyridine N-oxide-3-yl, S, S), (N-352: H, 6-OH-pyridine-3-yl, S, S), (N-353: H, 6-SH-pyridine-3-yl, S, S),



- (N-354: H, 1-Ac-pyrrole-3-yl, S, S), (N-355: H, 4-CF<sub>3</sub>-Ph, S, S), (N-356: H, 4-CN-Ph, S, S), (N-357: H, 4-CHO-Ph, S, S), (N-358: H, 3-Cl-Ph, S, S), (N-359: H, 3-Br-Ph, S, S), (N-360: H, 3-F-Ph, S, S), (N-361: H, 3-I-Ph, S, S), (N-362: H, 4-I-Ph, S, S), (N-363: H, 4-OCF<sub>3</sub>-Ph, S, S), (N-364: H, 3,4-diI-Ph, S, S), (N-365: H, Indole-6-yl, S, S), (N-366: H, 1-Ac-indole-6-yl, S, S), (N-367: H, 1-Me-indole-6-yl, S, S), (N-368: H, 4-(1-Imidazolyl)-Ph, S, S), (N-369: H, 4-Morpholino-Ph, S, S), (N-370: H, 4-(1-Piperazinyl)-Ph, S, S), (N-371: H, 2:5-diMe-thiophene-3-yl, S, S), (N-372: H, 2-Furyl, S, S), (N-373: H, 5-Me-furan-2-yl, S, S), (N-374: H, 5-Me-furan-2-yl, S, S), (N-375: H, 2-Thiazolyl, S, S), (N-376: H, 1:4-Benzodioxin-6-yl, S, S), (N-377: H, Benzo[b]furan-2-yl, S, S), (N-378: H, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-379: H, 4-N(Me)HCH<sub>2</sub>-Ph, S, S), (N-380: H, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-381: H, 6-Cl-pyridine-3-yl, S, S), (N-382: H, 5,6-diCl-pyridine-3-yl, S, S), (N-383: H, 5-Cl-pyridine-2-yl, S, S), (N-384: H, 4:5-diCl-pyridine-2-yl, S, S), (N-385: H, 4-ClCH<sub>2</sub>-Bn, S, S), (N-386: H, Bn, S, S), (N-387: H, 4-Cl-Bn, S, S), (N-388: H, 4-Br-Bn, S, S), (N-389: H, 4-F-Bn, S, S), (N-390: H, 3,4-diCl-Bn, S, S), (N-391: H, 3,4-diBr-Bn, S, S), (N-392: H, 3,4-diF-Bn, S, S), (N-393: H, 4-Cl-Bz, S, S), (N-394: H, 3,4-diCl-Bz, S, S), (N-395: H, 4-Br-Bz, S, S), (N-396: H, 3,4-diBr-Bz, S, S), (N-397: H, 4-F-Bz, S, S), (N-398: H, 3,4-diF-Bz, S, S), (N-399: H, 4-NO<sub>2</sub>-Bn, S, S), (N-400: H, 4-CN-Bn, S, S), (N-401: Me, Ph, S, S), (N-402: Me, 4-F-Ph, S, S), (N-403: Me, 4-Br-Ph, S, S), (N-404: Me, 4-Me-Ph, S, S), (N-405: Me, 4-Ph-Ph, S, S), (N-406: Me, 4-OMe-Ph, S, S), (N-407: Me, 4-tBu-Ph, S, S), (N-408: Me, 4-COOMe-Ph, S, S), (N-409: Me, 4-Pen-Ph, S, S), (N-410: Me, 4-NO<sub>2</sub>-Ph, S, S), (N-411: Me, 5-Cl-thiophene-2-yl, S, S), (N-412: Me, 3-Thienyl, S, S), (N-413: Me, 2-Py, S, S), (N-414: Me, 3-Py, S, S), (N-415: Me, 4-Py, S, S), (N-416: Me, 3,4-diF-Ph, S, S), (N-417: Me, 5-Br-thiophene-2-yl, S, S), (N-418: Me, 4-CONH<sub>2</sub>-Ph, S, S), (N-419: Me, 4-CON(Me)H-Ph, S, S), (N-420: Me, 4-CON(Me)<sub>2</sub>-Ph, S, S), (N-421: Me, 4-

- iPrOC(=O)-Ph, S, S), (N-422: Me, 4-nBuOC(=O)-Ph, S, S), (N-423: Me, 6-Me-pyridine-3-yl, S, S), (N-424: Me, Quinoline-3-yl, S, S), (N-425: Me, 4-NH<sub>2</sub>-Ph, S, S), (N-426: Me, 4-N(Ac)H-Ph, S, S), (N-427: Me, 4-OH-Ph, S, S), (N-428: Me, 3,4-di(OH)<sub>2</sub>-Ph, S, S), (N-429: Me, 3,4-di(NH<sub>2</sub>)-Ph, S, S), (N-430: Me, 3:4-
- 5 [N(Ac)H]<sub>2</sub>-Ph, S, S), (N-431: Me, 4-SH-Ph, S, S), (N-432: Me, 4-SMe-Ph, S, S), (N-433: Me, 3,4-diBr-Ph, S, S), (N-434: Me, 4-N(Me)H-Ph, S, S), (N-435: Me, 4-N(Me)<sub>2</sub>-Ph, S, S), (N-436: Me, 4-N(Me)s<sup>+</sup>-Ph, S, S), (N-437: Me, 4-Et-Ph, S, S), (N-438: Me, 4-iPr-Ph, S, S), (N-439: Me, 4-nPr-Ph, S, S), (N-440: Me, 4-nBu-Ph, S, S), (N-441: Me, 4-iBu-Ph, S, S), (N-442: Me, 3,4-diMe-Ph, S, S), (N-443: Me,
- 10 1,3-Benzodioxole-5-yl, S, S), (N-444: Me, N-Me-pyridinium-4-yl, S, S), (N-445: Me, N-Me-pyridinium-3-yl, S, S), (N-446: Me, 5-Me-Pyridine-2-yl, S, S), (N-447: Me, 2-Pyrazinyl, S, S), (N-448: Me, 3-Pyrrolyl, S, S), (N-449: Me, 1-Me-pyrrole-3-yl, S, S), (N-450: Me, Pyridine N-oxide-4-yl, S, S), (N-451: Me, Pyridine N-oxide-3-yl, S, S), (N-452: Me, 6-OH-pyridine-3-yl, S, S), (N-453: Me,
- 15 6-SH-pyridine-3-yl, S, S), (N-454: Me, 1-Ac-pyrrole-3-yl, S, S), (N-455: Me, 4-CF<sub>3</sub>-Ph, S, S), (N-456: Me, 4-CN-Ph, S, S), (N-457: Me, 4-CHO-Ph, S, S), (N-458: Me, 3-Cl-Ph, S, S), (N-459: Me, 3-Br-Ph, S, S), (N-460: Me, 3-F-Ph, S, S), (N-461: Me, 3-I-Ph, S, S), (N-462: Me, 4-I-Ph, S, S), (N-463: Me, 4-OCF<sub>3</sub>-Ph, S, S), (N-464: Me, 3,4-diI-Ph, S, S), (N-465: Me, Indole-6-yl, S, S), (N-466: Me,
- 20 1-Ac-indole-6-yl, S, S), (N-467: Me, 1-Me-indole-6-yl, S, S), (N-468: Me, 4-(1-Imidazolyl)-Ph, S, S), (N-469: Me, 4-Morpholino-Ph, S, S), (N-470: Me, 4-(1-Piperazinyl)-Ph, S, S), (N-471: Me, 2:5-diMe-thiophene-3-yl, S, S), (N-472: Me, 2-Furyl, S, S), (N-473: Me, 5-Me-furan-2-yl, S, S), (N-474: Me, 5-Me-furan-2-yl, S, S), (N-475: Me, 2-Thiazolyl, S, S), (N-476: Me, 1:4-Benzodioxin-6-yl, S, S),
- 25 (N-477: Me, Benzo[b]furan-2-yl, S, S), (N-478: Me, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-479: Me, 4-N(Me)HCH<sub>2</sub>-Ph, S, S), (N-480: Me, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-481: Me, 6-Cl-pyridine-3-yl, S, S), (N-482: Me, 5,6-diCl-pyridine-3-yl, S, S), (N-483:

- Me, 5-Cl-pyridine-2-yl, S, S), (N-484: Me, 4:5-diCl-pyridine-2-yl, S, S), (N-485: Me, 4-ClCH<sub>2</sub>-Bn, S, S), (N-486: Me, Bn, S, S), (N-487: Me, 4-Cl-Bn, S, S), (N-488: Me, 4-Br-Bn, S, S), (N-489: Me, 4-F-Bn, S, S), (N-490: Me, 3,4-diCl-Bn, S, S), (N-491: Me, 3,4-diBr-Bn, S, S), (N-492: Me, 3,4-diF-Bn, S, S), (N-493: Me, 4-Cl-Bz, S, S), (N-494: Me, 3,4-diCl-Bz, S, S), (N-495: Me, 4-Br-Bz, S, S), (N-496: Me, 3,4-diBr-Bz, S, S), (N-497: Me, 4-F-Bz, S, S), (N-498: Me, 3,4-diF-Bz, S, S), (N-499: Me, 4-NO<sub>2</sub>-Bn, S, S), (N-500: Me, 4-CN-Bn, S, S), (N-501: Et, Ph, S, S), (N-502: Et, 4-F-Ph, S, S), (N-503: Et, 4-Br-Ph, S, S), (N-504: Et, 4-Me-Ph, S, S), (N-505: Et, 4-Ph-Ph, S, S), (N-506: Et, 4-OMe-Ph, S, S), (N-507: Et, 4-tBu-Ph, S, S), (N-508: Et, 4-COOMe-Ph, S, S), (N-509: Et, 4-Pen-Ph, S, S), (N-510: Et, 4-NO<sub>2</sub>-Ph, S, S), (N-511: Et, 5-Cl-thiophene-2-yl, S, S), (N-512: Et, 3-Thienyl, S, S), (N-513: Et, 2-Py, S, S), (N-514: Et, 3-Py, S, S), (N-515: Et, 4-Py, S, S), (N-516: Et, 3,4-diF-Ph, S, S), (N-517: Et, 5-Br-thiophene-2-yl, S, S), (N-518: Et, 4-CONH<sub>2</sub>-Ph, S, S), (N-519: Et, 4-CON(Me)H-Ph, S, S), (N-520: Et, 4-CON(Me)<sub>2</sub>-Ph, S, S), (N-521: Et, 4-iPrOC(=O)-Ph, S, S), (N-522: Et, 4-nBuOC(=O)-Ph, S, S), (N-523: Et, 6-Me-pyridine-3-yl, S, S), (N-524: Et, Quinoline-3-yl, S, S), (N-525: Et, 4-NH<sub>2</sub>-Ph, S, S), (N-526: Et, 4-N(Ac)H-Ph, S, S), (N-527: Et, 4-OH-Ph, S, S), (N-528: Et, 3,4-di(OH)<sub>2</sub>-Ph, S, S), (N-529: Et, 3,4-di(NH<sub>2</sub>)-Ph, S, S), (N-530: Et, 3:4-[N(Ac)H]<sub>2</sub>-Ph, S, S), (N-531: Et, 4-SH-Ph, S, S), (N-532: Et, 4-SMe-Ph, S, S), (N-533: Et, 3,4-diBr-Ph, S, S), (N-534: Et, 4-N(Me)H-Ph, S, S), (N-535: Et, 4-N(Me)<sub>2</sub>-Ph, S, S), (N-536: Et, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, S, S), (N-537: Et, 4-Et-Ph, S, S), (N-538: Et, 4-iPr-Ph, S, S), (N-539: Et, 4-nPr-Ph, S, S), (N-540: Et, 4-nBu-Ph, S, S), (N-541: Et, 4-iBu-Ph, S, S), (N-542: Et, 3,4-diMe-Ph, S, S), (N-543: Et, 1,3-Benzodioxole-5-yl, S, S), (N-544: Et, N-Me-pyridinium-4-yl, S, S), (N-545: Et, N-Me-pyridinium-3-yl, S, S), (N-546: Et, 5-Me-Pyridine-2-yl, S, S), (N-547: Et, 2-Pyrazinyl, S, S), (N-548: Et, 3-Pyrrolyl, S, S), (N-549: Et, 1-Me-pyrrole-3-yl, S, S), (N-550: Et, Pyridine N-

- oxide-4-yl, S, S), (N-551: Et, Pyridine N-oxide-3-yl, S, S), (N-552: Et, 6-OH-pyridine-3-yl, S, S), (N-553: Et, 6-SH-pyridine-3-yl, S, S), (N-554: Et, 1-Ac-pyrrole-3-yl, S, S), (N-555: Et, 4-CF<sub>3</sub>-Ph, S, S), (N-556: Et, 4-CN-Ph, S, S), (N-557: Et, 4-CHO-Ph, S, S), (N-558: Et, 3-Cl-Ph, S, S), (N-559: Et, 3-Br-Ph, S, S), (N-560: Et, 3-F-Ph, S, S), (N-561: Et, 3-I-Ph, S, S), (N-562: Et, 4-I-Ph, S, S), (N-563: Et, 4-OCF<sub>3</sub>-Ph, S, S), (N-564: Et, 3,4-diI-Ph, S, S), (N-565: Et, Indole-6-yl, S, S), (N-566: Et, 1-Ac-indole-6-yl, S, S), (N-567: Et, 1-Me-indole-6-yl, S, S), (N-568: Et, 4-(1-Imidazolyl)-Ph, S, S), (N-569: Et, 4-Morpholino-Ph, S, S), (N-570: Et, 4-(1-Piperazinyl)-Ph, S, S), (N-571: Et, 2:5-diMe-thiophene-3-yl, S, S), (N-572: Et, 2-Furyl, S, S), (N-573: Et, 5-Me-furan-2-yl, S, S), (N-574: Et, 5-Me-furan-2-yl, S, S), (N-575: Et, 2-Thiazolyl, S, S), (N-576: Et, 1:4-Benzodioxin-6-yl, S, S), (N-577: Et, Benzo[b]furan-2-yl, S, S), (N-578: Et, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-579: Et, 4-N(Me)HCH<sub>2</sub>-Ph, S, S), (N-580: Et, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-581: Et, 6-Cl-pyridine-3-yl, S, S), (N-582: Et, 5,6-diCl-pyridine-3-yl, S, S), (N-583: Et, 5-Cl-pyridine-2-yl, S, S), (N-584: Et, 4:5-diCl-pyridine-2-yl, S, S), (N-585: Et, 4-ClCH<sub>2</sub>-Bn, S, S), (N-586: Et, Bn, S, S), (N-587: Et, 4-Cl-Bn, S, S), (N-588: Et, 4-Br-Bn, S, S), (N-589: Et, 4-F-Bn, S, S), (N-590: Et, 3,4-diCl-Bn, S, S), (N-591: Et, 3,4-diBr-Bn, S, S), (N-592: Et, 3,4-diF-Bn, S, S), (N-593: Et, 4-Cl-Bz, S, S), (N-594: Et, 3,4-diCl-Bz, S, S), (N-595: Et, 4-Br-Bz, S, S), (N-596: Et, 3,4-diBr-Bz, S, S), (N-597: Et, 4-F-Bz, S, S), (N-598: Et, 3,4-diF-Bz, S, S), (N-599: Et, 4-NO<sub>2</sub>-Bn, S, S), (N-600: Et, 4-CN-Bn, S, S), (N-601: COOMe, Ph, S, S), (N-602: COOMe, 4-F-Ph, S, S), (N-603: COOMe, 4-Br-Ph, S, S), (N-604: COOMe, 4-Me-Ph, S, S), (N-605: COOMe, 4-Ph-Ph, S, S), (N-606: COOMe, 4-OMe-Ph, S, S), (N-607: COOMe, 4-tBu-Ph, S, S), (N-608: COOMe, 4-COOMe-Ph, S, S), (N-609: COOMe, 4-Pen-Ph, S, S), (N-610: COOMe, 4-NO<sub>2</sub>-Ph, S, S), (N-611: COOMe, 5-Cl-thiophene-2-yl, S, S), (N-612: COOMe, 3-Thienyl, S, S), (N-513: COOMe, 2-Py, S, S), (N-614: COOMe,

- 3-Py, S, S), (N-615: COOMe, 4-Py, S, S), (N-616: COOMe, 3,4-diF-Ph, S, S),  
 (N-617: COOMe, 5-Br-thiophene-2-yl, S, S), (N-618: COOMe, 4-CONH<sub>2</sub>-Ph, S,  
 S), (N-619: COOMe, 4-CON(Me)H-Ph, S, S), (N-620: COOMe, 4-CON(Me)<sub>2</sub>-Ph,  
 S, S), (N-621: COOMe, 4-iPrOC(=O)-Ph, S, S), (N-622: COOMe, 4-  
 5 nBuOC(=O)-Ph, S, S), (N-623: COOMe, 6-Me-pyridine-3-yl, S, S), (N-624:  
 COOMe, Quinoline-3-yl, S, S), (N-625: COOMe, 4-NH<sub>2</sub>-Ph, S, S), (N-626:  
 COOMe, 4-N(Ac)H-Ph, S, S), (N-627: COOMe, 4-OH-Ph, S, S), (N-628: COOMe,  
 3,4-di(OH)<sub>2</sub>-Ph, S, S), (N-629: COOMe, 3,4-di(NH<sub>2</sub>)-Ph, S, S), (N-630: COOMe,  
 3:4-[N(Ac)H]<sub>2</sub>-Ph, S, S), (N-631: COOMe, 4-SH-Ph, S, S), (N-632: COOMe, 4-  
 10 SME-Ph, S, S), (N-633: COOMe, 3,4-diBr-Ph, S, S), (N-634: COOMe, 4-  
 N(Me)H-Ph, S, S), (N-635: COOMe, 4-N(Me)<sub>2</sub>-Ph, S, S), (N-636: COOMe, 4-  
 N(Me)<sub>3</sub><sup>+</sup>-Ph, S, S), (N-637: COOMe, 4-Et-Ph, S, S), (N-638: COOMe, 4-iPr-Ph, S,  
 S), (N-639: COOMe, 4-nPr-Ph, S, S), (N-640: COOMe, 4-nBu-Ph, S, S), (N-641:  
 COOMe, 4-iBu-Ph, S, S), (N-642: COOMe, 3,4-diMe-Ph, S, S), (N-643: COOMe,  
 15 1,3-Benzodioxole-5-yl, S, S), (N-644: COOMe, N-Me-pyridinium-4-yl, S, S),  
 (N-645: COOMe, N-Me-pyridinium-3-yl, S, S), (N-646: COOMe, 5-Me-  
 Pyridine-2-yl, S, S), (N-647: COOMe, 2-Pyrazinyl, S, S), (N-648: COOMe, 3-  
 Pyrrolyl, S, S), (N-649: COOMe, 1-Me-pyrrole-3-yl, S, S), (N-650: COOMe,  
 Pyridine N-oxide-4-yl, S, S), (N-651: COOMe, Pyridine N-oxide-3-yl, S, S),  
 20 (N-652: COOMe, 6-OH-pyridine-3-yl, S, S), (N-653: COOMe, 6-SH-pyridine-3-  
 yl, S, S), (N-654: COOMe, 1-Ac-pyrrole-3-yl, S, S), (N-655: COOMe, 4-CF<sub>3</sub>-Ph,  
 S, S), (N-656: COOMe, 4-CN-Ph, S, S), (N-657: COOMe, 4-CHO-Ph, S, S), (N-  
 658: COOMe, 3-Cl-Ph, S, S), (N-659: COOMe, 3-Br-Ph, S, S), (N-660: COOMe,  
 3-F-Ph, S, S), (N-661: COOMe, 3-I-Ph, S, S), (N-662: COOMe, 4-I-Ph, S, S),  
 25 (N-663: COOMe, 4-OCF<sub>3</sub>-Ph, S, S), (N-664: COOMe, 3,4-diI-Ph, S, S), (N-665:  
 COOMe, Indole-6-yl, S, S), (N-666: COOMe, 1-Ac-indole-6-yl, S, S), (N-667:  
 COOMe, 1-Me-indole-6-yl, S, S), (N-668: COOMe, 4-(1-Imidazolyl)-Ph, S, S),

- (N-669: COOMe, 4-Morpholino-Ph, S, S), (N-670: COOMe, 4-(1-Piperazinyl)-Ph, S, S), (N-671: COOMe, 2:5-diMe-thiophene-3-yl, S, S), (N-672: COOMe, 2-Furyl, S, S), (N-673: COOMe, 5-Me-furan-2-yl, S, S), (N-674: COOMe, 5-Me-furan-2-yl, S, S), (N-675: COOMe, 2-Thiazolyl, S, S), (N-676: COOMe, 1:4-Benzodioxin-6-yl, S, S), (N-577: COOMe, Benzo[b]furan-2-yl, S, S), (N-678: COOMe, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-679: COOMe, 4-N(Me)HCH<sub>2</sub>-Ph, S, S), (N-680: COOMe, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, S), (N-681: COOMe, 6-Cl-pyridine-3-yl, S, S), (N-682: COOMe, 5,6-diCl-pyridine-3-yl, S, S), (N-683: COOMe, 5-Cl-pyridine-2-yl, S, S), (N-684: COOMe, 4:5-diCl-pyridine-2-yl, S, S), (N-685: COOMe, 4-ClCH<sub>2</sub>-Bn, S, S), (N-686: COOMe, Bn, S, S), (N-687: COOMe, 4-Cl-Bn, S, S), (N-688: COOMe, 4-Br-Bn, S, S), (N-689: COOMe, 4-F-Bn, S, S), (N-690: COOMe, 3,4-diCl-Bn, S, S), (N-691: COOMe, 3,4-diBr-Bn, S, S), (N-692: COOMe, 3,4-diF-Bn, S, S), (N-693: COOMe, 4-Cl-Bz, S, S), (N-694: COOMe, 3,4-diCl-Bz, S, S), (N-695: COOMe, 4-Br-Bz, S, S), (N-696: COOMe, 3,4-diBr-Bz, S, S), (N-697: COOMe, 4-F-Bz, S, S), (N-698: COOMe, 3,4-diF-Bz, S, S), (N-699: COOMe, 4-NO<sub>2</sub>-Bn, S, S), (N-700: COOMe, 4-CN-Bn, S, S), (N-701: Ph, H, O, S), (N-702: 4-F-Ph, H, O, S), (N-703: 4-Br-Ph, H, O, S), (N-704: 4-Me-Ph, H, O, S), (N-705: 4-Ph-Ph, H, O, S), (N-706: 4-OMe-Ph, H, O, S), (N-707: 4-tBu-Ph, H, O, S), (N-708: 4-COOMe-Ph, H, O, S), (N-709: 4-Pen-Ph, H, O, S), (N-710: 4-NO<sub>2</sub>-Ph, H, O, S), (N-711: 5-Cl-thiophene-2-yl, H, O, S), (N-712: 3-Thienyl, H, O, S), (N-713: 2-Py, H, O, S), (N-714: 3-Py, H, O, S), (N-715: 4-Py, H, O, S), (N-716: 3,4-diF-Ph, H, O, S), (N-717: 5-Br-thiophene-2-yl, H, O, S), (N-718: 4-CONH<sub>2</sub>-Ph, H, O, S), (N-719: 4-CON(Me)H-Ph, H, O, S), (N-720: 4-CON(Me)<sub>2</sub>-Ph, H, O, S), (N-721: 4-iPrOC(=O)-Ph, H, O, S), (N-722: 4-nBuOC(=O)-Ph, H, O, S), (N-723: 6-Me-pyridine-3-yl, H, O, S), (N-724: Quinoline-3-yl, H, O, S), (N-725: 4-NH<sub>2</sub>-Ph, H, O, S), (N-726: 4-N(Ac)H-Ph, H, O, S), (N-727: 4-OH-Ph, H, O, S), (N-728: 3,4-di(OH)<sub>2</sub>-Ph, H, O, S), (N-729:

- 3,4-di(NH<sub>2</sub>)-Ph, H, O, S), (N-730: 3:4-[N(Ac)H]<sub>2</sub>-Ph, H, O, S), (N-731: 4-SH-Ph, H, O, S), (N-732: 4-SMe-Ph, H, O, S), (N-733: 3,4-diBr-Ph, H, O, S), (N-734: 4-N(Me)H-Ph, H, O, S), (N-735: 4-N(Me)<sub>2</sub>-Ph, H, O, S), (N-736: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, H, O, S), (N-737: 4-Et-Ph, H, O, S), (N-738: 4-iPr-Ph, H, O, S), (N-739: 4-nPr-Ph, H, O, S), (N-740: 4-nBu-Ph, H, O, S), (N-741: 4-iBu-Ph, H, O, S), (N-742: 3,4-diMe-Ph, H, O, S), (N-743: 1,3-Benzodioxole-5-yl, H, O, S), (N-744: N-Me-pyridinium-4-yl, H, O, S), (N-745: N-Me-pyridinium-3-yl, H, O, S), (N-746: 5-Me-Pyridine-2-yl, H, O, S), (N-747: 2-Pyrazinyl, H, O, S), (N-748: 3-Pyrrolyl, H, O, S), (N-749: 1-Me-pyrrole-3-yl, H, O, S), (N-750: Pyridine N-oxide-4-yl, H, O, S), (N-751: Pyridine N-oxide-3-yl, H, O, S), (N-752: 6-OH-pyridine-3-yl, H, O, S), (N-753: 6-SH-pyridine-3-yl, H, O, S), (N-754: 1-Ac-pyrrole-3-yl, H, O, S), (N-755: 4-CF<sub>3</sub>-Ph, H, O, S), (N-756: 4-CN-Ph, H, O, S), (N-757: 4-CHO-Ph, H, O, S), (N-758: 3-Cl-Ph, H, O, S), (N-759: 3-Br-Ph, H, O, S), (N-760: 3-F-Ph, H, O, S), (N-761: 3-I-Ph, H, O, S), (N-762: 4-I-Ph, H, O, S), (N-763: 4-OCF<sub>3</sub>-Ph, H, O, S), (N-764: 3,4-diI-Ph, H, O, S), (N-765: Indole-6-yl, H, O, S), (N-766: 1-Ac-indole-6-yl, H, O, S), (N-767: 1-Me-indole-6-yl, H, O, S), (N-768: 4-(1-Imidazolyl)-Ph, H, O, S), (N-769: 4-Morpholino-Ph, H, O, S), (N-770: 4-(1-Piperazinyl)-Ph, H, O, S), (N-771: 2:5-diMe-thiophene-3-yl, H, O, S), (N-772: 2-Furyl, H, O, S), (N-773: 5-Me-furan-2-yl, H, O, S), (N-774: 5-Me-furan-2-yl, H, O, S), (N-775: 2-Thiazolyl, H, O, S), (N-776: 1:4-Benzodioxin-6-yl, H, O, S), (N-777: Benzo[b]furan-2-yl, H, O, S), (N-778: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, H, O, S), (N-779: 4-N(Me)HCH<sub>2</sub>-Ph, H, O, S), (N-780: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, H, O, S), (N-781: 6-Cl-pyridine-3-yl, H, O, S), (N-782: 5,6-diCl-pyridine-3-yl, H, O, S), (N-783: 5-Cl-pyridine-2-yl, H, O, S), (N-784: 4:5-diCl-pyridine-2-yl, H, O, S), (N-785: 4-ClCH<sub>2</sub>-Bn, H, O, S), (N-786: Bn, H, O, S), (N-787: 4-Cl-Bn, H, O, S), (N-788: 4-Br-Bn, H, O, S), (N-789: 4-F-Bn, H, O, S), (N-790: 3,4-diCl-Bn, H, O, S), (N-791: 3,4-diBr-Bn, H, O, S), (N-792: 3,4-diF-Bn, H, O, S), (N-793: 4-Cl-Bz, H, O,

- S), (N-794: 3,4-diCl-Bz, H, O, S), (N-795: 4-Br-Bz, H, O, S), (N-796: 3,4-diBr-Bz, H, O, S), (N-797: 4-F-Bz, H, O, S), (N-798: 3,4-diF-Bz, H, O, S), (N-799: 4-NO<sub>2</sub>-Bn, H, O, S), (N-800: 4-CN-Bn, H, O, S), (N-801: Ph, Me, O, S), (N-802: 4-F-Ph, Me, O, S), (N-803: 4-Br-Ph, Me, O, S), (N-804: 4-Me-Ph, Me, O, S),
- 5 (N-805: 4-Ph-Ph, Me, O, S), (N-806: 4-OMe-Ph, Me, O, S), (N-807: 4-tBu-Ph, Me, O, S), (N-808: 4-COOMe-Ph, Me, O, S), (N-809: 4-Pen-Ph, Me, O, S), (N-810: 4-NO<sub>2</sub>-Ph, Me, O, S), (N-811: 5-Cl-thiophene-2-yl, Me, O, S), (N-812: 3-Thienyl, Me, O, S), (N-813: 2-Py, Me, O, S), (N-814: 3-Py, Me, O, S), (N-815: 4-Py, Me, O, S), (N-816: 3,4-diF-Ph, Me, O, S), (N-817: 5-Br-thiophene-2-yl, Me, O, S), (N-818: 4-CONH<sub>2</sub>-Ph, Me, O, S), (N-819: 4-CON(Me)H-Ph, Me, O, S),
- 10 (N-820: 4-CON(Me)<sub>2</sub>-Ph, Me, O, S), (N-821: 4-iPrOC(=O)-Ph, Me, O, S), (N-822: 4-nBuOC(=O)-Ph, Me, O, S), (N-823: 6-Me-pyridine-3-yl, Me, O, S), (N-824: Quinoline-3-yl, Me, O, S), (N-825: 4-NH<sub>2</sub>-Ph, Me, O, S), (N-826: 4-N(Ac)H-Ph, Me, O, S), (N-827: 4-OH-Ph, Me, O, S), (N-828: 3,4-di(OH)<sub>2</sub>-Ph, Me, O, S), (N-829: 3,4-di(NH<sub>2</sub>)-Ph, Me, O, S), (N-830: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Me, O, S), (N-831: 4-SH-Ph, Me, O, S), (N-832: 4-SMe-Ph, Me, O, S), (N-833: 3,4-diBr-Ph, Me, O, S), (N-834: 4-N(Me)H-Ph, Me, O, S), (N-835: 4-N(Me)<sub>2</sub>-Ph, Me, O, S), (N-836: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Me, O, S), (N-837: 4-Et-Ph, Me, O, S), (N-838: 4-iPr-Ph, Me, O, S), (N-839: 4-nPr-Ph, Me, O, S), (N-840: 4-nBu-Ph, Me, O, S), (N-841: 4-iBu-Ph, Me, O, S), (N-842: 3,4-diMe-Ph, Me, O, S), (N-843: 1,3-Benzodioxole-5-yl, Me, O, S), (N-844: N-Me-pyridinium-4-yl, Me, O, S), (N-845: N-Me-pyridinium-3-yl, Me, O, S), (N-846: 5-Me-Pyridine-2-yl, Me, O, S), (N-847: 2-Pyrazinyl, Me, O, S), (N-848: 3-Pyrrolyl, Me, O, S), (N-849: 1-Me-pyrrole-3-yl, Me, O, S), (N-850: Pyridine N-oxide-4-yl, Me, O, S), (N-851: Pyridine N-oxide-3-yl, Me, O, S),
- 20 (N-852: 6-OH-pyridine-3-yl, Me, O, S), (N-853: 6-SH-pyridine-3-yl, Me, O, S), (N-854: 1-Ac-pyrrole-3-yl, Me, O, S), (N-855: 4-CF<sub>3</sub>-Ph, Me, O, S), (N-856: 4-CN-Ph, Me, O, S), (N-857: 4-CHO-Ph, Me, O, S), (N-858: 3-Cl-Ph, Me, O, S),
- 25



- (N-859: 3-Br-Ph, Me, O, S), (N-860: 3-F-Ph, Me, O, S), (N-861: 3-I-Ph, Me, O, S),  
 (N-862: 4-I-Ph, Me, O, S), (N-863: 4-OCF<sub>3</sub>-Ph, Me, O, S), (N-864: 3,4-diI-Ph,  
 Me, O, S), (N-865: Indole-6-yl, Me, O, S), (N-866: 1-Ac-indole-6-yl, Me, O, S),  
 (N-867: 1-Me-indole-6-yl, Me, O, S), (N-868: 4-(1-Imidazolyl)-Ph, Me, O, S),  
 5 (N-869: 4-Morphorino-Ph, Me, O, S), (N-870: 4-(1-Piperazinyl)-Ph, Me, O, S),  
 (N-871: 2:5-diMe-thiophene-3-yl, Me, O, S), (N-872: 2-Furyl, Me, O, S), (N-873:  
 5-Me-furan-2-yl, Me, O, S), (N-874: 5-Me-furan-2-yl, Me, O, S), (N-875: 2-  
 Thiazolyl, Me, O, S), (N-876: 1:4-Benzodioxin-6-yl, Me, O, S), (N-877:  
 Benzo[b]furan-2-yl, Me, O, S), (N-878: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Me, O, S), (N-879: 4-  
 10 N(Me)HCH<sub>2</sub>-Ph, Me, O, S), (N-880: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Me, O, S), (N-881: 6-Cl-  
 pyridine-3-yl, Me, O, S), (N-882: 5,6-diCl-pyridine-3-yl, Me, O, S), (N-883: 5-  
 Cl-pyridine-2-yl, Me, O, S), (N-884: 4:5-diCl-pyridine-2-yl, Me, O, S), (N-885:  
 4-ClCH<sub>2</sub>-Bn, Me, O, S), (N-886: Bn, Me, O, S), (N-887: 4-Cl-Bn, Me, O, S), (N-  
 888: 4-Br-Bn, Me, O, S), (N-889: 4-F-Bn, Me, O, S), (N-890: 3,4-diCl-Bn, Me, O,  
 15 S), (N-891: 3,4-diBr-Bn, Me, O, S), (N-892: 3,4-diF-Bn, Me, O, S), (N-893: 4-  
 Cl-Bz, Me, O, S), (N-894: 3,4-diCl-Bz, Me, O, S), (N-895: 4-Br-Bz, Me, O, S),  
 (N-896: 3,4-diBr-Bz, Me, O, S), (N-897: 4-F-Bz, Me, O, S), (N-898: 3,4-diF-Bz,  
 Me, O, S), (N-899: 4-NO<sub>2</sub>-Bn, Me, O, S), (N-900: 4-CN-Bn, Me, O, S), (N-901:  
 Ph, Et, O, S), (N-902: 4-F-Ph, Et, O, S), (N-903: 4-Br-Ph, Et, O, S), (N-904: 4-  
 20 Me-Ph, Et, O, S), (N-905: 4-Ph-Ph, Et, O, S), (N-906: 4-OMe-Ph, Et, O, S), (N-  
 907: 4-tBu-Ph, Et, O, S), (N-908: 4-COOMe-Ph, Et, O, S), (N-909: 4-Pen-Ph, Et,  
 O, S), (N-910: 4-NO<sub>2</sub>-Ph, Et, O, S), (N-911: 5-Cl-thiophene-2-yl, Et, O, S), (N-  
 912: 3-Thienyl, Et, O, S), (N-913: 2-Py, Et, O, S), (N-914: 3-Py, Et, O, S), (N-  
 915: 4-Py, Et, O, S), (N-916: 3,4-diF-Ph, Et, O, S), (N-917: 5-Br-thiophene-2-yl,  
 25 Et, O, S), (N-918: 4-CONH<sub>2</sub>-Ph, Et, O, S), (N-919: 4-CON(Me)H-Ph, Et, O, S),  
 (N-920: 4-CON(Me)<sub>2</sub>-Ph, Et, O, S), (N-921: 4-iPrOC(=O)-Ph, Et, O, S), (N-922:  
 4-nBuOC(=O)-Ph, Et, O, S), (N-923: 6-Me-pyridine-3-yl, Et, O, S), (N-924:

- Quinoline-3-yl, Et, O, S), (N-925: 4-NH<sub>2</sub>-Ph, Et, O, S), (N-926: 4-N(Ac)H-Ph, Et, O, S), (N-927: 4-OH-Ph, Et, O, S), (N-928: 3,4-di(OH)<sub>2</sub>-Ph, Et, O, S), (N-929: 3,4-di(NH<sub>2</sub>)-Ph, Et, O, S), (N-930: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Et, O, S), (N-931: 4-SH-Ph, Et, O, S), (N-932: 4-SMe-Ph, Et, O, S), (N-933: 3,4-diBr-Ph, Et, O, S),
- 5 (N-934: 4-N(Me)H-Ph, Et, O, S), (N-935: 4-N(Me)<sub>2</sub>-Ph, Et, O, S), (N-936: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Et, O, S), (N-937: 4-Et-Ph, Et, O, S), (N-938: 4-iPr-Ph, Et, O, S), (N-939: 4-nPr-Ph, Et, O, S), (N-940: 4-nBu-Ph, Et, O, S), (N-941: 4-iBu-Ph, Et, O, S), (N-942: 3,4-diMe-Ph, Et, O, S), (N-943: 1,3-Benzodioxole-5-yl, Et, O, S), (N-944: N-Me-pyridinium-4-yl, Et, O, S), (N-945: N-Me-pyridinium-3-yl, Et, O,
- 10 S), (N-946: 5-Me-Pyridine-2-yl, Et, O, S), (N-947: 2-Pyrazinyl, Et, O, S), (N-948: 3-Pyrrolyl, Et, O, S), (N-949: 1-Me-pyrrole-3-yl, Et, O, S), (N-950: Pyridine N-oxide-4-yl, Et, O, S), (N-951: Pyridine N-oxide-3-yl, Et, O, S), (N-952: 6-OH-pyridine-3-yl, Et, O, S), (N-953: 6-SH-pyridine-3-yl, Et, O, S), (N-954: 1-Ac-pyrrole-3-yl, Et, O, S), (N-955: 4-CF<sub>3</sub>-Ph, Et, O, S), (N-956: 4-CN-Ph,
- 15 Et, O, S), (N-957: 4-CHO-Ph, Et, O, S), (N-958: 3-Cl-Ph, Et, O, S), (N-959: 3-Br-Ph, Et, O, S), (N-960: 3-F-Ph, Et, O, S), (N-961: 3-I-Ph, Et, O, S), (N-962: 4-I-Ph, Et, O, S), (N-963: 4-OCF<sub>3</sub>-Ph, Et, O, S), (N-964: 3,4-diI-Ph, Et, O, S), (N-965: Indole-6-yl, Et, O, S), (N-966: 1-Ac-indole-6-yl, Et, O, S), (N-967: 1-Me-indole-6-yl, Et, O, S), (N-968: 4-(1-Imidazolyl)-Ph, Et, O, S), (N-969: 4-
- 20 Morphorino-Ph, Et, O, S), (N-970: 4-(1-Piperazinyl)-Ph, Et, O, S), (N-971: 2:5-diMe-thiophene-3-yl, Et, O, S), (N-972: 2-Furyl, Et, O, S), (N-973: 5-Me-furan-2-yl, Et, O, S), (N-974: 5-Me-furan-2-yl, Et, O, S), (N-975: 2-Thiazolyl, Et, O, S), (N-976: 1:4-Benzodioxin-6-yl, Et, O, S), (N-977: Benzo[b]furan-2-yl, Et, O, S), (N-978: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Et, O, S), (N-979: 4-N(Me)HCH<sub>2</sub>-Ph, Et, O, S),
- 25 (N-980: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Et, O, S), (N-981: 6-Cl-pyridine-3-yl, Et, O, S), (N-982: 5,6-diCl-pyridine-3-yl, Et, O, S), (N-983: 5-Cl-pyridine-2-yl, Et, O, S), (N-984: 4:5-diCl-pyridine-2-yl, Et, O, S), (N-985: 4-ClCH<sub>2</sub>-Bn, Et, O, S), (N-

- 986: Bn, Et, O, S), (N-987: 4-Cl-Bn, Et, O, S), (N-988: 4-Br-Bn, Et, O, S), (N-989: 4-F-Bn, Et, O, S), (N-990: 3,4-diCl-Bn, Et, O, S), (N-991: 3,4-diBr-Bn, Et, O, S), (N-992: 3,4-diF-Bn, Et, O, S), (N-993: 4-Cl-Bz, Et, O, S), (N-994: 3,4-diCl-Bz, Et, O, S), (N-995: 4-Br-Bz, Et, O, S), (N-996: 3,4-diBr-Bz, Et, O, S),  
 5 (N-997: 4-F-Bz, Et, O, S), (N-998: 3,4-diF-Bz, Et, O, S), (N-999: 4-NO<sub>2</sub>-Bn, Et, O, S), (N-1000: 4-CN-Bn, Et, O, S), (N-1001: Ph, COOMe, O, S), (N-1002: 4-F-Ph, COOMe, O, S), (N-1003: 4-Br-Ph, COOMe, O, S), (N-1004: 4-Me-Ph, COOMe, O, S), (N-1005: 4-Ph-Ph, COOMe, O, S), (N-1006: 4-OMe-Ph, COOMe, O, S), (N-1007: 4-tBu-Ph, COOMe, O, S), (N-1008: 4-COOMe-Ph, COOMe, O, S),  
 10 (N-1009: 4-Pen-Ph, COOMe, O, S), (N-1010: 4-NO<sub>2</sub>-Ph, COOMe, O, S), (N-1011: 5-Cl-thiophene-2-yl, COOMe, O, S), (N-1012: 3-Thienyl, COOMe, O, S), (N-1013: 2-Py, COOMe, O, S), (N-1014: 3-Py, COOMe, O, S), (N-1015: 4-Py, COOMe, O, S), (N-1016: 3,4-diF-Ph, COOMe, O, S), (N-1017: 5-Br-thiophene-2-yl, COOMe, O, S), (N-1018: 4-CONH<sub>2</sub>-Ph, COOMe, O, S), (N-1019: 4-CON(Me)H-Ph, COOMe, O, S),  
 15 (N-1020: 4-CON(Me)<sub>2</sub>-Ph, COOMe, O, S), (N-1021: 4-iPrOC(=O)-Ph, COOMe, O, S), (N-1022: 4-nBuOC(=O)-Ph, COOMe, O, S), (N-1023: 6-Me-pyridine-3-yl, COOMe, O, S), (N-1024: Quinoline-3-yl, COOMe, O, S), (N-1025: 4-NH<sub>2</sub>-Ph, COOMe, O, S), (N-1026: 4-N(Ac)H-Ph, COOMe, O, S), (N-1027: 4-OH-Ph, COOMe, O, S), (N-1028: 3,4-di(OH)<sub>2</sub>-Ph, COOMe, O, S),  
 20 (N-1029: 3,4-di(NH<sub>2</sub>)-Ph, COOMe, O, S), (N-1030: 3:4-[N(Ac)H]<sub>2</sub>-Ph, COOMe, O, S), (N-1031: 4-SH-Ph, COOMe, O, S), (N-1032: 4-SMe-Ph, COOMe, O, S), (N-1033: 3,4-diBr-Ph, COOMe, O, S), (N-1034: 4-N(Me)H-Ph, COOMe, O, S), (N-1035: 4-N(Me)<sub>2</sub>-Ph, COOMe, O, S), (N-1036: 4-N(Me)<sub>3</sub>-Ph, COOMe, O, S), (N-1037: 4-Et-Ph, COOMe, O, S), (N-1038: 4-iPr-Ph, COOMe, O, S),  
 25 (N-1039: 4-nPr-Ph, COOMe, O, S), (N-1040: 4-nBu-Ph, COOMe, O, S), (N-1041: 4-iBu-Ph, COOMe, O, S), (N-1042: 3,4-diMe-Ph, COOMe, O, S), (N-1043: 1,3-Benzodioxole-5-yl, COOMe, O, S), (N-1044: N-

- Me-pyridinium-4-yl, COOMe, O, S), (N-1045: N-Me-pyridinium-3-yl, COOMe, O, S), (N-1046: 5-Me-Pyridine-2-yl, COOMe, O, S), (N-1047: 2-Pyrazinyl, COOMe, O, S), (N-1048: 3-Pyrrolyl, COOMe, O, S), (N-1049: 1-Me-pyrrole-3-yl, COOMe, O, S), (N-1050: Pyridine N-oxide-4-yl, COOMe, O, S), (N-1051: 5 Pyridine N-oxide-3-yl, COOMe, O, S), (N-1052: 6-OH-pyridine-3-yl, COOMe, O, S), (N-1053: 6-SH-pyridine-3-yl, COOMe, O, S), (N-1054: 1-Ac-pyrrole-3-yl, COOMe, O, S), (N-1055: 4-CF<sub>3</sub>-Ph, COOMe, O, S), (N-1056: 4-CN-Ph, COOMe, O, S), (N-1057: 4-CHO-Ph, COOMe, O, S), (N-1058: 3-Cl-Ph, COOMe, O, S), (N-1059: 3-Br-Ph, COOMe, O, S), (N-1060: 3-F-Ph, COOMe, O, S), (N-1061: 3-I-Ph, COOMe, O, S), (N-1062: 4-I-Ph, COOMe, O, S), (N-1063: 4-OCF<sub>3</sub>-Ph, COOMe, O, S), (N-1064: 3,4-diI-Ph, COOMe, O, S), (N-1065: Indole-6-yl, COOMe, O, S), (N-1066: 1-Ac-indole-6-yl, COOMe, O, S), (N-1067: 1-Me-indole-6-yl, COOMe, O, S), (N-1068: 4-(1-Imidazolyl)-Ph, COOMe, O, S), (N-1069: 4-Morpholino-Ph, COOMe, O, S), (N-1070: 4-(1-Piperazinyl)-Ph, COOMe, O, S), (N-1071: 2,5-diMe-thiophene-3-yl, COOMe, O, S), (N-1072: 2-Furyl, COOMe, O, S), (N-1073: 5-Me-furan-2-yl, COOMe, O, S), (N-1074: 5-Me-furan-2-yl, COOMe, O, S), (N-1075: 2-Thiazolyl, COOMe, O, S), (N-1076: 1:4-Benzodioxin-6-yl, COOMe, O, S), (N-1077: Benzo[b]furan-2-yl, COOMe, O, S), (N-1078: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, O, S), (N-1079: 4-N(Me)HCH<sub>2</sub>-Ph, COOMe, O, S), (N-1080: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, O, S), (N-1081: 6-Cl-pyridine-3-yl, COOMe, O, S), (N-1082: 5,6-diCl-pyridine-3-yl, COOMe, O, S), (N-1083: 5-Cl-pyridine-2-yl, COOMe, O, S), (N-1084: 4:5-diCl-pyridine-2-yl, COOMe, O, S), (N-1085: 4-ClCH<sub>2</sub>-Bn, COOMe, O, S), (N-1086: Bn, COOMe, O, S), (N-1087: 4-Cl-Bn, COOMe, O, S), (N-1088: 4-Br-Bn, COOMe, O, S), (N-1089: 4-F-Bn, COOMe, O, S), (N-1090: 3,4-diCl-Bn, COOMe, O, S), (N-1091: 3,4-diBr-Bn, COOMe, O, S), (N-1092: 3,4-diF-Bn, COOMe, O, S), (N-1093: 4-Cl-Bz, COOMe, O, S), (N-1094: 3,4-diCl-Bz, COOMe, O, S), (N-1095: 4-Br-Bz, COOMe, O, S),

- (N-1096: 3,4-diBr-Bz, COOMe, O, S), (N-1097: 4-F-Bz, COOMe, O, S), (N-1098: 3,4-diF-Bz, COOMe, O, S), (N-1099: 4-NO<sub>2</sub>-Bn, COOMe, O, S), (N-1100: 4-CN-Bn, COOMe, O, S), (N-1101: H, Ph, O, S), (N-1102: H, 4-F-Ph, O, S), (N-1103: H, 4-Br-Ph, O, S), (N-1104: H, 4-Me-Ph, O, S), (N-1105: H, 4-Ph-Ph, O, S), (N-1106: H, 4-OMe-Ph, O, S), (N-1107: H, 4-tBu-Ph, O, S), (N-1108: H, 4-COOMe-Ph, O, S), (N-1109: H, 4-Pen-Ph, O, S), (N-1110: H, 4-NO<sub>2</sub>-Ph, O, S), (N-1111: H, 5-Cl-thiophene-2-yl, O, S), (N-1112: H, 3-Thienyl, O, S), (N-1113: H, 2-Py, O, S), (N-1114: H, 3-Py, O, S), (N-1115: H, 4-Py, O, S), (N-1116: H, 3,4-diF-Ph, O, S), (N-1117: H, 5-Br-thiophene-2-yl, O, S), (N-1118: H, 4-CONH<sub>2</sub>-Ph, O, S), (N-1119: H, 4-CON(Me)H-Ph, O, S), (N-1120: H, 4-CON(Me)<sub>2</sub>-Ph, O, S), (N-1121: H, 4-iPrOC(=O)-Ph, O, S), (N-1122: H, 4-nBuOC(=O)-Ph, O, S), (N-1123: H, 6-Me-pyridine-3-yl, O, S), (N-1124: H, Quinoline-3-yl, O, S), (N-1125: H, 4-NH<sub>2</sub>-Ph, O, S), (N-1126: H, 4-N(Ac)H-Ph, O, S), (N-1127: H, 4-OH-Ph, O, S), (N-1128: H, 3,4-di(OH)<sub>2</sub>-Ph, O, S), (N-1129: H, 3,4-di(NH<sub>2</sub>)-Ph, O, S), (N-1130: H, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, S), (N-1131: H, 4-SH-Ph, O, S), (N-1132: H, 4-SMe-Ph, O, S), (N-1133: H, 3,4-diBr-Ph, O, S), (N-1134: H, 4-N(Me)H-Ph, O, S), (N-1135: H, 4-N(Me)<sub>2</sub>-Ph, O, S), (N-1136: H, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, S), (N-1137: H, 4-Et-Ph, O, S), (N-1138: H, 4-iPr-Ph, O, S), (N-1139: H, 4-nPr-Ph, O, S), (N-1140: H, 4-nBu-Ph, O, S), (N-1141: H, 4-iBu-Ph, O, S), (N-1142: H, 3,4-diMe-Ph, O, S), (N-1143: H, 1,3-Benzodioxole-5-yl, O, S), (N-1144: H, N-Me-pyridinium-4-yl, O, S), (N-1145: H, N-Me-pyridinium-3-yl, O, S), (N-1146: H, 5-Me-Pyridine-2-yl, O, S), (N-1147: H, 2-Pyrazinyl, O, S), (N-1148: H, 3-Pyrrolyl, O, S), (N-1149: H, 1-Me-pyrrole-3-yl, O, S), (N-1150: H, Pyridine N-oxide-4-yl, O, S), (N-1151: H, Pyridine N-oxide-3-yl, O, S), (N-1152: H, 6-OH-pyridine-3-yl, O, S), (N-1153: H, 6-SH-pyridine-3-yl, O, S), (N-1154: H, 1-Ac-pyrrole-3-yl, O, S), (N-1155: H, 4-CF<sub>3</sub>-Ph, O, S), (N-1156: H, 4-CN-Ph, O, S), (N-1157: H, 4-CHO-Ph, O, S), (N-1158: H, 3-Cl-Ph, O, S), (N-

- 1159: H, 3-Br-Ph, O, S), (N-1160: H, 3-F-Ph, O, S), (N-1161: H, 3-I-Ph, O, S),  
 (N-1162: H, 4-I-Ph, O, S), (N-1163: H, 4-OCF<sub>3</sub>-Ph, O, S), (N-1164: H, 3,4-diI-Ph,  
 O, S), (N-1165: H, Indole-6-yl, O, S), (N-1166: H, 1-Ac-indole-6-yl, O, S), (N-  
 1167: H, 1-Me-indole-6-yl, O, S), (N-1168: H, 4-(1-Imidazolyl)-Ph, O, S), (N-  
 5 1169: H, 4-Morphorino-Ph, O, S), (N-1170: H, 4-(1-Piperazinyl)-Ph, O, S), (N-  
 1171: H, 2,5-diMe-thiophene-3-yl, O, S), (N-1172: H, 2-Furyl, O, S), (N-1173: H,  
 5-Me-furan-2-yl, O, S), (N-1174: H, 5-Me-furan-2-yl, O, S), (N-1175: H, 2-  
 Thiazolyl, O, S), (N-1176: H, 1:4-Benzodioxin-6-yl, O, S), (N-1177: H,  
 Benzo[b]furan-2-yl, O, S), (N-1178: H, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1179: H, 4-  
 10 N(Me)HCH<sub>2</sub>-Ph, O, S), (N-1180: H, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1181: H, 6-Cl-  
 pyridine-3-yl, O, S), (N-1182: H, 5,6-diCl-pyridine-3-yl, O, S), (N-1183: H, 5-  
 Cl-pyridine-2-yl, O, S), (N-1184: H, 4:5-diCl-pyridine-2-yl, O, S), (N-1185: H,  
 4-ClCH<sub>2</sub>-Bn, O, S), (N-1186: H, Bn, O, S), (N-1187: H, 4-Cl-Bn, O, S), (N-1188:  
 H, 4-Br-Bn, O, S), (N-1189: H, 4-F-Bn, O, S), (N-1190: H, 3,4-diCl-Bn, O, S),  
 15 (N-1191: H, 3,4-diBr-Bn, O, S), (N-1192: H, 3,4-diF-Bn, O, S), (N-1193: H, 4-  
 Cl-Bz, O, S), (N-1194: H, 3,4-diCl-Bz, O, S), (N-1195: H, 4-Br-Bz, O, S), (N-  
 1196: H, 3,4-diBr-Bz, O, S), (N-1197: H, 4-F-Bz, O, S), (N-1198: H, 3,4-diF-Bz,  
 O, S), (N-1199: H, 4-NO<sub>2</sub>-Bn, O, S), (N-1200: H, 4-CN-Bn, O, S), (N-1201: Me,  
 Ph, O, S), (N-1202: Me, 4-F-Ph, O, S), (N-1203: Me, 4-Br-Ph, O, S), (N-1204: Me,  
 20 4-Me-Ph, O, S), (N-1205: Me, 4-Ph-Ph, O, S), (N-1206: Me, 4-OMe-Ph, O, S),  
 (N-1207: Me, 4-tBu-Ph, O, S), (N-1208: Me, 4-COOMe-Ph, O, S), (N-1209: Me,  
 4-Pen-Ph, O, S), (N-1210: Me, 4-NO<sub>2</sub>-Ph, O, S), (N-1211: Me, 5-Cl-thiophene-  
 2-yl, O, S), (N-1212: Me, 3-Thienyl, O, S), (N-1213: Me, 2-Py, O, S), (N-1214:  
 Me, 3-Py, O, S), (N-1215: Me, 4-Py, O, S), (N-1216: Me, 3,4-diF-Ph, O, S), (N-  
 25 1217: Me, 5-Br-thiophene-2-yl, O, S), (N-1218: Me, 4-CONH<sub>2</sub>-Ph, O, S), (N-  
 1219: Me, 4-CON(Me)H-Ph, O, S), (N-1220: Me, 4-CON(Me)<sub>2</sub>-Ph, O, S), (N-  
 1221: Me, 4-iPrOC(=O)-Ph, O, S), (N-1222: Me, 4-nBuOC(=O)-Ph, O, S), (N-

- 1223: Me, 6-Me-pyridine-3-yl, O, S), (N-1224: Me, Quinoline-3-yl, O, S), (N-1225: Me, 4-NH<sub>2</sub>-Ph, O, S), (N-1226: Me, 4-N(Ac)H-Ph, O, S), (N-1227: Me, 4-OH-Ph, O, S), (N-1228: Me, 3,4-di(OH)<sub>2</sub>-Ph, O, S), (N-1229: Me, 3,4-di(NH<sub>2</sub>)-Ph, O, S), (N-1230: Me, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, S), (N-1231: Me, 4-SH-Ph, O, S), (N-1232: Me, 4-SMe-Ph, O, S), (N-1233: Me, 3,4-diBr-Ph, O, S), (N-1234: Me, 4-N(Me)H-Ph, O, S), (N-1235: Me, 4-N(Me)<sub>2</sub>-Ph, O, S), (N-1236: Me, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, S), (N-1237: Me, 4-Et-Ph, O, S), (N-1238: Me, 4-iPr-Ph, O, S), (N-1239: Me, 4-nPr-Ph, O, S), (N-1240: Me, 4-nBu-Ph, O, S), (N-1241: Me, 4-iBu-Ph, O, S), (N-1242: Me, 3,4-diMe-Ph, O, S), (N-1243: Me, 1,3-Benzodioxole-5-yl, O, S), (N-1244: Me, N-Me-pyridinium-4-yl, O, S), (N-1245: Me, N-Me-pyridinium-3-yl, O, S), (N-1246: Me, 5-Me-Pyridine-2-yl, O, S), (N-1247: Me, 2-Pyrazinyl, O, S), (N-1248: Me, 3-Pyrrolyl, O, S), (N-1249: Me, 1-Me-pyrrole-3-yl, O, S), (N-1250: Me, Pyridine N-oxide-4-yl, O, S), (N-1251: Me, Pyridine N-oxide-3-yl, O, S), (N-1252: Me, 6-OH-pyridine-3-yl, O, S), (N-1253: Me, 6-SH-pyridine-3-yl, O, S), (N-1254: Me, 1-Ac-pyrrole-3-yl, O, S), (N-1255: Me, 4-CF<sub>3</sub>-Ph, O, S), (N-1256: Me, 4-CN-Ph, O, S), (N-1257: Me, 4-CHO-Ph, O, S), (N-1258: Me, 3-Cl-Ph, O, S), (N-1259: Me, 3-Br-Ph, O, S), (N-1260: Me, 3-F-Ph, O, S), (N-1261: Me, 3-I-Ph, O, S), (N-1262: Me, 4-I-Ph, O, S), (N-1263: Me, 4-OCF<sub>3</sub>-Ph, O, S), (N-1264: Me, 3,4-diI-Ph, O, S), (N-1265: Me, Indole-6-yl, O, S), (N-1266: Me, 1-Ac-indole-6-yl, O, S), (N-1267: Me, 1-Me-indole-6-yl, O, S), (N-1268: Me, 4-(1-Imidazolyl)-Ph, O, S), (N-1269: Me, 4-Morphorino-Ph, O, S), (N-1270: Me, 4-(1-Piperazinyl)-Ph, O, S), (N-1271: Me, 2:5-diMe-thiophene-3-yl, O, S), (N-1272: Me, 2-Furyl, O, S), (N-1273: Me, 5-Me-furan-2-yl, O, S), (N-1274: Me, 5-Me-furan-2-yl, O, S), (N-1275: Me, 2-Thiazolyl, O, S), (N-1276: Me, 1:4-Benzodioxin-6-yl, O, S), (N-1277: Me, Benzo[b]furan-2-yl, O, S), (N-1278: Me, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1279: Me, 4-N(Me)HCH<sub>2</sub>-Ph, O, S), (N-1280: Me, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1281: Me, 6-Cl-pyridine-3-yl, O, S), (N-1282: Me,

- 5,6-diCl-pyridine-3-yl, O, S), (N-1283: Me, 5-Cl-pyridine-2-yl, O, S), (N-1284: Me, 4,5-diCl-pyridine-2-yl, O, S), (N-1285: Me, 4-ClCH<sub>2</sub>-Bn, O, S), (N-1286: Me, Bn, O, S), (N-1287: Me, 4-Cl-Bn, O, S), (N-1288: Me, 4-Br-Bn, O, S), (N-1289: Me, 4-F-Bn, O, S), (N-1290: Me, 3,4-diCl-Bn, O, S), (N-1291: Me, 3,4-diBr-Bn, O, S), (N-1292: Me, 3,4-diF-Bn, O, S), (N-1293: Me, 4-Cl-Bz, O, S), (N-1294: Me, 3,4-diCl-Bz, O, S), (N-1295: Me, 4-Br-Bz, O, S), (N-1296: Me, 3,4-diBr-Bz, O, S), (N-1297: Me, 4-F-Bz, O, S), (N-1298: Me, 3,4-diF-Bz, O, S), (N-1299: Me, 4-NO<sub>2</sub>-Bn, O, S), (N-1300: Me, 4-CN-Bn, O, S), (N-1301: Et, Ph, O, S), (N-1302: Et, 4-F-Ph, O, S), (N-1303: Et, 4-Br-Ph, O, S), (N-1304: Et, 4-Me-Ph, O, S), (N-1305: Et, 4-Ph-Ph, O, S), (N-1306: Et, 4-OMe-Ph, O, S), (N-1307: Et, 4-tBu-Ph, O, S), (N-1308: Et, 4-COOMe-Ph, O, S), (N-1309: Et, 4-Pen-Ph, O, S), (N-1310: Et, 4-NO<sub>2</sub>-Ph, O, S), (N-1311: Et, 5-Cl-thiophene-2-yl, O, S), (N-1312: Et, 3-Thienyl, O, S), (N-1313: Et, 2-Py, O, S), (N-1314: Et, 3-Py, O, S), (N-1315: Et, 4-Py, O, S), (N-1316: Et, 3,4-diF-Ph, O, S), (N-1317: Et, 5-Br-thiophene-2-yl, O, S), (N-1318: Et, 4-CONH<sub>2</sub>-Ph, O, S), (N-1319: Et, 4-CON(Me)H-Ph, O, S), (N-1320: Et, 4-CON(Me)<sub>2</sub>-Ph, O, S), (N-1321: Et, 4-iPrOC(=O)-Ph, O, S), (N-1322: Et, 4-nBuOC(=O)-Ph, O, S), (N-1323: Et, 6-Me-pyridine-3-yl, O, S), (N-1324: Et, Quinoline-3-yl, O, S), (N-1325: Et, 4-NH<sub>2</sub>-Ph, O, S), (N-1326: Et, 4-N(Ac)H-Ph, O, S), (N-1327: Et, 4-OH-Ph, O, S), (N-1328: Et, 3,4-di(OH)<sub>2</sub>-Ph, O, S), (N-1329: Et, 3,4-di(NH<sub>2</sub>)-Ph, O, S), (N-1330: Et, 3,4-[N(Ac)H]<sub>2</sub>-Ph, O, S), (N-1331: Et, 4-SH-Ph, O, S), (N-1332: Et, 4-SMe-Ph, O, S), (N-1333: Et, 3,4-diBr-Ph, O, S), (N-1334: Et, 4-N(Me)H-Ph, O, S), (N-1335: Et, 4-N(Me)<sub>2</sub>-Ph, O, S), (N-1336: Et, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, S), (N-1337: Et, 4-Et-Ph, O, S), (N-1338: Et, 4-iPr-Ph, O, S), (N-1339: Et, 4-nPr-Ph, O, S), (N-1340: Et, 4-nBu-Ph, O, S), (N-1341: Et, 4-iBu-Ph, O, S), (N-1342: Et, 3,4-diMe-Ph, O, S), (N-1343: Et, 1,3-Benzodioxole-5-yl, O, S), (N-1344: Et, N-Me-pyridinium-4-yl, O, S), (N-1345: Et, N-Me-pyridinium-3-yl, O, S), (N-1346: Et, 5-Me-Pyridine-2-yl, O, S),



- (N-1347: Et, 2-Pyrazinyl, O, S), (N-1348: Et, 3-Pyrrolyl, O, S), (N-1349: Et, 1-Me-pyrrole-3-yl, O, S), (N-1350: Et, Pyridine N-oxide-4-yl, O, S), (N-1351: Et, Pyridine N-oxide-3-yl, O, S), (N-1352: Et, 6-OH-pyridine-3-yl, O, S), (N-1353: Et, 6-SH-pyridine-3-yl, O, S), (N-1354: Et, 1-Ac-pyrrole-3-yl, O, S), (N-1355: Et, 4-CF<sub>3</sub>-Ph, O, S), (N-1356: Et, 4-CN-Ph, O, S), (N-1357: Et, 4-CHO-Ph, O, S), (N-1358: Et, 3-Cl-Ph, O, S), (N-1359: Et, 3-Br-Ph, O, S), (N-1360: Et, 3-F-Ph, O, S), (N-1361: Et, 3-I-Ph, O, S), (N-1362: Et, 4-I-Ph, O, S), (N-1363: Et, 4-OCF<sub>3</sub>-Ph, O, S), (N-1364: Et, 3,4-diI-Ph, O, S), (N-1365: Et, Indole-6-yl, O, S), (N-1366: Et, 1-Ac-indole-6-yl, O, S), (N-1367: Et, 1-Me-indole-6-yl, O, S), (N-1368: Et, 4-(1-Imidazolyl)-Ph, O, S), (N-1369: Et, 4-Morphorino-Ph, O, S), (N-1370: Et, 4-(1-Piperazinyl)-Ph, O, S), (N-1371: Et, 2:5-diMe-thiophene-3-yl, O, S), (N-1372: Et, 2-Furyl, O, S), (N-1373: Et, 5-Me-furan-2-yl, O, S), (N-1374: Et, 5-Me-furan-2-yl, O, S), (N-1375: Et, 2-Thiazolyl, O, S), (N-1376: Et, 1:4-Benzodioxin-6-yl, O, S), (N-1377: Et, Benzo[b]furan-2-yl, O, S), (N-1378: Et, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1379: Et, 4-N(Me)HCH<sub>2</sub>-Ph, O, S), (N-1380: Et, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1381: Et, 6-Cl-pyridine-3-yl, O, S), (N-1382: Et, 5,6-diCl-pyridine-3-yl, O, S), (N-1383: Et, 5-Cl-pyridine-2-yl, O, S), (N-1384: Et, 4:5-diCl-pyridine-2-yl, O, S), (N-1385: Et, 4-ClCH<sub>2</sub>-Bn, O, S), (N-1386: Et, Bn, O, S), (N-1387: Et, 4-Cl-Bn, O, S), (N-1388: Et, 4-Br-Bn, O, S), (N-1389: Et, 4-F-Bn, O, S), (N-1390: Et, 3,4-diCl-Bn, O, S), (N-1391: Et, 3,4-diBr-Bn, O, S), (N-1392: Et, 3,4-diF-Bn, O, S), (N-1393: Et, 4-Cl-Bz, O, S), (N-1394: Et, 3,4-diCl-Bz, O, S), (N-1395: Et, 4-Br-Bz, O, S), (N-1396: Et, 3,4-diBr-Bz, O, S), (N-1397: Et, 4-F-Bz, O, S), (N-1398: Et, 3,4-diF-Bz, O, S), (N-1399: Et, 4-NO<sub>2</sub>-Bn, O, S), (N-1400: Et, 4-CN-Bn, O, S), (N-1401: COOMe, Ph, O, S), (N-1402: COOMe, 4-F-Ph, O, S), (N-1403: COOMe, 4-Br-Ph, O, S), (N-1404: COOMe, 4-Me-Ph, O, S), (N-1405: COOMe, 4-Ph-Ph, O, S), (N-1406: COOMe, 4-OMe-Ph, O, S), (N-1407: COOMe, 4-tBu-Ph, O, S), (N-1408: COOMe, 4-COOMe-Ph, O, S),

- (N-1409: COOMe, 4-Pen-Ph, O, S), (N-1410: COOMe, 4-NO<sub>2</sub>-Ph, O, S), (N-1411: COOMe, 5-Cl-thiophene-2-yl, O, S), (N-1412: COOMe, 3-Thienyl, O, S), (N-1413: COOMe, 2-Py, O, S), (N-1414: COOMe, 3-Py, O, S), (N-1415: COOMe, 4-Py, O, S), (N-1416: COOMe, 3,4-diF-Ph, O, S), (N-1417: COOMe, 5-Br-thiophene-2-yl, O, S), (N-1418: COOMe, 4-CONH<sub>2</sub>-Ph, O, S), (N-1419: COOMe, 4-CON(Me)H-Ph, O, S), (N-1420: COOMe, 4-CON(Me)<sub>2</sub>-Ph, O, S), (N-1421: COOMe, 4-iPrOC(=O)-Ph, O, S), (N-1422: COOMe, 4-nBuOC(=O)-Ph, O, S), (N-1423: COOMe, 6-Me-pyridine-3-yl, O, S), (N-1424: COOMe, Quinoline-3-yl, O, S), (N-1425: COOMe, 4-NH<sub>2</sub>-Ph, O, S), (N-1426: COOMe, 4-N(Ac)H-Ph, O, S), (N-1427: COOMe, 4-OH-Ph, O, S), (N-1428: COOMe, 3,4-di(OH)<sub>2</sub>-Ph, O, S), (N-1429: COOMe, 3,4-di(NH<sub>2</sub>)-Ph, O, S), (N-1430: COOMe, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, S), (N-1431: COOMe, 4-SH-Ph, O, S), (N-1432: COOMe, 4-SMe-Ph, O, S), (N-1433: COOMe, 3,4-diBr-Ph, O, S), (N-1434: COOMe, 4-N(Me)H-Ph, O, S), (N-1435: COOMe, 4-N(Me)<sub>2</sub>-Ph, O, S), (N-1436: COOMe, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, S), (N-1437: COOMe, 4-Et-Ph, O, S), (N-1438: COOMe, 4-iPr-Ph, O, S), (N-1439: COOMe, 4-nPr-Ph, O, S), (N-1440: COOMe, 4-nBu-Ph, O, S), (N-1441: COOMe, 4-iBu-Ph, O, S), (N-1442: COOMe, 3,4-diMe-Ph, O, S), (N-1443: COOMe, 1,3-Benzodioxole-5-yl, O, S), (N-1444: COOMe, N-Me-pyridinium-4-yl, O, S), (N-1445: COOMe, N-Me-pyridinium-3-yl, O, S), (N-1446: COOMe, 5-Me-Pyridine-2-yl, O, S), (N-1447: COOMe, 2-Pyrazinyl, O, S), (N-1448: COOMe, 3-Pyrrolyl, O, S), (N-1449: COOMe, 1-Me-pyrrole-3-yl, O, S), (N-1450: COOMe, Pyridine N-oxide-4-yl, O, S), (N-1451: COOMe, Pyridine N-oxide-3-yl, O, S), (N-1452: COOMe, 6-OH-pyridine-3-yl, O, S), (N-1453: COOMe, 6-SH-pyridine-3-yl, O, S), (N-1454: COOMe, 1-Ac-pyrrole-3-yl, O, S), (N-1455: COOMe, 4-CF<sub>3</sub>-Ph, O, S), (N-1456: COOMe, 4-CN-Ph, O, S), (N-1457: COOMe, 4-CHO-Ph, O, S), (N-1458: COOMe, 3-Cl-Ph, O, S), (N-1459: COOMe, 3-Br-Ph, O, S), (N-1460: COOMe, 3-F-Ph, O, S), (N-1461: COOMe, 3-I-Ph, O, S), (N-

- 1462: COOMe, 4-I-Ph, O, S), (N-1463: COOMe, 4-OCF<sub>3</sub>-Ph, O, S), (N-1464: COOMe, 3,4-diI-Ph, O, S), (N-1465: COOMe, Indole-6-yl, O, S), (N-1466: COOMe, 1-Ac-indole-6-yl, O, S), (N-1467: COOMe, 1-Me-indole-6-yl, O, S), (N-1468: COOMe, 4-(1-Imidazolyl)-Ph, O, S), (N-1469: COOMe, 4-Morpholino-Ph, O, S), (N-1470: COOMe, 4-(1-Piperazinyl)-Ph, O, S), (N-1471: COOMe, 2,5-diMe-thiophene-3-yl, O, S), (N-1472: COOMe, 2-Furyl, O, S), (N-1473: COOMe, 5-Me-furan-2-yl, O, S), (N-1474: COOMe, 5-Me-furan-2-yl, O, S), (N-1475: COOMe, 2-Thiazolyl, O, S), (N-1476: COOMe, 1:4-Benzodioxin-6-yl, O, S), (N-1477: COOMe, Benzo[b]furan-2-yl, O, S), (N-1478: COOMe, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1479: COOMe, 4-N(Me)HCH<sub>2</sub>-Ph, O, S), (N-1480: COOMe, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, S), (N-1481: COOMe, 6-Cl-pyridine-3-yl, O, S), (N-1482: COOMe, 5,6-diCl-pyridine-3-yl, O, S), (N-1483: COOMe, 5-Cl-pyridine-2-yl, O, S), (N-1484: COOMe, 4,5-diCl-pyridine-2-yl, O, S), (N-1485: COOMe, 4-ClCH<sub>2</sub>-Bn, O, S), (N-1486: COOMe, Bn, O, S), (N-1487: COOMe, 4-Cl-Bn, O, S), (N-1488: COOMe, 4-Br-Bn, O, S), (N-1489: COOMe, 4-F-Bn, O, S), (N-1490: COOMe, 3,4-diCl-Bn, O, S), (N-1491: COOMe, 3,4-diBr-Bn, O, S), (N-1492: COOMe, 3,4-diF-Bn, O, S), (N-1493: COOMe, 4-Cl-Bz, O, S), (N-1494: COOMe, 3,4-diCl-Bz, O, S), (N-1495: COOMe, 4-Br-Bz, O, S), (N-1496: COOMe, 3,4-diBr-Bz, O, S), (N-1497: COOMe, 4-F-Bz, O, S), (N-1498: COOMe, 3,4-diF-Bz, O, S), (N-1499: COOMe, 4-NO<sub>2</sub>-Bn, O, S), (N-1500: COOMe, 4-CN-Bn, O, S), (N-1501: Ph, Me, S, O), (N-1502: 4-F-Ph, Me, S, O), (N-1503: 4-Br-Ph, Me, S, O), (N-1504: 4-Me-Ph, Me, S, O), (N-1505: 4-Ph-Ph, Me, S, O), (N-1506: 4-OMe-Ph, Me, S, O), (N-1507: 4-tBu-Ph, Me, S, O), (N-1508: 4-COOMe-Ph, Me, S, O), (N-1509: 4-Pen-Ph, Me, S, O), (N-1510: 4-NO<sub>2</sub>-Ph, Me, S, O), (N-1511: 5-Cl-thiophene-2-yl, Me, S, O), (N-1512: 3-Thienyl, Me, S, O), (N-1513: 2-Py, Me, S, O), (N-1514: 3-Py, Me, S, O), (N-1515: 4-Py, Me, S, O), (N-1516: 3,4-diF-Ph, Me, S, O), (N-1517: 5-Br-thiophene-2-yl, Me, S, O), (N-1518: 4-CONH<sub>2</sub>-Ph, Me, S,

- O), (N-1519: 4-CON(Me)H-Ph, Me, S, O), (N-1520: 4-CON(Me)<sub>2</sub>-Ph, Me, S, O),  
 (N-1521: 4-iPrOC(=O)-Ph, Me, S, O), (N-1522: 4-nBuOC(=O)-Ph, Me, S, O),  
 (N-1523: 6-Me-pyridine-3-yl, Me, S, O), (N-1524: Quinoline-3-yl, Me, S, O),  
 (N-1525: 4-NH<sub>2</sub>-Ph, Me, S, O), (N-1526: 4-N(Ac)H-Ph, Me, S, O), (N-1527: 4-  
 5 OH-Ph, Me, S, O), (N-1528: 3,4-di(OH)<sub>2</sub>-Ph, Me, S, O), (N-1529: 3,4-di(NH<sub>2</sub>)-Ph,  
 Me, S, O), (N-1530: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Me, S, O), (N-1531: 4-SH-Ph, Me, S, O),  
 (N-1532: 4-SMe-Ph, Me, S, O), (N-1533: 3,4-diBr-Ph, Me, S, O), (N-1534: 4-  
 N(Me)H-Ph, Me, S, O), (N-1535: 4-N(Me)<sub>2</sub>-Ph, Me, S, O), (N-1536: 4-N(Me)<sub>3</sub><sup>+</sup>-  
 Ph, Me, S, O), (N-1537: 4-Et-Ph, Me, S, O), (N-1538: 4-iPr-Ph, Me, S, O), (N-  
 10 1539: 4-nPr-Ph, Me, S, O), (N-1540: 4-nBu-Ph, Me, S, O), (N-1541: 4-iBu-Ph,  
 Me, S, O), (N-1542: 3,4-diMe-Ph, Me, S, O), (N-1543: 1,3-Benzodioxole-5-yl, Me,  
 S, O), (N-1544: N-Me-pyridinium-4-yl, Me, S, O), (N-1545: N-Me-pyridinium-  
 3-yl, Me, S, O), (N-1546: 5-Me-Pyridine-2-yl, Me, S, O), (N-1547: 2-Pyrazinyl,  
 Me, S, O), (N-1548: 3-Pyrrolyl, Me, S, O), (N-1549: 1-Me-pyrrole-3-yl, Me, S,  
 15 O), (N-1550: Pyridine N-oxide-4-yl, Me, S, O), (N-1551: Pyridine N-oxide-3-yl,  
 Me, S, O), (N-1552: 6-OH-pyridine-3-yl, Me, S, O), (N-1553: 6-SH-pyridine-3-  
 yl, Me, S, O), (N-1554: 1-Ac-pyrrole-3-yl, Me, S, O), (N-1555: 4-CF<sub>3</sub>-Ph, Me, S,  
 O), (N-1556: 4-CN-Ph, Me, S, O), (N-1557: 4-CHO-Ph, Me, S, O), (N-1558: 3-  
 Cl-Ph, Me, S, O), (N-1559: 3-Br-Ph, Me, S, O), (N-1560: 3-F-Ph, Me, S, O),  
 20 (N-1561: 3-I-Ph, Me, S, O), (N-1562: 4-I-Ph, Me, S, O), (N-1563: 4-OCF<sub>3</sub>-Ph, Me,  
 S, O), (N-1564: 3,4-diI-Ph, Me, S, O), (N-1565: Indole-6-yl, Me, S, O), (N-1566:  
 1-Ac-indole-6-yl, Me, S, O), (N-1567: 1-Me-indole-6-yl, Me, S, O), (N-1568: 4-  
 (1-Imidazolyl)-Ph, Me, S, O), (N-1569: 4-Morphorino-Ph, Me, S, O), (N-1570:  
 4-(1-Piperazinyl)-Ph, Me, S, O), (N-1571: 2:5-diMe-thiophene-3-yl, Me, S, O),  
 25 (N-1572: 2-Furyl, Me, S, O), (N-1573: 5-Me-furan-2-yl, Me, S, O), (N-1574: 5-  
 Me-furan-2-yl, Me, S, O), (N-1575: 2-Thiazolyl, Me, S, O), (N-1576: 1:4-  
 Benzodioxin-6-yl, Me, S, O), (N-1577: Benzo[b]furan-2-yl, Me, S, O), (N-1578:

- 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Me, S, O), (N-1579: 4-N(Me)HCH<sub>2</sub>-Ph, Me, S, O), (N-1580: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Me, S, O), (N-1581: 6-Cl-pyridine-3-yl, Me, S, O), (N-1582: 5,6-diCl-pyridine-3-yl, Me, S, O), (N-1583: 5-Cl-pyridine-2-yl, Me, S, O), (N-1584: 4:5-diCl-pyridine-2-yl, Me, S, O), (N-1585: 4-ClCH<sub>2</sub>-Bn, Me, S, O), (N-1586: Bn, Me, S, O), (N-1587: 4-Cl-Bn, Me, S, O), (N-1588: 4-Br-Bn, Me, S, O), (N-1589: 4-F-Bn, Me, S, O), (N-1590: 3,4-diCl-Bn, Me, S, O), (N-1591: 3,4-diBr-Bn, Me, S, O), (N-1592: 3,4-diF-Bn, Me, S, O), (N-1593: 4-Cl-Bz, Me, S, O), (N-1594: 3,4-diCl-Bz, Me, S, O), (N-1595: 4-Br-Bz, Me, S, O), (N-1596: 3,4-diBr-Bz, Me, S, O), (N-1597: 4-F-Bz, Me, S, O), (N-1598: 3,4-diF-Bz, Me, S, O), (N-1599: 4-NO<sub>2</sub>-Bn, Me, S, O), (N-1600: 4-CN-Bn, Me, S, O), (N-1602: 4-F-Ph, Et, S, O), (N-1603: 4-Br-Ph, Et, S, O), (N-1604: 4-Me-Ph, Et, S, O), (N-1605: 4-Ph-Ph, Et, S, O), (N-1606: 4-OMe-Ph, Et, S, O), (N-1607: 4-tBu-Ph, Et, S, O), (N-1608: 4-COOMe-Ph, Et, S, O), (N-1609: 4-Pen-Ph, Et, S, O), (N-1610: 4-NO<sub>2</sub>-Ph, Et, S, O), (N-1611: 5-Cl-thiophene-2-yl, Et, S, O), (N-1612: 3-Thienyl, Et, S, O), (N-1613: 2-Py, Et, S, O), (N-1614: 3-Py, Et, S, O), (N-1615: 4-Py, Et, S, O), (N-1616: 3,4-diF-Ph, Et, S, O), (N-1617: 5-Br-thiophene-2-yl, Et, S, O), (N-1618: 4-CONH<sub>2</sub>-Ph, Et, S, O), (N-1619: 4-CON(Me)H-Ph, Et, S, O), (N-1620: 4-CON(Me)<sub>2</sub>-Ph, Et, S, O), (N-1621: 4-iPrOC(=O)-Ph, Et, S, O), (N-1622: 4-nBuOC(=O)-Ph, Et, S, O), (N-1623: 6-Me-pyridine-3-yl, Et, S, O), (N-1624: Quinoline-3-yl, Et, S, O), (N-1625: 4-NH<sub>2</sub>-Ph, Et, S, O), (N-1626: 4-N(Ac)H-Ph, Et, S, O), (N-1627: 4-OH-Ph, Et, S, O), (N-1628: 3,4-di(OH)<sub>2</sub>-Ph, Et, S, O), (N-1629: 3,4-di(NH<sub>2</sub>)-Ph, Et, S, O), (N-1630: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Et, S, O), (N-1631: 4-SH-Ph, Et, S, O), (N-1632: 4-SMe-Ph, Et, S, O), (N-1633: 3,4-diBr-Ph, Et, S, O), (N-1634: 4-N(Me)H-Ph, Et, S, O), (N-1635: 4-N(Me)<sub>2</sub>-Ph, Et, S, O), (N-1636: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Et, S, O), (N-1637: 4-Et-Ph, Et, S, O), (N-1638: 4-iPr-Ph, Et, S, O), (N-1639: 4-nPr-Ph, Et, S, O), (N-1640: 4-nBu-Ph, Et, S, O), (N-1641: 4-iBu-Ph, Et, S, O), (N-1642: 3,4-diMe-Ph, Et, S, O), (N-1643: 1,3-Benzodioxole-

- 5-yl, Et, S, O), (N-1644: N-Me-pyridinium-4-yl, Et, S, O), (N-1645: N-Me-pyridinium-3-yl, Et, S, O), (N-1646: 5-Me-Pyridine-2-yl, Et, S, O), (N-1647: 2-Pyrazinyl, Et, S, O), (N-1648: 3-Pyrrolyl, Et, S, O), (N-1649: 1-Me-pyrrole-3-yl, Et, S, O), (N-1650: Pyridine N-oxide-4-yl, Et, S, O), (N-1651: Pyridine N-oxide-3-yl, Et, S, O), (N-1652: 6-OH-pyridine-3-yl, Et, S, O), (N-1653: 6-SH-pyridine-3-yl, Et, S, O), (N-1654: 1-Ac-pyrrole-3-yl, Et, S, O), (N-1655: 4-CF<sub>3</sub>-Ph, Et, S, O), (N-1656: 4-CN-Ph, Et, S, O), (N-1657: 4-CHO-Ph, Et, S, O), (N-1658: 3-Cl-Ph, Et, S, O), (N-1659: 3-Br-Ph, Et, S, O), (N-1660: 3-F-Ph, Et, S, O), (N-1661: 3-I-Ph, Et, S, O), (N-1662: 4-I-Ph, Et, S, O), (N-1663: 4-OCF<sub>3</sub>-Ph, Et, S, O), (N-1664: 3,4-diI-Ph, Et, S, O), (N-1665: Indole-6-yl, Et, S, O), (N-1666: 1-Ac-indole-6-yl, Et, S, O), (N-1667: 1-Me-indole-6-yl, Et, S, O), (N-1668: 4-(1-Imidazolyl)-Ph, Et, S, O), (N-1669: 4-Morphorino-Ph, Et, S, O), (N-1670: 4-(1-Piperazinyl)-Ph, Et, S, O), (N-1671: 2:5-diMe-thiophene-3-yl, Et, S, O), (N-1672: 2-Furyl, Et, S, O), (N-1673: 5-Me-furan-2-yl, Et, S, O), (N-1674: 5-Me-furan-2-yl, Et, S, O), (N-1675: 2-Thiazolyl, Et, S, O), (N-1676: 1:4-Benzodioxin-6-yl, Et, S, O), (N-1677: Benzo[b]furan-2-yl, Et, S, O), (N-1678: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Et, S, O), (N-1679: 4-N(Me)HCH<sub>2</sub>-Ph, Et, S, O), (N-1680: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Et, S, O), (N-1681: 6-Cl-pyridine-3-yl, Et, S, O), (N-1682: 5,6-diCl-pyridine-3-yl, Et, S, O), (N-1683: 5-Cl-pyridine-2-yl, Et, S, O), (N-1684: 4:5-diCl-pyridine-2-yl, Et, S, O), (N-1685: 4-ClCH<sub>2</sub>-Bn, Et, S, O), (N-1686: Bn, Et, S, O), (N-1687: 4-Cl-Bn, Et, S, O), (N-1688: 4-Br-Bn, Et, S, O), (N-1689: 4-F-Bn, Et, S, O), (N-1690: 3,4-diCl-Bn, Et, S, O), (N-1691: 3,4-diBr-Bn, Et, S, O), (N-1692: 3,4-diF-Bn, Et, S, O), (N-1693: 4-Cl-Bz, Et, S, O), (N-1694: 3,4-diCl-Bz, Et, S, O), (N-1695: 4-Br-Bz, Et, S, O), (N-1696: 3,4-diBr-Bz, Et, S, O), (N-1697: 4-F-Bz, Et, S, O), (N-1698: 3,4-diF-Bz, Et, S, O), (N-1699: 4-NO<sub>2</sub>-Bn, Et, S, O), (N-1700: 4-CN-Bn, Et, S, O), (N-1701: Ph, COOMe, S, O), (N-1702: 4-F-Ph, COOMe, S, O), (N-1703: 4-Br-Ph, COOMe, S, O), (N-1704: 4-Me-Ph,

- COOMe, S, O), (N-1705: 4-Ph-Ph, COOMe, S, O), (N-1706: 4-Ome-Ph, COOMe, S, O), (N-1707: 4-tBu-Ph, COOMe, S, O), (N-1708: 4-COOMe-Ph, COOMe, S, O), (N-1709: 4-Pen-Ph, COOMe, S, O), (N-1710: 4-NO<sub>2</sub>-Ph, COOMe, S, O), (N-1711: 5-Cl-thiophene-2-yl, COOMe, S, O), (N-1712: 3-Thienyl, COOMe, S, O), (N-1713: 2-Py, COOMe, S, O), (N-1714: 3-Py, COOMe, S, O), (N-1715: 4-Py, COOMe, S, O), (N-1716: 3,4-diF-Ph, COOMe, S, O), (N-1717: 5-Br-thiophene-2-yl, COOMe, S, O), (N-1718: 4-CONH<sub>2</sub>-Ph, COOMe, S, O), (N-1719: 4-CON(Me)H-Ph, COOMe, S, O), (N-1720: 4-CON(Me)<sub>2</sub>-Ph, COOMe, S, O), (N-1721: 4-iPrOC(=O)-Ph, COOMe, S, O), (N-1722: 4-nBuOC(=O)-Ph, COOMe, S, O), (N-1723: 6-Me-pyridine-3-yl, COOMe, S, O), (N-1724: Quinoline-3-yl, COOMe, S, O), (N-1725: 4-NH<sub>2</sub>-Ph, COOMe, S, O), (N-1726: 4-N(Ac)H-Ph, COOMe, S, O), (N-1727: 4-OH-Ph, COOMe, S, O), (N-1728: 3,4-di(OH)<sub>2</sub>-Ph, COOMe, S, O), (N-1729: 3,4-di(NH<sub>2</sub>)-Ph, COOMe, S, O), (N-1730: 3:4-[N(Ac)H]<sub>2</sub>-Ph, COOMe, S, O), (N-1731: 4-SH-Ph, COOMe, S, O), (N-1732: 4-SMe-Ph, COOMe, S, O), (N-1733: 3,4-diBr-Ph, COOMe, S, O), (N-1734: 4-N(Me)H-Ph, COOMe, S, O), (N-1735: 4-N(Me)<sub>2</sub>-Ph, COOMe, S, O), (N-1736: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, COOMe, S, O), (N-1737: 4-Et-Ph, COOMe, S, O), (N-1738: 4-iPr-Ph, COOMe, S, O), (N-1739: 4-nPr-Ph, COOMe, S, O), (N-1740: 4-nBu-Ph, COOMe, S, O), (N-1741: 4-iBu-Ph, COOMe, S, O), (N-1742: 3,4-diMe-Ph, COOMe, S, O), (N-1743: 1,3-Benzodioxole-5-yl, COOMe, S, O), (N-1744: N-Me-pyridinium-4-yl, COOMe, S, O), (N-1745: N-Me-pyridinium-3-yl, COOMe, S, O), (N-1746: 5-Me-Pyridine-2-yl, COOMe, S, O), (N-1747: 2-Pyrazinyl, COOMe, S, O), (N-1748: 3-Pyrrolyl, COOMe, S, O), (N-1749: 1-Me-pyrrole-3-yl, COOMe, S, O), (N-1750: Pyridine N-oxide-4-yl, COOMe, S, O), (N-1751: Pyridine N-oxide-3-yl, COOMe, S, O), (N-1752: 6-OH-pyridine-3-yl, COOMe, S, O), (N-1753: 6-SH-pyridine-3-yl, COOMe, S, O), (N-1754: 1-Ac-pyrrole-3-yl, COOMe, S, O), (N-1755: 4-CF<sub>3</sub>-Ph, COOMe, S, O), (N-1756: 4-CN-Ph, COOMe,

- S, O), (N-1757: 4-CHO-Ph, COOMe, S, O), (N-1758: 3-Cl-Ph, COOMe, S, O), (N-1759: 3-Br-Ph, COOMe, S, O), (N-1760: 3-F-Ph, COOMe, S, O), (N-1761: 3-I-Ph, COOMe, S, O), (N-1762: 4-I-Ph, COOMe, S, O), (N-1763: 4-OCF<sub>3</sub>-Ph, COOMe, S, O), (N-1764: 3,4-diI-Ph, COOMe, S, O), (N-1765: Indole-6-yl, COOMe, S, O), (N-1766: 1-Ac-indole-6-yl, COOMe, S, O), (N-1767: 1-Me-indole-6-yl, COOMe, S, O), (N-1768: 4-(1-Imidazolyl)-Ph, COOMe, S, O), (N-1769: 4-Morpholino-Ph, COOMe, S, O), (N-1770: 4-(1-Piperazinyl)-Ph, COOMe, S, O), (N-1771: 2:5-diMe-thiophene-3-yl, COOMe, S, O), (N-1772: 2-Furyl, COOMe, S, O), (N-1773: 5-Me-furan-2-yl, COOMe, S, O), (N-1774: 5-Me-furan-2-yl, COOMe, S, O), (N-1775: 2-Thiazolyl, COOMe, S, O), (N-1776: 1:4-Benzodioxin-6-yl, COOMe, S, O), (N-1777: Benzo[b]furan-2-yl, COOMe, S, O), (N-1778: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, S, O), (N-1779: 4-N(Me)HCH<sub>2</sub>-Ph, COOMe, S, O), (N-1780: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, S, O), (N-1781: 6-Cl-pyridine-3-yl, COOMe, S, O), (N-1782: 5,6-diCl-pyridine-3-yl, COOMe, S, O), (N-1783: 5-Cl-pyridine-2-yl, COOMe, S, O), (N-1784: 4:5-diCl-pyridine-2-yl, COOMe, S, O), (N-1785: 4-ClCH<sub>2</sub>-Bn, COOMe, S, O), (N-1786: Bn, COOMe, S, O), (N-1787: 4-Cl-Bn, COOMe, S, O), (N-1788: 4-Br-Bn, COOMe, S, O), (N-1789: 4-F-Bn, COOMe, S, O), (N-1790: 3,4-diCl-Bn, COOMe, S, O), (N-1791: 3,4-diBr-Bn, COOMe, S, O), (N-1792: 3,4-diF-Bn, COOMe, S, O), (N-1793: 4-Cl-Bz, COOMe, S, O), (N-1794: 3,4-diCl-Bz, COOMe, S, O), (N-1795: 4-Br-Bz, COOMe, S, O), (N-1796: 3,4-diBr-Bz, COOMe, S, O), (N-1797: 4-F-Bz, COOMe, S, O), (N-1798: 3,4-diF-Bz, COOMe, S, O), (N-1799: 4-NO<sub>2</sub>-Bn, COOMe, S, O), (N-1800: 4-CN-Bn, COOMe, S, O), (N-1801: H, Ph, S, O), (N-1802: H, 4-F-Ph, S, O), (N-1803: H, 4-Br-Ph, S, O), (N-1804: H, 4-Me-Ph, S, O), (N-1805: H, 4-Ph-Ph, S, O), (N-1806: H, 4-OMe-Ph, S, O), (N-1807: H, 4-tBu-Ph, S, O), (N-1808: H, 4-COOMe-Ph, S, O), (N-1809: H, 4-Pen-Ph, S, O), (N-1810: H, 4-NO<sub>2</sub>-Ph, S, O), (N-1811: H, 5-Cl-thiophene-2-yl, S, O), (N-1812: H, 3-Thienyl, S, O), (N-1813:



- H, 2-Py, S, O), (N-1814: H, 3-Py, S, O), (N-1815: H, 4-Py, S, O), (N-1816: H, 3,4-diF-Ph, S, O), (N-1817: H, 5-Br-thiophene-2-yl, S, O), (N-1818: H, 4-CONH<sub>2</sub>-Ph, S, O), (N-1819: H, 4-CON(Me)H-Ph, S, O), (N-1820: H, 4-CON(Me)<sub>2</sub>-Ph, S, O), (N-1821: H, 4-iPrOC(=O)-Ph, S, O), (N-1822: H, 4-nBuOC(=O)-Ph, S, O), (N-1823: H, 6-Me-pyridine-3-yl, S, O), (N-1824: H, Quinoline-3-yl, S, O), (N-1825: H, 4-NH<sub>2</sub>-Ph, S, O), (N-1826: H, 4-N(Ac)H-Ph, S, O), (N-1827: H, 4-OH-Ph, S, O), (N-1828: H, 3,4-di(OH)<sub>2</sub>-Ph, S, O), (N-1829: H, 3,4-di(NH<sub>2</sub>)-Ph, S, O), (N-1830: H, 3:4-[N(Ac)H]<sub>2</sub>-Ph, S, O), (N-1831: H, 4-SH-Ph, S, O), (N-1832: H, 4-SMe-Ph, S, O), (N-1833: H, 3,4-diBr-Ph, S, O), (N-1834: H, 4-N(Me)H-Ph, S, O), (N-1835: H, 4-N(Me)<sub>2</sub>-Ph, S, O), (N-1836: H, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, S, O), (N-1837: H, 4-Et-Ph, S, O), (N-1838: H, 4-iPr-Ph, S, O), (N-1839: H, 4-nPr-Ph, S, O), (N-1840: H, 4-nBu-Ph, S, O), (N-1841: H, 4-iBu-Ph, S, O), (N-1842: H, 3,4-diMe-Ph, S, O), (N-1843: H, 1,3-Benzodioxole-5-yl, S, O), (N-1844: H, N-Me-pyridinium-4-yl, S, O), (N-1845: H, N-Me-pyridinium-3-yl, S, O), (N-1846: H, 5-Me-Pyridine-2-yl, S, O), (N-1847: H, 2-Pyrazinyl, S, O), (N-1848: H, 3-Pyrrolyl, S, O), (N-1849: H, 1-Me-pyrrole-3-yl, S, O), (N-1850: H, Pyridine N-oxide-4-yl, S, O), (N-1851: H, Pyridine N-oxide-3-yl, S, O), (N-1852: H, 6-OH-pyridine-3-yl, S, O), (N-1853: H, 6-SH-pyridine-3-yl, S, O), (N-1854: H, 1-Ac-pyrrole-3-yl, S, O), (N-1855: H, 4-CF<sub>3</sub>-Ph, S, O), (N-1856: H, 4-CN-Ph, S, O), (N-1857: H, 4-CHO-Ph, S, O), (N-1858: H, 3-Cl-Ph, S, O), (N-1859: H, 3-Br-Ph, S, O), (N-1860: H, 3-F-Ph, S, O), (N-1861: H, 3-I-Ph, S, O), (N-1862: H, 4-I-Ph, S, O), (N-1863: H, 4-OCF<sub>3</sub>-Ph, S, O), (N-1864: H, 3,4-diI-Ph, S, O), (N-1865: H, Indole-6-yl, S, O), (N-1866: H, 1-Ac-indole-6-yl, S, O), (N-1867: H, 1-Me-indole-6-yl, S, O), (N-1868: H, 4-(1-Imidazolyl)-Ph, S, O), (N-1869: H, 4-Morphorino-Ph, S, O), (N-1870: H, 4-(1-Piperazinyl)-Ph, S, O), (N-1871: H, 2:5-diMe-thiophene-3-yl, S, O), (N-1872: H, 2-Furyl, S, O), (N-1873: H, 5-Me-furan-2-yl, S, O), (N-1874: H, 5-Me-furan-2-yl, S, O), (N-1875: H, 2-

- Thiazolyl, S, O), (N-1876: H, 1:4-Benzodioxin-6-yl, S, O), (N-1877: H, Benzo[b]furan-2-yl, S, O), (N-1878: H, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-1879: H, 4-N(Me)HCH<sub>2</sub>-Ph, S, O), (N-1880: H, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-1881: H, 6-Cl-pyridine-3-yl, S, O), (N-1882: H, 5,6-diCl-pyridine-3-yl, S, O), (N-1883: H, 5-Cl-pyridine-2-yl, S, O), (N-1884: H, 4:5-diCl-pyridine-2-yl, S, O), (N-1885: H, 4-ClCH<sub>2</sub>-Bn, S, O), (N-1886: H, Bn, S, O), (N-1887: H, 4-Cl-Bn, S, O), (N-1888: H, 4-Br-Bn, S, O), (N-1889: H, 4-F-Bn, S, O), (N-1890: H, 3,4-diCl-Bn, S, O), (N-1891: H, 3,4-diBr-Bn, S, O), (N-1892: H, 3,4-diF-Bn, S, O), (N-1893: H, 4-Cl-Bz, S, O), (N-1894: H, 3,4-diCl-Bz, S, O), (N-1895: H, 4-Br-Bz, S, O), (N-1896: H, 3,4-diBr-Bz, S, O), (N-1897: H, 4-F-Bz, S, O), (N-1898: H, 3,4-diF-Bz, S, O), (N-1899: H, 4-NO<sub>2</sub>-Bn, S, O), (N-1900: H, 4-CN-Bn, S, O), (N-1901: Et, Ph, S, O), (N-1902: Et, 4-F-Ph, S, O), (N-1903: Et, 4-Br-Ph, S, O), (N-1904: Et, 4-Me-Ph, S, O), (N-1905: Et, 4-Ph-Ph, S, O), (N-1906: Et, 4-OMe-Ph, S, O), (N-1907: Et, 4-tBu-Ph, S, O), (N-1908: Et, 4-COOMe-Ph, S, O), (N-1909: Et, 4-Pen-Ph, S, O), (N-1910: Et, 4-NO<sub>2</sub>-Ph, S, O), (N-1911: Et, 5-Cl-thiophene-2-yl, S, O), (N-1912: Et, 3-Thienyl, S, O), (N-1913: Et, 2-Py, S, O), (N-1914: Et, 3-Py, S, O), (N-1915: Et, 4-Py, S, O), (N-1916: Et, 3,4-diF-Ph, S, O), (N-1917: Et, 5-Br-thiophene-2-yl, S, O), (N-1918: Et, 4-CONH<sub>2</sub>-Ph, S, O), (N-1919: Et, 4-CON(Me)H-Ph, S, O), (N-1920: Et, 4-CON(Me)<sub>2</sub>-Ph, S, O), (N-1921: Et, 4-iPrOC(=O)-Ph, S, O), (N-1922: Et, 4-nBuOC(=O)-Ph, S, O), (N-1923: Et, 6-Me-pyridine-3-yl, S, O), (N-1924: Et, Quinoline-3-yl, S, O), (N-1925: Et, 4-NH<sub>2</sub>-Ph, S, O), (N-1926: Et, 4-N(Ac)H-Ph, S, O), (N-1927: Et, 4-OH-Ph, S, O), (N-1928: Et, 3,4-di(OH)<sub>2</sub>-Ph, S, O), (N-1929: Et, 3,4-di(NH<sub>2</sub>)-Ph, S, O), (N-1930: Et, 3:4-[N(Ac)H]<sub>2</sub>-Ph, S, O), (N-1931: Et, 4-SH-Ph, S, O), (N-1932: Et, 4-SMe-Ph, S, O), (N-1933: Et, 3,4-diBr-Ph, S, O), (N-1934: Et, 4-N(Me)H-Ph, S, O), (N-1935: Et, 4-N(Me)<sub>2</sub>-Ph, S, O), (N-1936: Et, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, S, O), (N-1937: Et, 4-Et-Ph, S, O), (N-1938: Et, 4-iPr-Ph, S, O), (N-1939: Et, 4-nPr-Ph, S, O),

- (N-1940: Et, 4-nBu-Ph, S, O), (N-1941: Et, 4-iBu-Ph, S, O), (N-1942: Et, 3,4-diMe-Ph, S, O), (N-1943: Et, 1,3-Benzodioxole-5-yl, S, O), (N-1944: Et, N-Me-pyridinium-4-yl, S, O), (N-1945: Et, N-Me-pyridinium-3-yl, S, O), (N-1946: Et, 5-Me-Pyridine-2-yl, S, O), (N-1947: Et, 2-Pyrazinyl, S, O), (N-1948: Et, 3-Pyrrolyl, S, O), (N-1949: Et, 1-Me-pyrrole-3-yl, S, O), (N-1950: Et, Pyridine N-oxide-4-yl, S, O), (N-1951: Et, Pyridine N-oxide-3-yl, S, O), (N-1952: Et, 6-OH-pyridine-3-yl, S, O), (N-1953: Et, 6-SH-pyridine-3-yl, S, O), (N-1954: Et, 1-Ac-pyrrole-3-yl, S, O), (N-1955: Et, 4-CF<sub>3</sub>-Ph, S, O), (N-1956: Et, 4-CN-Ph, S, O), (N-1957: Et, 4-CHO-Ph, S, O), (N-1958: Et, 3-Cl-Ph, S, O), (N-1959: Et, 3-Br-Ph, S, O), (N-1960: Et, 3-F-Ph, S, O), (N-1961: Et, 3-I-Ph, S, O), (N-1962: Et, 4-I-Ph, S, O), (N-1963: Et, 4-OCF<sub>3</sub>-Ph, S, O), (N-1964: Et, 3,4-diI-Ph, S, O), (N-1965: Et, Indole-6-yl, S, O), (N-1966: Et, 1-Ac-indole-6-yl, S, O), (N-1967: Et, 1-Me-indole-6-yl, S, O), (N-1968: Et, 4-(1-Imidazolyl)-Ph, S, O), (N-1969: Et, 4-Morpholino-Ph, S, O), (N-1970: Et, 4-(1-Piperazinyl)-Ph, S, O), (N-1971: Et, 2,5-diMe-thiophene-3-yl, S, O), (N-1972: Et, 2-Furyl, S, O), (N-1973: Et, 5-Me-furan-2-yl, S, O), (N-1974: Et, 5-Me-furan-2-yl, S, O), (N-1975: Et, 2-Thiazolyl, S, O), (N-1976: Et, 1,4-Benzodioxin-6-yl, S, O), (N-1977: Et, Benzo[b]furan-2-yl, S, O), (N-1978: Et, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-1979: Et, 4-N(Me)HCH<sub>2</sub>-Ph, S, O), (N-1980: Et, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-1981: Et, 6-Cl-pyridine-3-yl, S, O), (N-1982: Et, 5,6-diCl-pyridine-3-yl, S, O), (N-1983: Et, 5-Cl-pyridine-2-yl, S, O), (N-1984: Et, 4,5-diCl-pyridine-2-yl, S, O), (N-1985: Et, 4-ClCH<sub>2</sub>-Bn, S, O), (N-1986: Et, Bn, S, O), (N-1987: Et, 4-Cl-Bn, S, O), (N-1988: Et, 4-Br-Bn, S, O), (N-1989: Et, 4-F-Bn, S, O), (N-1990: Et, 3,4-diCl-Bn, S, O), (N-1991: Et, 3,4-diBr-Bn, S, O), (N-1992: Et, 3,4-diF-Bn, S, O), (N-1993: Et, 4-Cl-Bz, S, O), (N-1994: Et, 3,4-diCl-Bz, S, O), (N-1995: Et, 4-Br-Bz, S, O), (N-1996: Et, 3,4-diBr-Bz, S, O), (N-1997: Et, 4-F-Bz, S, O), (N-1998: Et, 3,4-diF-Bz, S, O), (N-1999: Et, 4-NO<sub>2</sub>-Bn, S, O), (N-2000: Et, 4-CN-Bn, S, O),

- (N-2001: COOMe, Ph, S, O), (N-2002: COOMe, 4-F-Ph, S, O), (N-2003: COOMe, 4-Br-Ph, S, O), (N-2004: COOMe, 4-Me-Ph, S, O), (N-2005: COOMe, 4-Ph-Ph, S, O), (N-2006: COOMe, 4-OMe-Ph, S, O), (N-2007: COOMe, 4-tBu-Ph, S, O), (N-2008: COOMe, 4-COOMe-Ph, S, O), (N-2009: COOMe, 4-Pen-Ph, S, O), (N-2010: COOMe, 4-NO<sub>2</sub>-Ph, S, O), (N-2011: COOMe, 5-Cl-thiophene-2-yl, S, O), (N-2012: COOMe, 3-Thienyl, S, O), (N-2013: COOMe, 2-Py, S, O), (N-2014: COOMe, 3-Py, S, O), (N-2015: COOMe, 4-Py, S, O), (N-2016: COOMe, 3,4-diF-Ph, S, O), (N-2017: COOMe, 5-Br-thiophene-2-yl, S, O), (N-2018: COOMe, 4-CONH<sub>2</sub>-Ph, S, O), (N-2019: COOMe, 4-CON(Me)H-Ph, S, O), (N-2020: COOMe, 4-CON(Me)<sub>2</sub>-Ph, S, O), (N-2021: COOMe, 4-iPrOC(=O)-Ph, S, O), (N-2022: COOMe, 4-nBuOC(=O)-Ph, S, O), (N-2023: COOMe, 6-Me-pyridine-3-yl, S, O), (N-2024: COOMe, Quinoline-3-yl, S, O), (N-2025: COOMe, 4-NH<sub>2</sub>-Ph, S, O), (N-2026: COOMe, 4-N(Ac)H-Ph, S, O), (N-2027: COOMe, 4-OH-Ph, S, O), (N-2028: COOMe, 3,4-di(OH)<sub>2</sub>-Ph, S, O), (N-2029: COOMe, 3,4-di(NH<sub>2</sub>)-Ph, S, O), (N-2030: COOMe, 3:4-[N(Ac)H]<sub>2</sub>-Ph, S, O), (N-2031: COOMe, 4-SH-Ph, S, O), (N-2032: COOMe, 4-SMe-Ph, S, O), (N-2033: COOMe, 3,4-diBr-Ph, S, O), (N-2034: COOMe, 4-N(Me)H-Ph, S, O), (N-2035: COOMe, 4-N(Me)<sub>2</sub>-Ph, S, O), (N-2036: COOMe, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, S, O), (N-2037: COOMe, 4-Et-Ph, S, O), (N-2038: COOMe, 4-iPr-Ph, S, O), (N-2039: COOMe, 4-nPr-Ph, S, O), (N-2040: COOMe, 4-nBu-Ph, S, O), (N-2041: COOMe, 4-iBu-Ph, S, O), (N-2042: COOMe, 3,4-diMe-Ph, S, O), (N-2043: COOMe, 1,3-Benzodioxole-5-yl, S, O), (N-2044: COOMe, N-Me-pyridinium-4-yl, S, O), (N-2045: COOMe, N-Me-pyridinium-3-yl, S, O), (N-2046: COOMe, 5-Me-Pyridine-2-yl, S, O), (N-2047: COOMe, 2-Pyrazinyl, S, O), (N-2048: COOMe, 3-Pyrrolyl, S, O), (N-2049: COOMe, 1-Me-pyrrole-3-yl, S, O), (N-2050: COOMe, Pyridine N-oxide-4-yl, S, O), (N-2051: COOMe, Pyridine N-oxide-3-yl, S, O), (N-2052: COOMe, 6-OH-pyridine-3-yl, S, O), (N-2053: COOMe, 6-SH-pyridine-3-yl, S, O), (N-2054: COOMe, 1-Ac-

- pyrrole-3-yl, S, O), (N-2055: COOMe, 4-CF<sub>3</sub>-Ph, S, O), (N-2056: COOMe, 4-CN-Ph, S, O), (N-2057: COOMe, 4-CHO-Ph, S, O), (N-2058: COOMe, 3-Cl-Ph, S, O), (N-2059: COOMe, 3-Br-Ph, S, O), (N-2060: COOMe, 3-F-Ph, S, O), (N-2061: COOMe, 3-I-Ph, S, O), (N-2062: COOMe, 4-I-Ph, S, O), (N-2063: COOMe, 4-OCF<sub>3</sub>-Ph, S, O), (N-2064: COOMe, 3,4-diI-Ph, S, O), (N-2065: COOMe, Indole-6-yl, S, O), (N-2066: COOMe, 1-Ac-indole-6-yl, S, O), (N-2067: COOMe, 1-Me-indole-6-yl, S, O), (N-2068: COOMe, 4-(1-Imidazolyl)-Ph, S, O), (N-2069: COOMe, 4-Morpholino-Ph, S, O), (N-2070: COOMe, 4-(1-Piperazinyl)-Ph, S, O), (N-2071: COOMe, 2:5-diMe-thiophene-3-yl, S, O), (N-2072: COOMe, 2-Furyl, S, O), (N-2073: COOMe, 5-Me-furan-2-yl, S, O), (N-2074: COOMe, 5-Me-furan-2-yl, S, O), (N-2075: COOMe, 2-Thiazolyl, S, O), (N-2076: COOMe, 1:4-Benzodioxin-6-yl, S, O), (N-2077: COOMe, Benzo[b]furan-2-yl, S, O), (N-2078: COOMe, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-2079: COOMe, 4-N(Me)HCH<sub>2</sub>-Ph, S, O), (N-2080: COOMe, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, S, O), (N-2081: COOMe, 6-Cl-pyridine-3-yl, S, O), (N-2082: COOMe, 5,6-diCl-pyridine-3-yl, S, O), (N-2083: COOMe, 5-Cl-pyridine-2-yl, S, O), (N-2084: COOMe, 4:5-diCl-pyridine-2-yl, S, O), (N-2085: COOMe, 4-ClCH<sub>2</sub>-Bn, S, O), (N-2086: COOMe, Bn, S, O), (N-2087: COOMe, 4-Cl-Bn, S, O), (N-2088: COOMe, 4-Br-Bn, S, O), (N-2089: COOMe, 4-F-Bn, S, O), (N-2090: COOMe, 3,4-diCl-Bn, S, O), (N-2091: COOMe, 3,4-diBr-Bn, S, O), (N-2092: COOMe, 3,4-diF-Bn, S, O), (N-2093: COOMe, 4-Cl-Bz, S, O), (N-2094: COOMe, 3,4-diCl-Bz, S, O), (N-2095: COOMe, 4-Br-Bz, S, O), (N-2096: COOMe, 3,4-diBr-Bz, S, O), (N-2097: COOMe, 4-F-Bz, S, O), (N-2098: COOMe, 3,4-diF-Bz, S, O), (N-2099: COOMe, 4-NO<sub>2</sub>-Bn, S, O), (N-2100: COOMe, 4-CN-Bn, S, O), (N-2101: Ph, Me, O, O), (N-2102: 4-F-Ph, Me, O, O), (N-2103: 4-Br-Ph, Me, O, O), (N-2104: 4-Me-Ph, Me, O, O), (N-2105: 4-Ph-Ph, Me, O, O), (N-2106: 4-OMe-Ph, Me, O, O), (N-2107: 4-tBu-Ph, Me, O, O), (N-2108: 4-COOMe-Ph, Me, O, O), (N-2109: 4-Pen-Ph, Me, O, O), (N-2110: 4-NO<sub>2</sub>-Ph, Me, O, O), (N-2111:

- 5-Cl-thiophene-2-yl, Me, O, O), (N-2112: 3-Thienyl, Me, O, O), (N-2113: 2-Py, Me, O, O), (N-2114: 3-Py, Me, O, O), (N-2115: 4-Py, Me, O, O), (N-2116: 3,4-diF-Ph, Me, O, O), (N-2117: 5-Br-thiophene-2-yl, Me, O, O), (N-2118: 4-CONH<sub>2</sub>-Ph, Me, O, O), (N-2119: 4-CON(Me)H-Ph, Me, O, O), (N-2120: 4-CON(Me)<sub>2</sub>-Ph, Me, O, O), (N-2121: 4-iPrOC(=O)-Ph, Me, O, O), (N-2122: 4-nBuOC(=O)-Ph, Me, O, O), (N-2123: 6-Me-pyridine-3-yl, Me, O, O), (N-2124: Quinoline-3-yl, Me, O, O), (N-2125: 4-NH<sub>2</sub>-Ph, Me, O, O), (N-2126: 4-N(Ac)H-Ph, Me, O, O), (N-2127: 4-OH-Ph, Me, O, O), (N-2128: 3,4-di(OH)<sub>2</sub>-Ph, Me, O, O), (N-2129: 3,4-di(NH<sub>2</sub>)-Ph, Me, O, O), (N-2130: 3:4-[N(Ac)H]<sub>2</sub>-Ph, Me, O, O), (N-2131: 4-SH-Ph, Me, O, O), (N-2132: 4-SMe-Ph, Me, O, O), (N-2133: 3,4-diBr-Ph, Me, O, O), (N-2134: 4-N(Me)H-Ph, Me, O, O), (N-2135: 4-N(Me)<sub>2</sub>-Ph, Me, O, O), (N-2136: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Me, O, O), (N-2137: 4-Et-Ph, Me, O, O), (N-2138: 4-iPr-Ph, Me, O, O), (N-2139: 4-nPr-Ph, Me, O, O), (N-2140: 4-nBu-Ph, Me, O, O), (N-2141: 4-iBu-Ph, Me, O, O), (N-2142: 3,4-diMe-Ph, Me, O, O), (N-2143: 1,3-Benzodioxole-5-yl, Me, O, O), (N-2144: N-Me-pyridinium-4-yl, Me, O, O), (N-2145: N-Me-pyridinium-3-yl, Me, O, O), (N-2146: 5-Me-Pyridine-2-yl, Me, O, O), (N-2147: 2-Pyrazinyl, Me, O, O), (N-2148: 3-Pyrrolyl, Me, O, O), (N-2149: 1-Me-pyrrole-3-yl, Me, O, O), (N-2150: Pyridine N-oxide-4-yl, Me, O, O), (N-2151: Pyridine N-oxide-3-yl, Me, O, O), (N-2152: 6-OH-pyridine-3-yl, Me, O, O), (N-2153: 6-SH-pyridine-3-yl, Me, O, O), (N-2154: 1-Ac-pyrrole-3-yl, Me, O, O), (N-2155: 4-CF<sub>3</sub>-Ph, Me, O, O), (N-2156: 4-CN-Ph, Me, O, O), (N-2157: 4-CHO-Ph, Me, O, O), (N-2158: 3-Cl-Ph, Me, O, O), (N-2159: 3-Br-Ph, Me, O, O), (N-2160: 3-F-Ph, Me, O, O), (N-2161: 3-I-Ph, Me, O, O), (N-2162: 4-I-Ph, Me, O, O), (N-2163: 4-OCF<sub>3</sub>-Ph, Me, O, O), (N-2164: 3,4-diI-Ph, Me, O, O), (N-2165: Indole-6-yl, Me, O, O), (N-2166: 1-Ac-indole-6-yl, Me, O, O), (N-2167: 1-Me-indole-6-yl, Me, O, O), (N-2168: 4-(1-Imidazolyl)-Ph, Me, O, O), (N-2169: 4-Morphorino-Ph, Me, O, O), (N-2170: 4-(1-Piperazinyl)-Ph, Me, O, O), (N-

- 2171: 2:5-diMe-thiophene-3-yl, Me, O, O), (N-2172: 2-Furyl, Me, O, O), (N-2173: 5-Me-furan-2-yl, Me, O, O), (N-2174: 5-Me-furan-2-yl, Me, O, O), (N-2175: 2-Thiazolyl, Me, O, O), (N-2176: 1:4-Benzodioxin-6-yl, Me, O, O), (N-2177: Benzo[b]furan-2-yl, Me, O, O), (N-2178: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Me, O, O), (N-2179: 4-N(Me)HCH<sub>2</sub>-Ph, Me, O, O), (N-2180: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Me, O, O), (N-2181: 6-Cl-pyridine-3-yl, Me, O, O), (N-2182: 5,6-diCl-pyridine-3-yl, Me, O, O), (N-2183: 5-Cl-pyridine-2-yl, Me, O, O), (N-2184: 4:5-diCl-pyridine-2-yl, Me, O, O), (N-2185: 4-ClCH<sub>2</sub>-Bn, Me, O, O), (N-2186: Bn, Me, O, O), (N-2187: 4-Cl-Bn, Me, O, O), (N-2188: 4-Br-Bn, Me, O, O), (N-2189: 4-F-Bn, Me, O, O), (N-2190: 3,4-diCl-Bn, Me, O, O), (N-2191: 3,4-diBr-Bn, Me, O, O), (N-2192: 3,4-diF-Bn, Me, O, O), (N-2193: 4-Cl-Bz, Me, O, O), (N-2194: 3,4-diCl-Bz, Me, O, O), (N-2195: 4-Br-Bz, Me, O, O), (N-2196: 3,4-diBr-Bz, Me, O, O), (N-2197: 4-F-Bz, Me, O, O), (N-2198: 3,4-diF-Bz, Me, O, O), (N-2199: 4-NO<sub>2</sub>-Bn, Me, O, O), (N-2200: 4-CN-Bn, Me, O, O), (N-2201: Ph, Et, O, O), (N-2202: 4-F-Ph, Et, O, O), (N-2203: 4-Br-Ph, Et, O, O), (N-2204: 4-Me-Ph, Et, O, O), (N-2205: 4-Ph-Ph, Et, O, O), (N-2206: 4-OMe-Ph, Et, O, O), (N-2207: 4-tBu-Ph, Et, O, O), (N-2208: 4-COOMe-Ph, Et, O, O), (N-2209: 4-Pen-Ph, Et, O, O), (N-2210: 4-NO<sub>2</sub>-Ph, Et, O, O), (N-2211: 5-Cl-thiophene-2-yl, Et, O, O), (N-2212: 3-Thienyl, Et, O, O), (N-2213: 2-Py, Et, O, O), (N-2214: 3-Py, Et, O, O), (N-2215: 4-Py, Et, O, O), (N-2216: 3,4-diF-Ph, Et, O, O), (N-2217: 5-Br-thiophene-2-yl, Et, O, O), (N-2218: 4-CONH<sub>2</sub>-Ph, Et, O, O), (N-2219: 4-CON(Me)H-Ph, Et, O, O), (N-2220: 4-CON(Me)<sub>2</sub>-Ph, Et, O, O), (N-2221: 4-iPrOC(=O)-Ph, Et, O, O), (N-2222: 4-nBuOC(=O)-Ph, Et, O, O), (N-2223: 6-Me-pyridine-3-yl, Et, O, O), (N-2224: Quinoline-3-yl, Et, O, O), (N-2225: 4-NH<sub>2</sub>-Ph, Et, O, O), (N-2226: 4-N(Ac)H-Ph, Et, O, O), (N-2227: 4-OH-Ph, Et, O, O), (N-2228: 3,4-di(OH)<sub>2</sub>-Ph, Et, O, O), (N-2229: 3,4-di(NH<sub>2</sub>)-Ph, Et, O, O), (N-2230: 3,4-[N(Ac)H]<sub>2</sub>-Ph, Et, O, O), (N-2231: 4-SH-Ph, Et, O, O), (N-2232: 4-SMe-Ph, Et, O, O), (N-2233: 3,4-diBr-Ph,

- Et, O, O), (N-2234: 4-N(Me)H-Ph, Et, O, O), (N-2235: 4-N(Me)<sub>2</sub>-Ph, Et, O, O),  
 (N-2236: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, Et, O, O), (N-2237: 4-Et-Ph, Et, O, O), (N-2238: 4-iPr-  
 Ph, Et, O, O), (N-2239: 4-nPr-Ph, Et, O, O), (N-2240: 4-nBu-Ph, Et, O, O), (N-  
 2241: 4-iBu-Ph, Et, O, O), (N-2242: 3,4-diMe-Ph, Et, O, O), (N-2243: 1,3-  
 5 Benzodioxole-5-yl, Et, O, O), (N-2244: N-Me-pyridinium-4-yl, Et, O, O), (N-  
 2245: N-Me-pyridinium-3-yl, Et, O, O), (N-2246: 5-Me-Pyridine-2-yl, Et, O, O),  
 (N-2247: 2-Pyrazinyl, Et, O, O), (N-2248: 3-Pyrrolyl, Et, O, O), (N-2249: 1-  
 Me-pyrrole-3-yl, Et, O, O), (N-2250: Pyridine N-oxide-4-yl, Et, O, O), (N-2251:  
 Pyridine N-oxide-3-yl, Et, O, O), (N-2252: 6-OH-pyridine-3-yl, Et, O, O), (N-  
 10 2253: 6-SH-pyridine-3-yl, Et, O, O), (N-2254: 1-Ac-pyrrole-3-yl, Et, O, O), (N-  
 2255: 4-CF<sub>3</sub>-Ph, Et, O, O), (N-2256: 4-CN-Ph, Et, O, O), (N-2257: 4-CHO-Ph, Et,  
 O, O), (N-2258: 3-Cl-Ph, Et, O, O), (N-2259: 3-Br-Ph, Et, O, O), (N-2260: 3-F-  
 Ph, Et, O, O), (N-2261: 3-I-Ph, Et, O, O), (N-2262: 4-I-Ph, Et, O, O), (N-2263:  
 4-OCF<sub>3</sub>-Ph, Et, O, O), (N-2264: 3,4-diI-Ph, Et, O, O), (N-2265: Indole-6-yl, Et,  
 15 O, O), (N-2266: 1-Ac-indole-6-yl, Et, O, O), (N-2267: 1-Me-indole-6-yl, Et, O,  
 O), (N-2268: 4-(1-Imidazolyl)-Ph, Et, O, O), (N-2269: 4-Morphorino-Ph, Et, O,  
 O), (N-2270: 4-(1-Piperazinyl)-Ph, Et, O, O), (N-2271: 2:5-diMe-thiophene-3-yl,  
 Et, O, O), (N-2272: 2-Furyl, Et, O, O), (N-2273: 5-Me-furan-2-yl, Et, O, O),  
 (N-2274: 5-Me-furan-2-yl, Et, O, O), (N-2275: 2-Thiazolyl, Et, O, O), (N-2276:  
 20 1:4-Benzodioxin-6-yl, Et, O, O), (N-2277: Benzo[b]furan-2-yl, Et, O, O), (N-  
 2278: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, Et, O, O), (N-2279: 4-N(Me)HCH<sub>2</sub>-Ph, Et, O, O), (N-2280:  
 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, Et, O, O), (N-2281: 6-Cl-pyridine-3-yl, Et, O, O), (N-2282:  
 5,6-diCl-pyridine-3-yl, Et, O, O), (N-2283: 5-Cl-pyridine-2-yl, Et, O, O), (N-  
 2284: 4:5-diCl-pyridine-2-yl, Et, O, O), (N-2285: 4-ClCH<sub>2</sub>-Bn, Et, O, O), (N-  
 25 2286: Bn, Et, O, O), (N-2287: 4-Cl-Bn, Et, O, O), (N-2288: 4-Br-Bn, Et, O, O),  
 (N-2289: 4-F-Bn, Et, O, O), (N-2290: 3,4-diCl-Bn, Et, O, O), (N-2291: 3,4-  
 diBr-Bn, Et, O, O), (N-2292: 3,4-diF-Bn, Et, O, O), (N-2293: 4-Cl-Bz, Et, O, O),



- (N-2294: 3,4-diCl-Bz, Et, O, O), (N-2295: 4-Br-Bz, Et, O, O), (N-2296: 3,4-diBr-Bz, Et, O, O), (N-2297: 4-F-Bz, Et, O, O), (N-2298: 3,4-diF-Bz, Et, O, O), (N-2299: 4-NO<sub>2</sub>-Bn, Et, O, O), (N-2300: 4-CN-Bn, Et, O, O), (N-2301: Ph, COOMe, O, O), (N-2302: 4-F-Ph, COOMe, O, O), (N-2303: 4-Br-Ph, COOMe, O, O), (N-2304: 4-Me-Ph, COOMe, O, O), (N-2305: 4-Ph-Ph, COOMe, O, O), (N-2306: 4-OMe-Ph, COOMe, O, O), (N-2307: 4-tBu-Ph, COOMe, O, O), (N-2308: 4-COOMe-Ph, COOMe, O, O), (N-2309: 4-Pen-Ph, COOMe, O, O), (N-2310: 4-NO<sub>2</sub>-Ph, COOMe, O, O), (N-2311: 5-Cl-thiophene-2-yl, COOMe, O, O), (N-2312: 3-Thienyl, COOMe, O, O), (N-2313: 2-Py, COOMe, O, O), (N-2314: 3-Py, COOMe, O, O), (N-2315: 4-Py, COOMe, O, O), (N-2316: 3,4-diF-Ph, COOMe, O, O), (N-2317: 5-Br-thiophene-2-yl, COOMe, O, O), (N-2318: 4-CONH<sub>2</sub>-Ph, COOMe, O, O), (N-2319: 4-CON(Me)H-Ph, COOMe, O, O), (N-2320: 4-CON(Me)<sub>2</sub>-Ph, COOMe, O, O), (N-2321: 4-iPrOC(=O)-Ph, COOMe, O, O), (N-2322: 4-nBuOC(=O)-Ph, COOMe, O, O), (N-2323: 6-Me-pyridine-3-yl, COOMe, O, O), (N-2324: Quinoline-3-yl, COOMe, O, O), (N-2325: 4-NH<sub>2</sub>-Ph, COOMe, O, O), (N-2326: 4-N(Ac)H-Ph, COOMe, O, O), (N-2327: 4-OH-Ph, COOMe, O, O), (N-2328: 3,4-di(OH)<sub>2</sub>-Ph, COOMe, O, O), (N-2329: 3,4-di(NH<sub>2</sub>)<sub>2</sub>-Ph, COOMe, O, O), (N-2330: 3:4-[N(Ac)H]<sub>2</sub>-Ph, COOMe, O, O), (N-2331: 4-SH-Ph, COOMe, O, O), (N-2332: 4-SMe-Ph, COOMe, O, O), (N-2333: 3,4-diBr-Ph, COOMe, O, O), (N-2334: 4-N(Me)H-Ph, COOMe, O, O), (N-2335: 4-N(Me)<sub>2</sub>-Ph, COOMe, O, O), (N-2336: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, COOMe, O, O), (N-2337: 4-Et-Ph, COOMe, O, O), (N-2338: 4-iPr-Ph, COOMe, O, O), (N-2339: 4-nPr-Ph, COOMe, O, O), (N-2340: 4-nBu-Ph, COOMe, O, O), (N-2341: 4-iBu-Ph, COOMe, O, O), (N-2342: 3,4-diMe-Ph, COOMe, O, O), (N-2343: 1,3-Benzodioxole-5-yl, COOMe, O, O), (N-2344: N-Me-pyridinium-4-yl, COOMe, O, O), (N-2345: N-Me-pyridinium-3-yl, COOMe, O, O), (N-2346: 5-Me-Pyridine-2-yl, COOMe, O, O), (N-2347: 2-Pyrazinyl, COOMe, O, O), (N-2348: 3-Pyrrolyl, COOMe, O, O), (N-2349: 1-

- Me-pyrrole-3-yl, COOMe, O, O), (N-2350: Pyridine N-oxide-4-yl, COOMe, O, O), (N-2351: Pyridine N-oxide-3-yl, COOMe, O, O), (N-2352: 6-OH-pyridine-3-yl, COOMe, O, O), (N-2353: 6-SH-pyridine-3-yl, COOMe, O, O), (N-2354: 1-Ac-pyrrole-3-yl, COOMe, O, O), (N-2355: 4-CF<sub>3</sub>-Ph, COOMe, O, O), (N-2356: 5 4-CN-Ph, COOMe, O, O), (N-2357: 4-CHO-Ph, COOMe, O, O), (N-2358: 3-Cl-Ph, COOMe, O, O), (N-2359: 3-Br-Ph, COOMe, O, O), (N-2360: 3-F-Ph, COOMe, O, O), (N-2361: 3-I-Ph, COOMe, O, O), (N-2362: 4-I-Ph, COOMe, O, O), (N-2363: 4-OCF<sub>3</sub>-Ph, COOMe, O, O), (N-2364: 3,4-diI-Ph, COOMe, O, O), (N-2365: Indole-6-yl, COOMe, O, O), (N-2366: 1-Ac-indole-6-yl, COOMe, O, O), (N-2367: 10 1-Me-indole-6-yl, COOMe, O, O), (N-2368: 4-(1-Imidazolyl)-Ph, COOMe, O, O), (N-2369: 4-Morpholino-Ph, COOMe, O, O), (N-2370: 4-(1-Piperazinyl)-Ph, COOMe, O, O), (N-2371: 2:5-diMe-thiophene-3-yl, COOMe, O, O), (N-2372: 2-Furyl, COOMe, O, O), (N-2373: 5-Me-furan-2-yl, COOMe, O, O), (N-2374: 5-Me-furan-2-yl, COOMe, O, O), (N-2375: 2-Thiazolyl, COOMe, O, O), (N-2376: 15 1:4-Benzodioxin-6-yl, COOMe, O, O), (N-2377: Benzo[b]furan-2-yl, COOMe, O, O), (N-2378: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, O, O), (N-2379: 4-N(Me)HCH<sub>2</sub>-Ph, COOMe, O, O), (N-2380: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, COOMe, O, O), (N-2381: 6-Cl-pyridine-3-yl, COOMe, O, O), (N-2382: 5,6-diCl-pyridine-3-yl, COOMe, O, O), (N-2383: 5-Cl-pyridine-2-yl, COOMe, O, O), (N-2384: 4:5-diCl-pyridine-2-yl, 20 COOMe, O, O), (N-2385: 4-ClCH<sub>2</sub>-Bn, COOMe, O, O), (N-2386: Bn, COOMe, O, O), (N-2387: 4-Cl-Bn, COOMe, O, O), (N-2388: 4-Br-Bn, COOMe, O, O), (N-2389: 4-F-Bn, COOMe, O, O), (N-2390: 3,4-diCl-Bn, COOMe, O, O), (N-2391: 3,4-diBr-Bn, COOMe, O, O), (N-2392: 3,4-diF-Bn, COOMe, O, O), (N-2393: 4-Cl-Bz, COOMe, O, O), (N-2394: 3,4-diCl-Bz, COOMe, O, O), (N-2395: 4-Br-Bz, 25 COOMe, O, O), (N-2396: 3,4-diBr-Bz, COOMe, O, O), (N-2397: 4-F-Bz, COOMe, O, O), (N-2398: 3,4-diF-Bz, COOMe, O, O), (N-2399: 4-NO<sub>2</sub>-Bn, COOMe, O, O), (N-2400: 4-CN-Bn, COOMe, O, O), (N-2401: H, Ph, O, O), (N-2402: H, 4-F-Ph,

- O, O), (N-2403: H, 4-Br-Ph, O, O), (N-2404: H, 4-Me-Ph, O, O), (N-2405: H, 4-Ph-Ph, O, O), (N-2406: H, 4-OMe-Ph, O, O), (N-2407: H, 4-tBu-Ph, O, O), (N-2408: H, 4-COOMe-Ph, O, O), (N-2409: H, 4-Pen-Ph, O, O), (N-2410: H, 4-NO<sub>2</sub>-Ph, O, O), (N-2411: H, 5-Cl-thiophene-2-yl, O, O), (N-2412: H, 3-Thienyl,
- 5 O, O), (N-2413: H, 2-Py, O, O), (N-2414: H, 3-Py, O, O), (N-2415: H, 4-Py, O, O), (N-2416: H, 3,4-diF-Ph, O, O), (N-2417: H, 5-Br-thiophene-2-yl, O, O), (N-2418: H, 4-CONH<sub>2</sub>-Ph, O, O), (N-2419: H, 4-CON(Me)H-Ph, O, O), (N-2420: H, 4-CON(Me)<sub>2</sub>-Ph, O, O), (N-2421: H, 4-iPrOC(=O)-Ph, O, O), (N-2422: H, 4-nBuOC(=O)-Ph, O, O), (N-2423: H, 6-Me-pyridine-3-yl, O, O), (N-2424: H,
- 10 Quinoline-3-yl, O, O), (N-2425: H, 4-NH<sub>2</sub>-Ph, O, O), (N-2426: H, 4-N(Ac)H-Ph, O, O), (N-2427: H, 4-OH-Ph, O, O), (N-2428: H, 3,4-di(OH)<sub>2</sub>-Ph, O, O), (N-2429: H, 3,4-di(NH<sub>2</sub>)-Ph, O, O), (N-2430: H, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, O), (N-2431: H, 4-SH-Ph, O, O), (N-2432: H, 4-SMe-Ph, O, O), (N-2433: H, 3,4-diBr-Ph, O, O), (N-2434: H, 4-N(Me)H-Ph, O, O), (N-2435: H, 4-N(Me)<sub>2</sub>-Ph, O, O), (N-2436: H,
- 15 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, O), (N-2437: H, 4-Et-Ph, O, O), (N-2438: H, 4-iPr-Ph, O, O), (N-2439: H, 4-nPr-Ph, O, O), (N-2440: H, 4-nBu-Ph, O, O), (N-2441: H, 4-iBu-Ph, O, O), (N-2442: H, 3,4-diMe-Ph, O, O), (N-2443: H, 1,3-Benzodioxole-5-yl, O, O), (N-2444: H, N-Me-pyridinium-4-yl, O, O), (N-2445: H, N-Me-pyridinium-3-yl, O, O), (N-2446: H, 5-Me-Pyridine-2-yl, O, O), (N-2447: H, 2-
- 20 Pyrazinyl, O, O), (N-2448: H, 3-Pyrrolyl, O, O), (N-2449: H, 1-Me-pyrrole-3-yl, O, O), (N-2450: H, Pyridine N-oxide-4-yl, O, O), (N-2451: H, Pyridine N-oxide-3-yl, O, O), (N-2452: H, 6-OH-pyridine-3-yl, O, O), (N-2453: H, 6-SH-pyridine-3-yl, O, O), (N-2454: H, 1-Ac-pyrrole-3-yl, O, O), (N-2455: H, 4-CF<sub>3</sub>-Ph, O, O), (N-2456: H, 4-CN-Ph, O, O), (N-2457: H, 4-CHO-Ph, O, O), (N-2458:
- 25 H, 3-Cl-Ph, O, O), (N-2459: H, 3-Br-Ph, O, O), (N-2460: H, 3-F-Ph, O, O), (N-2461: H, 3-I-Ph, O, O), (N-2462: H, 4-I-Ph, O, O), (N-2463: H, 4-OCF<sub>3</sub>-Ph, O, O), (N-2464: H, 3,4-diI-Ph, O, O), (N-2465: H, Indole-6-yl, O, O), (N-2466: H, 1-

- Ac-indole-6-yl, O, O), (N-2467: H, 1-Me-indole-6-yl, O, O), (N-2468: H, 4-(1-Imidazolyl)-Ph, O, O), (N-2469: H, 4-Morpholino-Ph, O, O), (N-2470: H, 4-(1-Piperazinyl)-Ph, O, O), (N-2471: H, 2:5-diMe-thiophene-3-yl, O, O), (N-2472: H, 2-Furyl, O, O), (N-2473: H, 5-Me-furan-2-yl, O, O), (N-2474: H, 5-Me-furan-2-yl, O, O), (N-2475: H, 2-Thiazolyl, O, O), (N-2476: H, 1:4-Benzodioxin-6-yl, O, O), (N-2477: H, Benzo[b]furan-2-yl, O, O), (N-2478: H, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2479: H, 4-N(Me)HCH<sub>2</sub>-Ph, O, O), (N-2480: H, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2481: H, 6-Cl-pyridine-3-yl, O, O), (N-2482: H, 5,6-diCl-pyridine-3-yl, O, O), (N-2483: H, 5-Cl-pyridine-2-yl, O, O), (N-2484: H, 4:5-diCl-pyridine-2-yl, O, O), (N-2485: H, 4-ClCH<sub>2</sub>-Bn, O, O), (N-2486: H, Bn, O, O), (N-2487: H, 4-Cl-Bn, O, O), (N-2488: H, 4-Br-Bn, O, O), (N-2489: H, 4-F-Bn, O, O), (N-2490: H, 3,4-diCl-Bn, O, O), (N-2491: H, 3,4-diBr-Bn, O, O), (N-2492: H, 3,4-diF-Bn, O, O), (N-2493: H, 4-Cl-Bz, O, O), (N-2494: H, 3,4-diCl-Bz, O, O), (N-2495: H, 4-Br-Bz, O, O), (N-2496: H, 3,4-diBr-Bz, O, O), (N-2497: H, 4-F-Bz, O, O), (N-2498: H, 3,4-diF-Bz, O, O), (N-2499: H, 4-NO<sub>2</sub>-Bn, O, O), (N-2500: H, 4-CN-Bn, O, O), (N-2501: Me, Ph, O, O), (N-2502: Me, 4-F-Ph, O, O), (N-2503: Me, 4-Br-Ph, O, O), (N-2504: Me, 4-Me-Ph, O, O), (N-2505: Me, 4-Ph-Ph, O, O), (N-2506: Me, 4-OMe-Ph, O, O), (N-2507: Me, 4-tBu-Ph, O, O), (N-2508: Me, 4-COOMe-Ph, O, O), (N-2509: Me, 4-Pen-Ph, O, O), (N-2510: Me, 4-NO<sub>2</sub>-Ph, O, O), (N-2511: Me, 5-Cl-thiophene-2-yl, O, O), (N-2512: Me, 3-Thienyl, O, O), (N-2513: Me, 2-Py, O, O), (N-2514: Me, 3-Py, O, O), (N-2515: Me, 4-Py, O, O), (N-2516: Me, 3,4-diF-Ph, O, O), (N-2517: Me, 5-Br-thiophene-2-yl, O, O), (N-2518: Me, 4-CONH<sub>2</sub>-Ph, O, O), (N-2519: Me, 4-CON(Me)H-Ph, O, O), (N-2520: Me, 4-CON(Me)<sub>2</sub>-Ph, O, O), (N-2521: Me, 4-iPrOC(=O)-Ph, O, O), (N-2522: Me, 4-nBuOC(=O)-Ph, O, O), (N-2523: Me, 6-Me-pyridine-3-yl, O, O), (N-2524: Me, Quinoline-3-yl, O, O), (N-2525: Me, 4-NH<sub>2</sub>-Ph, O, O), (N-2526: Me, 4-N(Ac)H-Ph, O, O), (N-2527: Me, 4-OH-Ph, O, O), (N-2528: Me, 3,4-di(OH)<sub>2</sub>-Ph, O, O),

- (N-2529: Me, 3,4-di(NH<sub>2</sub>)-Ph, O, O), (N-2530: Me, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, O),  
 (N-2531: Me, 4-SH-Ph, O, O), (N-2532: Me, 4-SMe-Ph, O, O), (N-2533: Me,  
 3,4-diBr-Ph, O, O), (N-2534: Me, 4-N(Me)H-Ph, O, O), (N-2535: Me, 4-N(Me)<sub>2</sub>-  
 Ph, O, O), (N-2536: Me, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, O), (N-2537: Me, 4-Et-Ph, O, O), (N-  
 5 2538: Me, 4-iPr-Ph, O, O), (N-2539: Me, 4-nPr-Ph, O, O), (N-2540: Me, 4-nBu-  
 Ph, O, O), (N-2541: Me, 4-iBu-Ph, O, O), (N-2542: Me, 3,4-diMe-Ph, O, O), (N-  
 2543: Me, 1,3-Benzodioxole-5-yl, O, O), (N-2544: Me, N-Me-pyridinium-4-yl, O,  
 O), (N-2545: Me, N-Me-pyridinium-3-yl, O, O), (N-2546: Me, 5-Me-Pyridine-2-  
 yl, O, O), (N-2547: Me, 2-Pyrazinyl, O, O), (N-2548: Me, 3-Pyrrolyl, O, O), (N-  
 10 2549: Me, 1-Me-pyrrole-3-yl, O, O), (N-2550: Me, Pyridine N-oxide-4-yl, O, O),  
 (N-2551: Me, Pyridine N-oxide-3-yl, O, O), (N-2552: Me, 6-OH-pyridine-3-yl, O,  
 O), (N-2553: Me, 6-SH-pyridine-3-yl, O, O), (N-2554: Me, 1-Ac-pyrrole-3-yl, O,  
 O), (N-2555: Me, 4-CF<sub>3</sub>-Ph, O, O), (N-2556: Me, 4-CN-Ph, O, O), (N-2557: Me,  
 4-CHO-Ph, O, O), (N-2558: Me, 3-Cl-Ph, O, O), (N-2559: Me, 3-Br-Ph, O, O),  
 15 (N-2560: Me, 3-F-Ph, O, O), (N-2561: Me, 3-I-Ph, O, O), (N-2562: Me, 4-I-Ph, O,  
 O), (N-2563: Me, 4-OCF<sub>3</sub>-Ph, O, O), (N-2564: Me, 3,4-diI-Ph, O, O), (N-2565:  
 Me, Indole-6-yl, O, O), (N-2566: Me, 1-Ac-indole-6-yl, O, O), (N-2567: Me, 1-  
 Me-indole-6-yl, O, O), (N-2568: Me, 4-(1-Imidazolyl)-Ph, O, O), (N-2569: Me,  
 4-Morpholino-Ph, O, O), (N-2570: Me, 4-(1-Piperazinyl)-Ph, O, O), (N-2571:  
 20 Me, 2:5-diMe-thiophene-3-yl, O, O), (N-2572: Me, 2-Furyl, O, O), (N-2573: Me,  
 5-Me-furan-2-yl, O, O), (N-2574: Me, 5-Me-furan-2-yl, O, O), (N-2575: Me, 2-  
 Thiazolyl, O, O), (N-2576: Me, 1:4-Benzodioxin-6-yl, O, O), (N-2577: Me,  
 Benzo[b]furan-2-yl, O, O), (N-2578: Me, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2579: Me, 4-  
 N(Me)HCH<sub>2</sub>-Ph, O, O), (N-2580: Me, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2581: Me, 6-  
 25 Cl-pyridine-3-yl, O, O), (N-2582: Me, 5,6-diCl-pyridine-3-yl, O, O), (N-2583:  
 Me, 5-Cl-pyridine-2-yl, O, O), (N-2584: Me, 4:5-diCl-pyridine-2-yl, O, O), (N-  
 2585: Me, 4-ClCH<sub>2</sub>-Bn, O, O), (N-2586: Me, Bn, O, O), (N-2587: Me, 4-Cl-Bn, O,

- O), (N-2588: Me, 4-Br-Bn, O, O), (N-2589: Me, 4-F-Bn, O, O), (N-2590: Me, 3,4-diCl-Bn, O, O), (N-2591: Me, 3,4-diBr-Bn, O, O), (N-2592: Me, 3,4-diF-Bn, O, O), (N-2593: Me, 4-Cl-Bz, O, O), (N-2594: Me, 3,4-diCl-Bz, O, O), (N-2595: Me, 4-Br-Bz, O, O), (N-2596: Me, 3,4-diBr-Bz, O, O), (N-2597: Me, 4-F-Bz, O, O), (N-2598: Me, 3,4-diF-Bz, O, O), (N-2599: Me, 4-NO<sub>2</sub>-Bn, O, O), (N-2600: Me, 4-CN-Bn, O, O), (N-2601: Et, Ph, O, O), (N-2602: Et, 4-F-Ph, O, O), (N-2603: Et, 4-Br-Ph, O, O), (N-2604: Et, 4-Me-Ph, O, O), (N-2605: Et, 4-Ph-Ph, O, O), (N-2606: Et, 4-OMe-Ph, O, O), (N-2607: Et, 4-tBu-Ph, O, O), (N-2608: Et, 4-COOMe-Ph, O, O), (N-2609: Et, 4-Pen-Ph, O, O), (N-2610: Et, 4-NO<sub>2</sub>-Ph, O, O), (N-2611: Et, 5-Cl-thiophene-2-yl, O, O), (N-2612: Et, 3-Thienyl, O, O), (N-2613: Et, 2-Py, O, O), (N-2614: Et, 3-Py, O, O), (N-2615: Et, 4-Py, O, O), (N-2616: Et, 3,4-diF-Ph, O, O), (N-2617: Et, 5-Br-thiophene-2-yl, O, O), (N-2618: Et, 4-CONH<sub>2</sub>-Ph, O, O), (N-2619: Et, 4-CON(Me)H-Ph, O, O), (N-2620: Et, 4-CON(Me)<sub>2</sub>-Ph, O, O), (N-2621: Et, 4-iPrOC(=O)-Ph, O, O), (N-2622: Et, 4-nBuOC(=O)-Ph, O, O), (N-2623: Et, 6-Me-pyridine-3-yl, O, O), (N-2624: Et, Quinoline-3-yl, O, O), (N-2625: Et, 4-NH<sub>2</sub>-Ph, O, O), (N-2626: Et, 4-N(Ac)H-Ph, O, O), (N-2627: Et, 4-OH-Ph, O, O), (N-2628: Et, 3,4-di(OH)<sub>2</sub>-Ph, O, O), (N-2629: Et, 3,4-di(NH<sub>2</sub>)-Ph, O, O), (N-2630: Et, 3,4-[N(Ac)H]<sub>2</sub>-Ph, O, O), (N-2631: Et, 4-SH-Ph, O, O), (N-2632: Et, 4-SMe-Ph, O, O), (N-2633: Et, 3,4-diBr-Ph, O, O), (N-2634: Et, 4-N(Me)H-Ph, O, O), (N-2635: Et, 4-N(Me)<sub>2</sub>-Ph, O, O), (N-2636: Et, 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, O, O), (N-2637: Et, 4-Et-Ph, O, O), (N-2638: Et, 4-iPr-Ph, O, O), (N-2639: Et, 4-nPr-Ph, O, O), (N-2640: Et, 4-nBu-Ph, O, O), (N-2641: Et, 4-iBu-Ph, O, O), (N-2642: Et, 3,4-diMe-Ph, O, O), (N-2643: Et, 1,3-Benzodioxole-5-yl, O, O), (N-2644: Et, N-Me-pyridinium-4-yl, O, O), (N-2645: Et, N-Me-pyridinium-3-yl, O, O), (N-2646: Et, 5-Me-Pyridine-2-yl, O, O), (N-2647: Et, 2-Pyrazinyl, O, O), (N-2648: Et, 3-Pyrrolyl, O, O), (N-2649: Et, 1-Me-pyrrole-3-yl, O, O), (N-2650: Et, Pyridine N-oxide-4-yl, O, O), (N-2651: Et,

- Pyridine N-oxide-3-yl, O, O), (N-2652: Et, 6-OH-pyridine-3-yl, O, O), (N-2653: Et, 6-SH-pyridine-3-yl, O, O), (N-2654: Et, 1-Ac-pyrrole-3-yl, O, O), (N-2655: Et, 4-CF<sub>3</sub>-Ph, O, O), (N-2656: Et, 4-CN-Ph, O, O), (N-2657: Et, 4-CHO-Ph, O, O), (N-2658: Et, 3-Cl-Ph, O, O), (N-2659: Et, 3-Br-Ph, O, O), (N-2660: Et, 3-F-Ph, O, O), (N-2661: Et, 3-I-Ph, O, O), (N-2662: Et, 4-I-Ph, O, O), (N-2663: Et, 4-OCF<sub>3</sub>-Ph, O, O), (N-2664: Et, 3,4-diI-Ph, O, O), (N-2665: Et, Indole-6-yl, O, O), (N-2666: Et, 1-Ac-indole-6-yl, O, O), (N-2667: Et, 1-Me-indole-6-yl, O, O), (N-2668: Et, 4-(1-Imidazolyl)-Ph, O, O), (N-2669: Et, 4-Morphorino-Ph, O, O), (N-2670: Et, 4-(1-Piperazinyl)-Ph, O, O), (N-2671: Et, 2:5-diMe-thiophene-3-yl, O, O), (N-2672: Et, 2-Furyl, O, O), (N-2673: Et, 5-Me-furan-2-yl, O, O), (N-2674: Et, 5-Me-furan-2-yl, O, O), (N-2675: Et, 2-Thiazolyl, O, O), (N-2676: Et, 1:4-Benzodioxin-6-yl, O, O), (N-2677: Et, Benzo[b]furan-2-yl, O, O), (N-2678: Et, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2679: Et, 4-N(Me)HCH<sub>2</sub>-Ph, O, O), (N-2680: Et, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2681: Et, 6-Cl-pyridine-3-yl, O, O), (N-2682: Et, 5,6-diCl-pyridine-3-yl, O, O), (N-2683: Et, 5-Cl-pyridine-2-yl, O, O), (N-2684: Et, 4:5-diCl-pyridine-2-yl, O, O), (N-2685: Et, 4-ClCH<sub>2</sub>-Bn, O, O), (N-2686: Et, Bn, O, O), (N-2687: Et, 4-Cl-Bn, O, O), (N-2688: Et, 4-Br-Bn, O, O), (N-2689: Et, 4-F-Bn, O, O), (N-2690: Et, 3,4-diCl-Bn, O, O), (N-2691: Et, 3,4-diBr-Bn, O, O), (N-2692: Et, 3,4-diF-Bn, O, O), (N-2693: Et, 4-Cl-Bz, O, O), (N-2694: Et, 3,4-diCl-Bz, O, O), (N-2695: Et, 4-Br-Bz, O, O), (N-2696: Et, 3,4-diBr-Bz, O, O), (N-2697: Et, 4-F-Bz, O, O), (N-2698: Et, 3,4-diF-Bz, O, O), (N-2699: Et, 4-NO<sub>2</sub>-Bn, O, O), (N-2700: Et, 4-CN-Bn, O, O), (N-2701: COOMe, Ph, O, O), (N-2702: COOMe, 4-F-Ph, O, O), (N-2703: COOMe, 4-Br-Ph, O, O), (N-2704: COOMe, 4-Me-Ph, O, O), (N-2705: COOMe, 4-Ph-Ph, O, O), (N-2706: COOMe, 4-OMe-Ph, O, O), (N-2707: COOMe, 4-tBu-Ph, O, O), (N-2708: COOMe, 4-COOMe-Ph, O, O), (N-2709: COOMe, 4-Pen-Ph, O, O), (N-2710: COOMe, 4-NO<sub>2</sub>-Ph, O, O), (N-2711: COOMe, 5-Cl-thiophene-2-yl, O, O), (N-2712: COOMe,

- 3-Thienyl, O, O), (N-2713: COOMe, 2-Py, O, O), (N-2714: COOMe, 3-Py, O, O),  
(N-2715: COOMe, 4-Py, O, O), (N-2716: COOMe, 3,4-diF-Ph, O, O), (N-2717:  
COOMe, 5-Br-thiophene-2-yl, O, O), (N-2718: COOMe, 4-CONH<sub>2</sub>-Ph, O, O),  
(N-2719: COOMe, 4-CON(Me)H-Ph, O, O), (N-2720: COOMe, 4-CON(Me)<sub>2</sub>-Ph,  
5 O, O), (N-2721: COOMe, 4-iPrOC(=O)-Ph, O, O), (N-2722: COOMe, 4-  
nBuOC(=O)-Ph, O, O), (N-2723: COOMe, 6-Me-pyridine-3-yl, O, O), (N-2724:  
COOMe, Quinoline-3-yl, O, O), (N-2725: COOMe, 4-NH<sub>2</sub>-Ph, O, O), (N-2726:  
COOMe, 4-N(Ac)H-Ph, O, O), (N-2727: COOMe, 4-OH-Ph, O, O), (N-2728:  
COOMe, 3,4-di(OH)<sub>2</sub>-Ph, O, O), (N-2729: COOMe, 3,4-di(NH<sub>2</sub>)-Ph, O, O), (N-  
10 2730: COOMe, 3:4-[N(Ac)H]<sub>2</sub>-Ph, O, O), (N-2731: COOMe, 4-SH-Ph, O, O), (N-  
2732: COOMe, 4-SMe-Ph, O, O), (N-2733: COOMe, 3,4-diBr-Ph, O, O), (N-2734:  
COOMe, 4-N(Me)H-Ph, O, O), (N-2735: COOMe, 4-N(Me)<sub>2</sub>-Ph, O, O), (N-2736:  
COOMe, 4-N(Me)s<sup>+</sup>-Ph, O, O), (N-2737: COOMe, 4-Et-Ph, O, O), (N-2738:  
COOMe, 4-iPr-Ph, O, O), (N-2739: COOMe, 4-nPr-Ph, O, O), (N-2740: COOMe,  
15 4-nBu-Ph, O, O), (N-2741: COOMe, 4-iBu-Ph, O, O), (N-2742: COOMe, 3,4-  
diMe-Ph, O, O), (N-2743: COOMe, 1,3-Benzodioxole-5-yl, O, O), (N-2744:  
COOMe, N-Me-pyridinium-4-yl, O, O), (N-2745: COOMe, N-Me-pyridinium-3-  
yl, O, O), (N-2746: COOMe, 5-Me-Pyridine-2-yl, O, O), (N-2747: COOMe, 2-  
Pyrazinyl, O, O), (N-2748: COOMe, 3-Pyrrolyl, O, O), (N-2749: COOMe, 1-  
20 Me-pyrrole-3-yl, O, O), (N-2750: COOMe, Pyridine N-oxide-4-yl, O, O), (N-  
2751: COOMe, Pyridine N-oxide-3-yl, O, O), (N-2752: COOMe, 6-OH-  
pyridine-3-yl, O, O), (N-2753: COOMe, 6-SH-pyridine-3-yl, O, O), (N-2754:  
COOMe, 1-Ac-pyrrole-3-yl, O, O), (N-2755: COOMe, 4-CF<sub>3</sub>-Ph, O, O), (N-2756:  
COOMe, 4-CN-Ph, O, O), (N-2757: COOMe, 4-CHO-Ph, O, O), (N-2758: COOMe,  
25 3-Cl-Ph, O, O), (N-2759: COOMe, 3-Br-Ph, O, O), (N-2760: COOMe, 3-F-Ph, O,  
O), (N-2761: COOMe, 3-I-Ph, O, O), (N-2762: COOMe, 4-I-Ph, O, O), (N-2763:  
COOMe, 4-OCF<sub>3</sub>-Ph, O, O), (N-2764: COOMe, 3,4-diI-Ph, O, O), (N-2765:



- COOMe, Indole-6-yl, O, O), (N-2766: COOMe, 1-Ac-indole-6-yl, O, O), (N-2767: COOMe, 1-Me-indole-6-yl, O, O), (N-2768: COOMe, 4-(1-Imidazolyl)-Ph, O, O), (N-2769: COOMe, 4-Morpholino-Ph, O, O), (N-2770: COOMe, 4-(1-Piperazinyl)-Ph, O, O), (N-2771: COOMe, 2,5-diMe-thiophene-3-yl, O, O), (N-2772: COOMe, 2-Furyl, O, O), (N-2773: COOMe, 5-Me-furan-2-yl, O, O), (N-2774: COOMe, 5-Me-furan-2-yl, O, O), (N-2775: COOMe, 2-Thiazolyl, O, O), (N-2776: COOMe, 1,4-Benzodioxin-6-yl, O, O), (N-2777: COOMe, Benzo[b]furan-2-yl, O, O), (N-2778: COOMe, 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2779: COOMe, 4-N(Me)HCH<sub>2</sub>-Ph, O, O), (N-2780: COOMe, 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, O, O), (N-2781: COOMe, 6-Cl-pyridine-3-yl, O, O), (N-2782: COOMe, 5,6-diCl-pyridine-3-yl, O, O), (N-2783: COOMe, 5-Cl-pyridine-2-yl, O, O), (N-2784: COOMe, 4:5-diCl-pyridine-2-yl, O, O), (N-2785: COOMe, 4-ClCH<sub>2</sub>-Bn, O, O), (N-2786: COOMe, Bn, O, O), (N-2787: COOMe, 4-Cl-Bn, O, O), (N-2788: COOMe, 4-Br-Bn, O, O), (N-2789: COOMe, 4-F-Bn, O, O), (N-2790: COOMe, 3,4-diCl-Bn, O, O), (N-2791: COOMe, 3,4-diBr-Bn, O, O), (N-2792: COOMe, 3,4-diF-Bn, O, O), (N-2793: COOMe, 4-Cl-Bz, O, O), (N-2794: COOMe, 3,4-diCl-Bz, O, O), (N-2795: COOMe, 4-Br-Bz, O, O), (N-2796: COOMe, 3,4-diBr-Bz, O, O), (N-2797: COOMe, 4-F-Bz, O, O), (N-2798: COOMe, 3,4-diF-Bz, O, O), (N-2799: COOMe, 4-NO<sub>2</sub>-Bn, O, O), (N-2800: COOMe, 4-CN-Bn, O, O), (N-2801: 4-F-Ph, CONH<sub>2</sub>, S, S), (N-2802: 4-Br-Ph, CONH<sub>2</sub>, S, S), (N-2803: 5-Cl-thiophene-2-yl, CONH<sub>2</sub>, S, S), (N-2804: 3,4-diF-Ph, CONH<sub>2</sub>, S, S), (N-2805: 5-Br-thiophene-2-yl, CONH<sub>2</sub>, S, S), (N-2806: 3,4-diBr-Ph, CONH<sub>2</sub>, S, S), (N-2807: 4-CF<sub>3</sub>-Ph, CONH<sub>2</sub>, S, S), (N-2808: 3-Cl-Ph, CONH<sub>2</sub>, S, S), (N-2809: 3-Br-Ph, CONH<sub>2</sub>, S, S), (N-2810: 3-F-Ph, CONH<sub>2</sub>, S, S), (N-2811: 4-F-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2812: 4-Br-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2813: 5-Cl-thiophene-2-yl, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2814: 3,4-diF-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2815: 5-Br-thiophene-2-yl, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2816: 3,4-diBr-Ph,

- CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2817: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2818: 3-Cl-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2819: 3-Br-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2820: 3-F-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, S), (N-2821: 4-F-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2822: 4-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2823: 5-Cl-thiophene-2-yl, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2824: 3,4-diF-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2825: 5-Br-thiophene-2-yl, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2826: 3,4-diBr-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2827: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2828: 3-Cl-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2829: 3-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2830: 3-F-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, S), (N-2831: 4-F-Ph, CO<sub>2</sub>H, S, S), (N-2832: 4-Br-Ph, CO<sub>2</sub>H, S, S), (N-2833: 5-Cl-thiophene-2-yl, CO<sub>2</sub>H, S, S), (N-2834: 3,4-diF-Ph, CO<sub>2</sub>H, S, S), (N-2835: 5-Br-thiophene-2-yl, CO<sub>2</sub>H, S, S), (N-2836: 3,4-diBr-Ph, CO<sub>2</sub>H, S, S), (N-2837: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>H, S, S), (N-2838: 3-Cl-Ph, CO<sub>2</sub>H, S, S), (N-2839: 3-Br-Ph, CO<sub>2</sub>H, S, S), (N-2840: 3-F-Ph, CO<sub>2</sub>H, S, S), (N-2841: 4-F-Ph, NH<sub>2</sub>, S, S), (N-2842: 4-Br-Ph, NH<sub>2</sub>, S, S), (N-2843: 5-Cl-thiophene-2-yl, NH<sub>2</sub>, S, S), (N-2844: 3,4-diF-Ph, NH<sub>2</sub>, S, S), (N-2845: 5-Br-thiophene-2-yl, NH<sub>2</sub>, S, S), (N-2846: 3,4-diBr-Ph, NH<sub>2</sub>, S, S), (N-2847: 4-CF<sub>3</sub>-Ph, NH<sub>2</sub>, S, S), (N-2848: 3-Cl-Ph, NH<sub>2</sub>, S, S), (N-2849: 3-Br-Ph, NH<sub>2</sub>, S, S), (N-2850: 3-F-Ph, NH<sub>2</sub>, S, S), (N-2851: 4-F-Ph, CH<sub>2</sub>COOMe, S, S), (N-2852: 4-Br-Ph, CH<sub>2</sub>COOMe, S, S), (N-2853: 5-Cl-thiophene-2-yl, CH<sub>2</sub>COOMe, S, S), (N-2854: 3,4-diF-Ph, CH<sub>2</sub>COOMe, S, S), (N-2855: 5-Br-thiophene-2-yl, CH<sub>2</sub>COOMe, S, S), (N-2856: 3,4-diBr-Ph, CH<sub>2</sub>COOMe, S, S), (N-2857: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COOMe, S, S), (N-2858: 3-Cl-Ph, CH<sub>2</sub>COOMe, S, S), (N-2859: 3-Br-Ph, CH<sub>2</sub>COOMe, S, S), (N-2860: 3-F-Ph, CH<sub>2</sub>COOMe, S, S), (N-2861: 4-F-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2862: 4-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2863: 5-Cl-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2864: 3,4-diF-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2865: 5-Br-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2866: 3,4-diBr-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2867: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2868: 3-Cl-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, S, S), (N-2869: 3-

- Br-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, S), (N-2870: 3-F-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, S), (N-2871: 4-F-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2872: 4-Br-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2873: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2874: 3,4-diF-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2875: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2876: 3,4-diBr-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2877: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2878: 3-Cl-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2879: 3-Br-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2880: 3-F-Ph,  $\text{CH}_2\text{COONH}_2$ , S, S), (N-2881: 4-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2882: 4-Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2883: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2884: 3,4-diF-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2885: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2886: 3,4-diBr-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2887: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2888: 3-Cl-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2889: 3-Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2890: 3-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, S), (N-2893: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2894: 3,4-diF-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2895: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2896: 3,4-diBr-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2897: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2898: 3-Cl-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2899: 3-Br-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2900: 3-F-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, S), (N-2901: 4-F-Ph,  $\text{CONH}_2$ , O, S), (N-2902: 4-Br-Ph,  $\text{CONH}_2$ , O, S), (N-2903: 5-Cl-thiophene-2-yl,  $\text{CONH}_2$ , O, S), (N-2904: 3,4-diF-Ph,  $\text{CONH}_2$ , O, S), (N-2905: 5-Br-thiophene-2-yl,  $\text{CONH}_2$ , O, S), (N-2906: 3,4-diBr-Ph,  $\text{CONH}_2$ , O, S), (N-2907: 4- $\text{CF}_3$ -Ph,  $\text{CONH}_2$ , O, S), (N-2908: 3-Cl-Ph,  $\text{CONH}_2$ , O, S), (N-2909: 3-Br-Ph,  $\text{CONH}_2$ , O, S), (N-2910: 3-F-Ph,  $\text{CONH}_2$ , O, S), (N-2911: 4-F-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2912: 4-Br-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2913: 5-Cl-thiophene-2-yl,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2914: 3,4-diF-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2915: 5-Br-thiophene-2-yl,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2916: 3,4-diBr-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2917: 4- $\text{CF}_3$ -Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2918: 3-Cl-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2919: 3-Br-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2920: 3-F-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, S), (N-2921: 4-F-Ph,

- CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2922: 4-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2923: 5-Cl-thiophene-2-yl, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2924: 3,4-diF-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2925: 5-Br-thiophene-2-yl, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2926: 3,4-diBr-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2927: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2928: 3-Cl-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2929: 3-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2930: 3-F-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, S), (N-2931: 4-F-Ph, CO<sub>2</sub>H, O, S), (N-2932: 4-Br-Ph, CO<sub>2</sub>H, O, S), (N-2933: 5-Cl-thiophene-2-yl, CO<sub>2</sub>H, O, S), (N-2934: 3,4-diF-Ph, CO<sub>2</sub>H, O, S), (N-2935: 5-Br-thiophene-2-yl, CO<sub>2</sub>H, O, S), (N-2936: 3,4-diBr-Ph, CO<sub>2</sub>H, O, S), (N-2937: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>H, O, S), (N-2938: 3-Cl-Ph, CO<sub>2</sub>H, O, S), (N-2939: 3-Br-Ph, CO<sub>2</sub>H, O, S), (N-2940: 3-F-Ph, CO<sub>2</sub>H, O, S), (N-2941: 4-F-Ph, NH<sub>2</sub>, O, S), (N-2942: 4-Br-Ph, NH<sub>2</sub>, O, S), (N-2943: 5-Cl-thiophene-2-yl, NH<sub>2</sub>, O, S), (N-2944: 3,4-diF-Ph, NH<sub>2</sub>, O, S), (N-2945: 5-Br-thiophene-2-yl, NH<sub>2</sub>, O, S), (N-2946: 3,4-diBr-Ph, NH<sub>2</sub>, O, S), (N-2947: 4-CF<sub>3</sub>-Ph, NH<sub>2</sub>, O, S), (N-2948: 3-Cl-Ph, NH<sub>2</sub>, O, S), (N-2949: 3-Br-Ph, NH<sub>2</sub>, O, S), (N-2950: 3-F-Ph, NH<sub>2</sub>, O, S), (N-2951: 4-F-Ph, CH<sub>2</sub>COOMe, O, S), (N-2952: 4-Br-Ph, CH<sub>2</sub>COOMe, O, S), (N-2953: 5-Cl-thiophene-2-yl, CH<sub>2</sub>COOMe, O, S), (N-2954: 3,4-diF-Ph, CH<sub>2</sub>COOMe, O, S), (N-2955: 5-Br-thiophene-2-yl, CH<sub>2</sub>COOMe, O, S), (N-2956: 3,4-diBr-Ph, CH<sub>2</sub>COOMe, O, S), (N-2957: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COOMe, O, S), (N-2958: 3-Cl-Ph, CH<sub>2</sub>COOMe, O, S), (N-2959: 3-Br-Ph, CH<sub>2</sub>COOMe, O, S), (N-2960: 3-F-Ph, CH<sub>2</sub>COOMe, O, S), (N-2961: 4-F-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2962: 4-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2963: 5-Cl-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2964: 3,4-diF-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2965: 5-Br-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2966: 3,4-diBr-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2967: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2968: 3-Cl-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2969: 3-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2970: 3-F-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, S), (N-2971: 4-F-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2972: 4-Br-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2973: 5-Cl-thiophene-2-yl,

- CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2974: 3,4-diF-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2975: 5-Br-thiophene-2-yl, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2976: 3,4-diBr-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2977: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2978: 3-Cl-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2979: 3-Br-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S), (N-2980: 3-F-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, S),
- 5 (N-2981: 4-F-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2982: 4-Br-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2983: 5-Cl-thiophene-2-yl, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2984: 3,4-diF-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2985: 5-Br-thiophene-2-yl, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2986: 3,4-diBr-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2987: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2988: 3-Cl-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2989: 3-
- 10 Br-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2990: 3-F-Ph, CH<sub>2</sub>COONHCH<sub>3</sub>, O, S), (N-2991: 4-F-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2992: 4-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2993: 5-Cl-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2994: 3,4-diF-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2995: 5-Br-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2996: 3,4-diBr-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2997: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2998: 3-Cl-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-2999: 3-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-3000: 3-F-Ph, CH<sub>2</sub>CH<sub>2</sub>Cl, O, S), (N-3001: 4-F-Ph, CONH<sub>2</sub>, S, O), (N-3002: 4-Br-Ph, CONH<sub>2</sub>, S, O), (N-3003: 5-Cl-thiophene-2-yl, CONH<sub>2</sub>, S, O), (N-3004: 3,4-diF-Ph, CONH<sub>2</sub>, S, O), (N-3005: 5-Br-thiophene-2-yl, CONH<sub>2</sub>, S, O), (N-3006: 3,4-diBr-Ph, CONH<sub>2</sub>, S, O), (N-3007: 4-CF<sub>3</sub>-Ph, CONH<sub>2</sub>, S, O), (N-3008: 3-Cl-Ph, CONH<sub>2</sub>, S, O), (N-3009: 3-Br-Ph, CONH<sub>2</sub>, S, O), (N-3010: 3-F-Ph, CONH<sub>2</sub>, S, O), (N-3011: 4-F-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3012: 4-Br-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3013: 5-Cl-thiophene-2-yl, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3014: 3,4-diF-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3015: 5-Br-thiophene-2-yl, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3016: 3,4-diBr-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3017: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3018: 3-Cl-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3019: 3-Br-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3020: 3-F-Ph, CO<sub>2</sub>NHCH<sub>3</sub>, S, O), (N-3021: 4-F-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, O), (N-3022: 4-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, O), (N-3023: 5-Cl-thiophene-2-yl, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, S, O), (N-3024:
- 25

- 3,4-diF-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3025: 5-Br-thiophene-2-yl,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3026: 3,4-diBr-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3027: 4- $\text{CF}_3$ -Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3028: 3-Cl-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3029: 3-Br-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3030: 3-F-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , S, O), (N-3031: 4-F-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3032: 4-Br-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3033: 5-Cl-thiophene-2-yl,  $\text{CO}_2\text{H}$ , S, O), (N-3034: 3,4-diF-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3035: 5-Br-thiophene-2-yl,  $\text{CO}_2\text{H}$ , S, O), (N-3036: 3,4-diBr-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3037: 4- $\text{CF}_3$ -Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3038: 3-Cl-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3039: 3-Br-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3040: 3-F-Ph,  $\text{CO}_2\text{H}$ , S, O), (N-3041: 4-F-Ph,  $\text{NH}_2$ , S, O), (N-3042: 4-Br-Ph,  $\text{NH}_2$ , S, O), (N-3043: 5-Cl-thiophene-2-yl,  $\text{NH}_2$ , S, O), (N-3044: 3,4-diF-Ph,  $\text{NH}_2$ , S, O), (N-3045: 5-Br-thiophene-2-yl,  $\text{NH}_2$ , S, O), (N-3046: 3,4-diBr-Ph,  $\text{NH}_2$ , S, O), (N-3047: 4- $\text{CF}_3$ -Ph,  $\text{NH}_2$ , S, O), (N-3048: 3-Cl-Ph,  $\text{NH}_2$ , S, O), (N-3049: 3-Br-Ph,  $\text{NH}_2$ , S, O), (N-3050: 3-F-Ph,  $\text{NH}_2$ , S, O), (N-3051: 4-F-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3052: 4-Br-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3053: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3054: 3,4-diF-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3055: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3056: 3,4-diBr-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3057: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3058: 3-Cl-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3059: 3-Br-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3060: 3-F-Ph,  $\text{CH}_2\text{COOMe}$ , S, O), (N-3061: 4-F-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3062: 4-Br-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3063: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3064: 3,4-diF-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3065: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3066: 3,4-diBr-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3067: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3068: 3-Cl-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3069: 3-Br-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3070: 3-F-Ph,  $\text{CH}_2\text{CH}_2\text{COOMe}$ , S, O), (N-3071: 4-F-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3072: 4-Br-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3073: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3074: 3,4-diF-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3075: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-

- 3076: 3,4-diBr-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3077: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{COONH}_2$ , S, O),  
 (N-3078: 3-Cl-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3079: 3-Br-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O),  
 (N-3080: 3-F-Ph,  $\text{CH}_2\text{COONH}_2$ , S, O), (N-3081: 4-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O),  
 (N-3082: 4-Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3083: 5-Cl-thiophene-2-yl,  
 5 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3085:  
 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3086: 3,4-diBr-Ph,  
 $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3087: 4- $\text{CF}_3$ -Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3088:  
 3-Cl-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3089: 3-Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O),  
 (N-3090: 3-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , S, O), (N-3091: 4-F-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O),  
 10 (N-3092: 4-Br-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3093: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{Cl}$ ,  
 S, O), (N-3094: 3,4-diF-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3095: 5-Br-thiophene-2-yl,  
 $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3096: 3,4-diBr-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3097: 4- $\text{CF}_3$ -Ph,  
 $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3098: 3-Cl-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3099: 3-Br-Ph,  
 $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3100: 3-F-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , S, O), (N-3101: 4-F-Ph,  $\text{CONH}_2$ ,  
 15 O, O), (N-3102: 4-Br-Ph,  $\text{CONH}_2$ , O, O), (N-3103: 5-Cl-thiophene-2-yl,  $\text{CONH}_2$ ,  
 O, O), (N-3104: 3,4-diF-Ph,  $\text{CONH}_2$ , O, O), (N-3105: 5-Br-thiophene-2-yl,  
 $\text{CONH}_2$ , O, O), (N-3106: 3,4-diBr-Ph,  $\text{CONH}_2$ , O, O), (N-3107: 4- $\text{CF}_3$ -Ph,  
 $\text{CONH}_2$ , O, O), (N-3108: 3-Cl-Ph,  $\text{CONH}_2$ , O, O), (N-3109: 3-Br-Ph,  $\text{CONH}_2$ , O,  
 O), (N-3110: 3-F-Ph,  $\text{CONH}_2$ , O, O), (N-3111: 4-F-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-  
 20 3112: 4-Br-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3113: 5-Cl-thiophene-2-yl,  $\text{CO}_2\text{NHCH}_3$ , O,  
 O), (N-3114: 3,4-diF-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3115: 5-Br-thiophene-2-yl,  
 $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3116: 3,4-diBr-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3117: 4- $\text{CF}_3$ -  
 Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3118: 3-Cl-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3119: 3-Br-Ph,  
 $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3120: 3-F-Ph,  $\text{CO}_2\text{NHCH}_3$ , O, O), (N-3121: 4-F-Ph,  
 25  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , O, O), (N-3122: 4-Br-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , O, O), (N-3123: 5-Cl-  
 thiophene-2-yl,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , O, O), (N-3124: 3,4-diF-Ph,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , O, O),  
 (N-3125: 5-Br-thiophene-2-yl,  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , O, O), (N-3126: 3,4-diBr-Ph,

- CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, O), (N-3127: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, O), (N-3128: 3-Cl-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, O), (N-3129: 3-Br-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, O), (N-3130: 3-F-Ph, CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, O, O), (N-3131: 4-F-Ph, CO<sub>2</sub>H, O, O), (N-3132: 4-Br-Ph, CO<sub>2</sub>H, O, O), (N-3133: 5-Cl-thiophene-2-yl, CO<sub>2</sub>H, O, O), (N-3134: 3,4-diF-Ph, CO<sub>2</sub>H, O, O), (N-3135: 5-Br-thiophene-2-yl, CO<sub>2</sub>H, O, O), (N-3136: 3,4-diBr-Ph, CO<sub>2</sub>H, O, O), (N-3137: 4-CF<sub>3</sub>-Ph, CO<sub>2</sub>H, O, O), (N-3138: 3-Cl-Ph, CO<sub>2</sub>H, O, O), (N-3139: 3-Br-Ph, CO<sub>2</sub>H, O, O), (N-3140: 3-F-Ph, CO<sub>2</sub>H, O, O), (N-3141: 4-F-Ph, NH<sub>2</sub>, O, O), (N-3142: 4-Br-Ph, NH<sub>2</sub>, O, O), (N-3143: 5-Cl-thiophene-2-yl, NH<sub>2</sub>, O, O), (N-3144: 3,4-diF-Ph, NH<sub>2</sub>, O, O), (N-3145: 5-Br-thiophene-2-yl, NH<sub>2</sub>, O, O), (N-3146: 3,4-diBr-Ph, NH<sub>2</sub>, O, O), (N-3147: 4-CF<sub>3</sub>-Ph, NH<sub>2</sub>, O, O), (N-3148: 3-Cl-Ph, NH<sub>2</sub>, O, O), (N-3149: 3-Br-Ph, NH<sub>2</sub>, O, O), (N-3150: 3-F-Ph, NH<sub>2</sub>, O, O), (N-3151: 4-F-Ph, CH<sub>2</sub>COOMe, O, O), (N-3152: 4-Br-Ph, CH<sub>2</sub>COOMe, O, O), (N-3153: 5-Cl-thiophene-2-yl, CH<sub>2</sub>COOMe, O, O), (N-3154: 3,4-diF-Ph, CH<sub>2</sub>COOMe, O, O), (N-3155: 5-Br-thiophene-2-yl, CH<sub>2</sub>COOMe, O, O), (N-3156: 3,4-diBr-Ph, CH<sub>2</sub>COOMe, O, O), (N-3157: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COOMe, O, O), (N-3158: 3-Cl-Ph, CH<sub>2</sub>COOMe, O, O), (N-3159: 3-Br-Ph, CH<sub>2</sub>COOMe, O, O), (N-3160: 3-F-Ph, CH<sub>2</sub>COOMe, O, O), (N-3161: 4-F-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3162: 4-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3163: 5-Cl-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3164: 3,4-diF-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3165: 5-Br-thiophene-2-yl, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3166: 3,4-diBr-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3167: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3168: 3-Cl-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3169: 3-Br-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3170: 3-F-Ph, CH<sub>2</sub>CH<sub>2</sub>COOMe, O, O), (N-3171: 4-F-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3172: 4-Br-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3173: 5-Cl-thiophene-2-yl, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3174: 3,4-diF-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3175: 5-Br-thiophene-2-yl, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3176: 3,4-diBr-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3177: 4-CF<sub>3</sub>-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O), (N-3178: 3-Cl-Ph, CH<sub>2</sub>COONH<sub>2</sub>, O, O),



- (N-3179: 3-Br-Ph,  $\text{CH}_2\text{COONH}_2$ , O, O), (N-3180: 3-F-Ph,  $\text{CH}_2\text{COONH}_2$ , O, O),  
 (N-3181: 4-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3182: 4-Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ ,  
 O, O), (N-3183: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3184: 3,4-diF-  
 Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3185: 5-Br-thiophene-2-yl,  $\text{CH}_2\text{COONHCH}_3$ , O,  
 5 O), (N-3186: 3,4-diBr-Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3187: 4- $\text{CF}_3$ -Ph,  
 $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3188: 3-Cl-Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3189: 3-  
 Br-Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-3190: 3-F-Ph,  $\text{CH}_2\text{COONHCH}_3$ , O, O), (N-  
 3192: 4-Br-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3193: 5-Cl-thiophene-2-yl,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O,  
 O), (N-3194: 3,4-diF-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3195: 5-Br-thiophene-2-yl,  
 10  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3196: 3,4-diBr-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3197: 4- $\text{CF}_3$ -Ph,  
 $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3198: 3-Cl-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3199: 3-Br-Ph,  
 $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3200: 3-F-Ph,  $\text{CH}_2\text{CH}_2\text{Cl}$ , O, O), (N-3301:  $\text{CONH}_2$ , 4-F-Ph,  
 S, S), (N-3302:  $\text{CONH}_2$ , 4-Br-Ph, S, S), (N-3303:  $\text{CONH}_2$ , 5-Cl-thiophene-2-yl,  
 S, S), (N-3304:  $\text{CONH}_2$ , 3,4-diF-Ph, S, S), (N-3305:  $\text{CONH}_2$ , 5-Br-thiophene-2-  
 15 yl, S, S), (N-3306:  $\text{CONH}_2$ , 3,4-diBr-Ph, S, S), (N-3307:  $\text{CONH}_2$ , 4- $\text{CF}_3$ -Ph, S, S),  
 (N-3308:  $\text{CONH}_2$ , 3-Cl-Ph, S, S), (N-3309:  $\text{CONH}_2$ , 3-Br-Ph, S, S), (N-3310:  
 $\text{CONH}_2$ , 3-F-Ph, S, S), (N-3311:  $\text{CO}_2\text{NHCH}_3$ , 4-F-Ph, S, S), (N-3312:  
 $\text{CO}_2\text{NHCH}_3$ , 4-Br-Ph, S, S), (N-3313:  $\text{CO}_2\text{NHCH}_3$ , 5-Cl-thiophene-2-yl, S, S),  
 (N-3314:  $\text{CO}_2\text{NHCH}_3$ , 3,4-diF-Ph, S, S), (N-3315:  $\text{CO}_2\text{NHCH}_3$ , 5-Br-thiophene-  
 20 2-yl, S, S), (N-3316:  $\text{CO}_2\text{NHCH}_3$ , 3,4-diBr-Ph, S, S), (N-3317:  $\text{CO}_2\text{NHCH}_3$ , 4-  
 $\text{CF}_3$ -Ph, S, S), (N-3318:  $\text{CO}_2\text{NHCH}_3$ , 3-Cl-Ph, S, S), (N-3319:  $\text{CO}_2\text{NHCH}_3$ , 3-  
 Br-Ph, S, S), (N-3320:  $\text{CO}_2\text{NHCH}_3$ , 3-F-Ph, S, S), (N-3321:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4-F-Ph,  
 S, S), (N-3322:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4-Br-Ph, S, S), (N-3323:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 5-Cl-  
 thiophene-2-yl, S, S), (N-3324:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3,4-diF-Ph, S, S), (N-3325:  
 25  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 5-Br-thiophene-2-yl, S, S), (N-3326:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3,4-diBr-Ph, S,  
 S), (N-3327:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4- $\text{CF}_3$ -Ph, S, S), (N-3328:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-Cl-Ph, S, S),  
 (N-3329:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-Br-Ph, S, S), (N-3330:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-F-Ph, S, S), (N-

- 3331: CO<sub>2</sub>H, 4-F-Ph, S, S), (N-3332: CO<sub>2</sub>H, 4-Br-Ph, S, S), (N-3333: CO<sub>2</sub>H, 5-Cl-thiophene-2-yl, S, S), (N-3334: CO<sub>2</sub>H, 3,4-diF-Ph, S, S), (N-3335: CO<sub>2</sub>H, 5-Br-thiophene-2-yl, S, S), (N-3336: CO<sub>2</sub>H, 3,4-diBr-Ph, S, S), (N-3337: CO<sub>2</sub>H, 4-CF<sub>3</sub>-Ph, S, S), (N-3338: CO<sub>2</sub>H, 3-Cl-Ph, S, S), (N-3339: CO<sub>2</sub>H, 3-Br-Ph, S, S),
- 5 (N-3340: CO<sub>2</sub>H, 3-F-Ph, S, S), (N-3341: NH<sub>2</sub>, 4-F-Ph, S, S), (N-3342: NH<sub>2</sub>, 4-Br-Ph, S, S), (N-3343: NH<sub>2</sub>, 5-Cl-thiophene-2-yl, S, S), (N-3344: NH<sub>2</sub>, 3,4-diF-Ph, S, S), (N-3345: NH<sub>2</sub>, 5-Br-thiophene-2-yl, S, S), (N-3346: NH<sub>2</sub>, 3,4-diBr-Ph, S, S), (N-3347: NH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, S, S), (N-3348: NH<sub>2</sub>, 3-Cl-Ph, S, S), (N-3349: NH<sub>2</sub>, 3-Br-Ph, S, S), (N-3350: NH<sub>2</sub>, 3-F-Ph, S, S), (N-3351: CH<sub>2</sub>COOMe, 4-F-Ph, S, S), (N-3352: CH<sub>2</sub>COOMe, 4-Br-Ph, S, S), (N-3353: CH<sub>2</sub>COOMe, 5-Cl-thiophene-2-yl, S, S), (N-3354: CH<sub>2</sub>COOMe, 3,4-diF-Ph, S, S), (N-3355: CH<sub>2</sub>COOMe, 5-Br-thiophene-2-yl, S, S), (N-3356: CH<sub>2</sub>COOMe, 3,4-diBr-Ph, S, S), (N-3357: CH<sub>2</sub>COOMe, 4-CF<sub>3</sub>-Ph, S, S), (N-3358: CH<sub>2</sub>COOMe, 3-Cl-Ph, S, S), (N-3359: CH<sub>2</sub>COOMe, 3-Br-Ph, S, S), (N-3360: CH<sub>2</sub>COOMe, 3-F-Ph, S, S), (N-3361: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-F-Ph, S, S), (N-3362: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-Br-Ph, S, S), (N-3363: CH<sub>2</sub>CH<sub>2</sub>COOMe, 5-Cl-thiophene-2-yl, S, S), (N-3364: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3,4-diF-Ph, S, S), (N-3365: CH<sub>2</sub>CH<sub>2</sub>COOMe, 5-Br-thiophene-2-yl, S, S), (N-3366: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3,4-diBr-Ph, S, S), (N-3367: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-CF<sub>3</sub>-Ph, S, S), (N-3368: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-Cl-Ph, S, S), (N-3369: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-Br-Ph, S, S), (N-3370: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-F-Ph, S, S), (N-3371: CH<sub>2</sub>COONH<sub>2</sub>, 4-F-Ph, S, S), (N-3372: CH<sub>2</sub>COONH<sub>2</sub>, 4-Br-Ph, S, S), (N-3373: CH<sub>2</sub>COONH<sub>2</sub>, 5-Cl-thiophene-2-yl, S, S), (N-3374: CH<sub>2</sub>COONH<sub>2</sub>, 3,4-diF-Ph, S, S), (N-3375: CH<sub>2</sub>COONH<sub>2</sub>, 5-Br-thiophene-2-yl, S, S), (N-3376: CH<sub>2</sub>COONH<sub>2</sub>, 3,4-diBr-Ph, S, S), (N-3377: CH<sub>2</sub>COONH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, S, S), (N-3378: CH<sub>2</sub>COONH<sub>2</sub>, 3-Cl-Ph, S, S), (N-3379: CH<sub>2</sub>COONH<sub>2</sub>, 3-Br-Ph, S, S), (N-3380: CH<sub>2</sub>COONH<sub>2</sub>, 3-F-Ph, S, S), (N-3381: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-F-Ph, S, S), (N-3382: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-Br-Ph, S, S), (N-3383: CH<sub>2</sub>COONHCH<sub>3</sub>, 5-Cl-thiophene-2-yl, S, S), (N-3384:
- 10
- 15
- 20
- 25

- CH<sub>2</sub>COONHCH<sub>3</sub>, 3,4-diF-Ph, S, S), (N-3385: CH<sub>2</sub>COONHCH<sub>3</sub>, 5-Br-thiophene-2-yl, S, S), (N-3386: CH<sub>2</sub>COONHCH<sub>3</sub>, 3,4-diBr-Ph, S, S), (N-3387: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-CF<sub>3</sub>-Ph, S, S), (N-3388: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Cl-Ph, S, S), (N-3389: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Br-Ph, S, S), (N-3390: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-F-Ph, S, S), (N-3391: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-F-Ph, S, S), (N-3392: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-Br-Ph, S, S), (N-3393: CH<sub>2</sub>CH<sub>2</sub>Cl, 5-Cl-thiophene-2-yl, S, S), (N-3394: CH<sub>2</sub>CH<sub>2</sub>Cl, 3,4-diF-Ph, S, S), (N-3395: CH<sub>2</sub>CH<sub>2</sub>Cl, 5-Br-thiophene-2-yl, S, S), (N-3396: CH<sub>2</sub>CH<sub>2</sub>Cl, 3,4-diBr-Ph, S, S), (N-3397: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-CF<sub>3</sub>-Ph, S, S), (N-3398: CH<sub>2</sub>CH<sub>2</sub>Cl, 3-Cl-Ph, S, S), (N-3399: CH<sub>2</sub>CH<sub>2</sub>Cl, 3-Br-Ph, S, S), (N-3400: CH<sub>2</sub>CH<sub>2</sub>Cl, 3-F-Ph, S, S), (N-3401: CONH<sub>2</sub>, 4-F-Ph, S, O), (N-3402: CONH<sub>2</sub>, 4-Br-Ph, S, O), (N-3403: CONH<sub>2</sub>, 5-Cl-thiophene-2-yl, S, O), (N-3404: CONH<sub>2</sub>, 3,4-diF-Ph, S, O), (N-3405: CONH<sub>2</sub>, 5-Br-thiophene-2-yl, S, O), (N-3406: CONH<sub>2</sub>, 3,4-diBr-Ph, S, O), (N-3407: CONH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, S, O), (N-3408: CONH<sub>2</sub>, 3-Cl-Ph, S, O), (N-3409: CONH<sub>2</sub>, 3-Br-Ph, S, O), (N-3410: CONH<sub>2</sub>, 3-F-Ph, S, O), (N-3411: CO<sub>2</sub>NHCH<sub>3</sub>, 4-F-Ph, S, O), (N-3412: CO<sub>2</sub>NHCH<sub>3</sub>, 4-Br-Ph, S, O), (N-3413: CO<sub>2</sub>NHCH<sub>3</sub>, 5-Cl-thiophene-2-yl, S, O), (N-3414: CO<sub>2</sub>NHCH<sub>3</sub>, 3,4-diF-Ph, S, O), (N-3415: CO<sub>2</sub>NHCH<sub>3</sub>, 5-Br-thiophene-2-yl, S, O), (N-3416: CO<sub>2</sub>NHCH<sub>3</sub>, 3,4-diBr-Ph, S, O), (N-3417: CO<sub>2</sub>NHCH<sub>3</sub>, 4-CF<sub>3</sub>-Ph, S, O), (N-3418: CO<sub>2</sub>NHCH<sub>3</sub>, 3-Cl-Ph, S, O), (N-3419: CO<sub>2</sub>NHCH<sub>3</sub>, 3-Br-Ph, S, O), (N-3420: CO<sub>2</sub>NHCH<sub>3</sub>, 3-F-Ph, S, O), (N-3421: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-F-Ph, S, O), (N-3422: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-Br-Ph, S, O), (N-3423: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 5-Cl-thiophene-2-yl, S, O), (N-3424: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3,4-diF-Ph, S, O), (N-3425: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 5-Br-thiophene-2-yl, S, O), (N-3426: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3,4-diBr-Ph, S, O), (N-3427: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-CF<sub>3</sub>-Ph, S, O), (N-3428: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-Cl-Ph, S, O), (N-3429: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-Br-Ph, S, O), (N-3430: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-F-Ph, S, O), (N-3431: CO<sub>2</sub>H, 4-F-Ph, S, O), (N-3432: CO<sub>2</sub>H, 4-Br-Ph, S, O), (N-3433: CO<sub>2</sub>H, 5-Cl-thiophene-2-yl, S, O), (N-3434: CO<sub>2</sub>H, 3,4-diF-Ph, S, O), (N-3435: CO<sub>2</sub>H, 5-Br-thiophene-2-yl, S, O),

- (N-3436:  $\text{CO}_2\text{H}$ , 3,4-diBr-Ph, S, O), (N-3437:  $\text{CO}_2\text{H}$ , 4- $\text{CF}_3$ -Ph, S, O), (N-3438:  $\text{CO}_2\text{H}$ , 3-Cl-Ph, S, O), (N-3439:  $\text{CO}_2\text{H}$ , 3-Br-Ph, S, O), (N-3440:  $\text{CO}_2\text{H}$ , 3-F-Ph, S, O), (N-3441:  $\text{NH}_2$ , 4-F-Ph, S, O), (N-3442:  $\text{NH}_2$ , 4-Br-Ph, S, O), (N-3443:  $\text{NH}_2$ , 5-Cl-thiophene-2-yl, S, O), (N-3444:  $\text{NH}_2$ , 3,4-diF-Ph, S, O), (N-3445:  $\text{NH}_2$ , 5-Br-thiophene-2-yl, S, O), (N-3446:  $\text{NH}_2$ , 3,4-diBr-Ph, S, O), (N-3447:  $\text{NH}_2$ , 4- $\text{CF}_3$ -Ph, S, O), (N-3448:  $\text{NH}_2$ , 3-Cl-Ph, S, O), (N-3449:  $\text{NH}_2$ , 3-Br-Ph, S, O), (N-3450:  $\text{NH}_2$ , 3-F-Ph, S, O), (N-3451:  $\text{CH}_2\text{COOMe}$ , 4-F-Ph, S, O), (N-3452:  $\text{CH}_2\text{COOMe}$ , 4-Br-Ph, S, O), (N-3453:  $\text{CH}_2\text{COOMe}$ , 5-Cl-thiophene-2-yl, S, O), (N-3454:  $\text{CH}_2\text{COOMe}$ , 3,4-diF-Ph, S, O), (N-3455:  $\text{CH}_2\text{COOMe}$ , 5-Br-thiophene-2-yl, S, O), (N-3456:  $\text{CH}_2\text{COOMe}$ , 3,4-diBr-Ph, S, O), (N-3457:  $\text{CH}_2\text{COOMe}$ , 4- $\text{CF}_3$ -Ph, S, O), (N-3458:  $\text{CH}_2\text{COOMe}$ , 3-Cl-Ph, S, O), (N-3459:  $\text{CH}_2\text{COOMe}$ , 3-Br-Ph, S, O), (N-3460:  $\text{CH}_2\text{COOMe}$ , 3-F-Ph, S, O), (N-3461:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4-F-Ph, S, O), (N-3462:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4-Br-Ph, S, O), (N-3463:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 5-Cl-thiophene-2-yl, S, O), (N-3464:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3,4-diF-Ph, S, O), (N-3465:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 5-Br-thiophene-2-yl, S, O), (N-3466:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3,4-diBr-Ph, S, O), (N-3467:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4- $\text{CF}_3$ -Ph, S, O), (N-3468:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-Cl-Ph, S, O), (N-3469:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-Br-Ph, S, O), (N-3470:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-F-Ph, S, O), (N-3471:  $\text{CH}_2\text{COONH}_2$ , 4-F-Ph, S, O), (N-3472:  $\text{CH}_2\text{COONH}_2$ , 4-Br-Ph, S, O), (N-3473:  $\text{CH}_2\text{COONH}_2$ , 5-Cl-thiophene-2-yl, S, O), (N-3474:  $\text{CH}_2\text{COONH}_2$ , 3,4-diF-Ph, S, O), (N-3475:  $\text{CH}_2\text{COONH}_2$ , 5-Br-thiophene-2-yl, S, O), (N-3476:  $\text{CH}_2\text{COONH}_2$ , 3,4-diBr-Ph, S, O), (N-3477:  $\text{CH}_2\text{COONH}_2$ , 4- $\text{CF}_3$ -Ph, S, O), (N-3478:  $\text{CH}_2\text{COONH}_2$ , 3-Cl-Ph, S, O), (N-3479:  $\text{CH}_2\text{COONH}_2$ , 3-Br-Ph, S, O), (N-3480:  $\text{CH}_2\text{COONH}_2$ , 3-F-Ph, S, O), (N-3481:  $\text{CH}_2\text{COONHCH}_3$ , 4-F-Ph, S, O), (N-3482:  $\text{CH}_2\text{COONHCH}_3$ , 4-Br-Ph, S, O), (N-3483:  $\text{CH}_2\text{COONHCH}_3$ , 5-Cl-thiophene-2-yl, S, O), (N-3484:  $\text{CH}_2\text{COONHCH}_3$ , 3,4-diF-Ph, S, O), (N-3485:  $\text{CH}_2\text{COONHCH}_3$ , 5-Br-thiophene-2-yl, S, O), (N-3486:  $\text{CH}_2\text{COONHCH}_3$ , 3,4-diBr-Ph, S, O), (N-3487:

- CH<sub>2</sub>COONHCH<sub>3</sub>, 4-CF<sub>3</sub>-Ph, S, O), (N-3488: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Cl-Ph, S, O),  
 (N-3489: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Br-Ph, S, O), (N-3490: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-F-Ph, S,  
 O), (N-3491: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-F-Ph, S, O), (N-3492: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-Br-Ph, S, O),  
 (N-3493: CH<sub>2</sub>CH<sub>2</sub>Cl, 5-Cl-thiophene-2-yl, S, O), (N-3494: CH<sub>2</sub>CH<sub>2</sub>Cl, 3,4-diF-  
 5 Ph, S, O), (N-3495: CH<sub>2</sub>CH<sub>2</sub>Cl, 5-Br-thiophene-2-yl, S, O), (N-3496: CH<sub>2</sub>CH<sub>2</sub>Cl,  
 3,4-diBr-Ph, S, O), (N-347: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-CF<sub>3</sub>-Ph, S, O), (N-3498: CH<sub>2</sub>CH<sub>2</sub>Cl,  
 3-Cl-Ph, S, O), (N-3499: CH<sub>2</sub>CH<sub>2</sub>Cl, 3-Br-Ph, S, O), (N-3500: CH<sub>2</sub>CH<sub>2</sub>Cl, 3-F-  
 Ph, S, O), (N-3501: CONH<sub>2</sub>, 4-F-Ph, O, S), (N-3502: CONH<sub>2</sub>, 4-Br-Ph, O, S),  
 (N-3503: CONH<sub>2</sub>, 5-Cl-thiophene-2-yl, O, S), (N-3504: CONH<sub>2</sub>, 3,4-diF-Ph, O,  
 10 S), (N-3505: CONH<sub>2</sub>, 5-Br-thiophene-2-yl, O, S), (N-3506: CONH<sub>2</sub>, 3,4-diBr-Ph,  
 O, S), (N-3507: CONH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, O, S), (N-3508: CONH<sub>2</sub>, 3-Cl-Ph, O, S), (N-  
 3509: CONH<sub>2</sub>, 3-Br-Ph, O, S), (N-3510: CONH<sub>2</sub>, 3-F-Ph, O, S), (N-3511:  
 CO<sub>2</sub>NHCH<sub>3</sub>, 4-F-Ph, O, S), (N-3512: CO<sub>2</sub>NHCH<sub>3</sub>, 4-Br-Ph, O, S), (N-3513:  
 CO<sub>2</sub>NHCH<sub>3</sub>, 5-Cl-thiophene-2-yl, O, S), (N-3514: CO<sub>2</sub>NHCH<sub>3</sub>, 3,4-diF-Ph, O, S),  
 15 (N-3515: CO<sub>2</sub>NHCH<sub>3</sub>, 5-Br-thiophene-2-yl, O, S), (N-3516: CO<sub>2</sub>NHCH<sub>3</sub>, 3,4-  
 diBr-Ph, O, S), (N-3517: CO<sub>2</sub>NHCH<sub>3</sub>, 4-CF<sub>3</sub>-Ph, O, S), (N-3518: CO<sub>2</sub>NHCH<sub>3</sub>,  
 3-Cl-Ph, O, S), (N-3519: CO<sub>2</sub>NHCH<sub>3</sub>, 3-Br-Ph, O, S), (N-3520: CO<sub>2</sub>NHCH<sub>3</sub>, 3-  
 F-Ph, O, S), (N-3521: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-F-Ph, O, S), (N-3522: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-Br-  
 Ph, O, S), (N-3523: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 5-Cl-thiophene-2-yl, O, S), (N-3524:  
 20 CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3,4-diF-Ph, O, S), (N-3525: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 5-Br-thiophene-2-yl, O,  
 S), (N-3526: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3,4-diBr-Ph, O, S), (N-3527: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 4-CF<sub>3</sub>-Ph,  
 O, S), (N-3528: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-Cl-Ph, O, S), (N-3529: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-Br-Ph, O,  
 S), (N-3530: CO<sub>2</sub>N(CH<sub>3</sub>)<sub>2</sub>, 3-F-Ph, O, S), (N-3531: CO<sub>2</sub>H, 4-F-Ph, O, S), (N-  
 3532: CO<sub>2</sub>H, 4-Br-Ph, O, S), (N-353: CO<sub>2</sub>H, 5-Cl-thiophene-2-yl, O, S), (N-  
 25 3534: CO<sub>2</sub>H, 3,4-diF-Ph, O, S), (N-3535: CO<sub>2</sub>H, 5-Br-thiophene-2-yl, O, S),  
 (N-3536: CO<sub>2</sub>H, 3,4-diBr-Ph, O, S), (N-3537: CO<sub>2</sub>H, 4-CF<sub>3</sub>-Ph, O, S), (N-3538:  
 CO<sub>2</sub>H, 3-Cl-Ph, O, S), (N-3539: CO<sub>2</sub>H, 3-Br-Ph, O, S), (N-3540: CO<sub>2</sub>H, 3-F-Ph,

- O, S), (N-3541:  $\text{NH}_2$ , 4-F-Ph, O, S), (N-3542:  $\text{NH}_2$ , 4-Br-Ph, O, S), (N-3543:  $\text{NH}_2$ , 5-Cl-thiophene-2-yl, O, S), (N-3544:  $\text{NH}_2$ , 3,4-diF-Ph, O, S), (N-3545:  $\text{NH}_2$ , 5-Br-thiophene-2-yl, O, S), (N-3546:  $\text{NH}_2$ , 3,4-diBr-Ph, O, S), (N-3547:  $\text{NH}_2$ , 4- $\text{CF}_3$ -Ph, O, S), (N-3548:  $\text{NH}_2$ , 3-Cl-Ph, O, S), (N-3549:  $\text{NH}_2$ , 3-Br-Ph, O, S),
- 5 (N-3550:  $\text{NH}_2$ , 3-F-Ph, O, S), (N-3551:  $\text{CH}_2\text{COOMe}$ , 4-F-Ph, O, S), (N-3552:  $\text{CH}_2\text{COOMe}$ , 4-Br-Ph, O, S), (N-3553:  $\text{CH}_2\text{COOMe}$ , 5-Cl-thiophene-2-yl, O, S), (N-3554:  $\text{CH}_2\text{COOMe}$ , 3,4-diF-Ph, O, S), (N-3555:  $\text{CH}_2\text{COOMe}$ , 5-Br-thiophene-2-yl, O, S), (N-3556:  $\text{CH}_2\text{COOMe}$ , 3,4-diBr-Ph, O, S), (N-3557:  $\text{CH}_2\text{COOMe}$ , 4- $\text{CF}_3$ -Ph, O, S), (N-3558:  $\text{CH}_2\text{COOMe}$ , 3-Cl-Ph, O, S), (N-3559:  $\text{CH}_2\text{COOMe}$ , 3-
- 10 Br-Ph, O, S), (N-3560:  $\text{CH}_2\text{COOMe}$ , 3-F-Ph, O, S), (N-3561:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4-F-Ph, O, S), (N-3562:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4-Br-Ph, O, S), (N-3563:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 5-Cl-thiophene-2-yl, O, S), (N-3564:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3,4-diF-Ph, O, S), (N-3565:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 5-Br-thiophene-2-yl, O, S), (N-3566:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3,4-diBr-Ph, O, S), (N-3567:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 4- $\text{CF}_3$ -Ph, O, S),
- 15 (N-3568:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-Cl-Ph, O, S), (N-3569:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-Br-Ph, O, S), (N-3570:  $\text{CH}_2\text{CH}_2\text{COOMe}$ , 3-F-Ph, O, S), (N-3571:  $\text{CH}_2\text{COONH}_2$ , 4-F-Ph, O, S), (N-3572:  $\text{CH}_2\text{COONH}_2$ , 4-Br-Ph, O, S), (N-3573:  $\text{CH}_2\text{COONH}_2$ , 5-Cl-thiophene-2-yl, O, S), (N-3574:  $\text{CH}_2\text{COONH}_2$ , 3,4-diF-Ph, O, S), (N-3575:  $\text{CH}_2\text{COONH}_2$ , 5-Br-thiophene-2-yl, O, S), (N-3576:  $\text{CH}_2\text{COONH}_2$ , 3,4-diBr-Ph,
- 20 O, S), (N-3577:  $\text{CH}_2\text{COONH}_2$ , 4- $\text{CF}_3$ -Ph, O, S), (N-3578:  $\text{CH}_2\text{COONH}_2$ , 3-Cl-Ph, O, S), (N-3579:  $\text{CH}_2\text{COONH}_2$ , 3-Br-Ph, O, S), (N-3580:  $\text{CH}_2\text{COONH}_2$ , 3-F-Ph, O, S), (N-3581:  $\text{CH}_2\text{COONHCH}_3$ , 4-F-Ph, O, S), (N-3582:  $\text{CH}_2\text{COONHCH}_3$ , 4-Br-Ph, O, S), (N-3583:  $\text{CH}_2\text{COONHCH}_3$ , 5-Cl-thiophene-2-yl, O, S), (N-3584:  $\text{CH}_2\text{COONHCH}_3$ , 3,4-diF-Ph, O, S), (N-3585:  $\text{CH}_2\text{COONHCH}_3$ , 5-Br-
- 25 thiophene-2-yl, O, S), (N-3586:  $\text{CH}_2\text{COONHCH}_3$ , 3,4-diBr-Ph, O, S), (N-3587:  $\text{CH}_2\text{COONHCH}_3$ , 4- $\text{CF}_3$ -Ph, O, S), (N-3588:  $\text{CH}_2\text{COONHCH}_3$ , 3-Cl-Ph, O, S), (N-3589:  $\text{CH}_2\text{COONHCH}_3$ , 3-Br-Ph, O, S), (N-3590:  $\text{CH}_2\text{COONHCH}_3$ , 3-F-Ph, O,

- S), (N-3591:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 4-F-Ph, O, S), (N-3592:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 4-Br-Ph, O, S),  
 (N-3593:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 5-Cl-thiophene-2-yl, O, S), (N-3594:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3,4-diF-  
 Ph, O, S), (N-3595:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 5-Br-thiophene-2-yl, O, S), (N-356:  $\text{CH}_2\text{CH}_2\text{Cl}$ ,  
 3,4-diBr-Ph, O, S), (N-3597:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 4- $\text{CF}_3$ -Ph, O, S), (N-3598:  $\text{CH}_2\text{CH}_2\text{Cl}$ ,  
 5 3-Cl-Ph, O, S), (N-3599:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3-Br-Ph, O, S), (N-3600:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3-F-  
 Ph, O, S), (N-3601:  $\text{CONH}_2$ , 4-F-Ph, O, O), (N-3602:  $\text{CONH}_2$ , 4-Br-Ph, O, O),  
 (N-3603:  $\text{CONH}_2$ , 5-Cl-thiophene-2-yl, O, O), (N-3604:  $\text{CONH}_2$ , 3,4-diF-Ph, O,  
 O), (N-3605:  $\text{CONH}_2$ , 5-Br-thiophene-2-yl, O, O), (N-3606:  $\text{CONH}_2$ , 3,4-diBr-Ph,  
 O, O), (N-3607:  $\text{CONH}_2$ , 4- $\text{CF}_3$ -Ph, O, O), (N-3608:  $\text{CONH}_2$ , 3-Cl-Ph, O, O),  
 10 (N-3609:  $\text{CONH}_2$ , 3-Br-Ph, O, O), (N-3610:  $\text{CONH}_2$ , 3-F-Ph, O, O), (N-3611:  
 $\text{CO}_2\text{NHCH}_3$ , 4-F-Ph, O, O), (N-3612:  $\text{CO}_2\text{NHCH}_3$ , 4-Br-Ph, O, O), (N-3613:  
 $\text{CO}_2\text{NHCH}_3$ , 5-Cl-thiophene-2-yl, O, O), (N-3614:  $\text{CO}_2\text{NHCH}_3$ , 3,4-diF-Ph, O,  
 O), (N-3615:  $\text{CO}_2\text{NHCH}_3$ , 5-Br-thiophene-2-yl, O, O), (N-3616:  $\text{CO}_2\text{NHCH}_3$ ,  
 3,4-diBr-Ph, O, O), (N-3617:  $\text{CO}_2\text{NHCH}_3$ , 4- $\text{CF}_3$ -Ph, O, O), (N-3618:  
 15  $\text{CO}_2\text{NHCH}_3$ , 3-Cl-Ph, O, O), (N-3619:  $\text{CO}_2\text{NHCH}_3$ , 3-Br-Ph, O, O), (N-3620:  
 $\text{CO}_2\text{NHCH}_3$ , 3-F-Ph, O, O), (N-3621:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4-F-Ph, O, O), (N-3622:  
 $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4-Br-Ph, O, O), (N-3623:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 5-Cl-thiophene-2-yl, O, O),  
 (N-3624:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3,4-diF-Ph, O, O), (N-3625:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 5-Br-  
 thiophene-2-yl, O, O), (N-3626:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3,4-diBr-Ph, O, O), (N-3627:  
 20  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 4- $\text{CF}_3$ -Ph, O, O), (N-3628:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-Cl-Ph, O, O), (N-3629:  
 $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-Br-Ph, O, O), (N-3630:  $\text{CO}_2\text{N}(\text{CH}_3)_2$ , 3-F-Ph, O, O), (N-3631:  
 $\text{CO}_2\text{H}$ , 4-F-Ph, O, O), (N-3632:  $\text{CO}_2\text{H}$ , 4-Br-Ph, O, O), (N-3633:  $\text{CO}_2\text{H}$ , 5-Cl-  
 thiophene-2-yl, O, O), (N-3634:  $\text{CO}_2\text{H}$ , 3,4-diF-Ph, O, O), (N-3635:  $\text{CO}_2\text{H}$ , 5-  
 Br-thiophene-2-yl, O, O), (N-3636:  $\text{CO}_2\text{H}$ , 3,4-diBr-Ph, O, O), (N-3637:  $\text{CO}_2\text{H}$ ,  
 25 4- $\text{CF}_3$ -Ph, O, O), (N-3638:  $\text{CO}_2\text{H}$ , 3-Cl-Ph, O, O), (N-3639:  $\text{CO}_2\text{H}$ , 3-Br-Ph, O, O),  
 (N-3640:  $\text{CO}_2\text{H}$ , 3-F-Ph, O, O), (N-3641:  $\text{NH}_2$ , 4-F-Ph, O, O), (N-3642:  $\text{NH}_2$ , 4-  
 Br-Ph, O, O), (N-3643:  $\text{NH}_2$ , 5-Cl-thiophene-2-yl, O, O), (N-3644:  $\text{NH}_2$ , 3,4-

- diF-Ph, O, O), (N-3645: NH<sub>2</sub>, 5-Br-thiophene-2-yl, O, O), (N-3646: NH<sub>2</sub>, 3,4-diBr-Ph, O, O), (N-3647: NH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, O, O), (N-3648: NH<sub>2</sub>, 3-Cl-Ph, O, O), (N-3649: NH<sub>2</sub>, 3-Br-Ph, O, O), (N-3650: NH<sub>2</sub>, 3-F-Ph, O, O), (N-3651: CH<sub>2</sub>COOMe, 4-F-Ph, O, O), (N-3652: CH<sub>2</sub>COOMe, 4-Br-Ph, O, O), (N-3653: CH<sub>2</sub>COOMe, 5-Cl-thiophene-2-yl, O, O), (N-3654: CH<sub>2</sub>COOMe, 3,4-diF-Ph, O, O), (N-3655: CH<sub>2</sub>COOMe, 5-Br-thiophene-2-yl, O, O), (N-3656: CH<sub>2</sub>COOMe, 3,4-diBr-Ph, O, O), (N-3657: CH<sub>2</sub>COOMe, 4-CF<sub>3</sub>-Ph, O, O), (N-3658: CH<sub>2</sub>COOMe, 3-Cl-Ph, O, O), (N-3659: CH<sub>2</sub>COOMe, 3-Br-Ph, O, O), (N-3660: CH<sub>2</sub>COOMe, 3-F-Ph, O, O), (N-3661: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-F-Ph, O, O), (N-3662: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-Br-Ph, O, O), (N-3663: CH<sub>2</sub>CH<sub>2</sub>COOMe, 5-Cl-thiophene-2-yl, O, O), (N-3664: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3,4-diF-Ph, O, O), (N-3665: CH<sub>2</sub>CH<sub>2</sub>COOMe, 5-Br-thiophene-2-yl, O, O), (N-3666: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3,4-diBr-Ph, O, O), (N-3667: CH<sub>2</sub>CH<sub>2</sub>COOMe, 4-CF<sub>3</sub>-Ph, O, O), (N-3668: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-Cl-Ph, O, O), (N-3669: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-Br-Ph, O, O), (N-3670: CH<sub>2</sub>CH<sub>2</sub>COOMe, 3-F-Ph, O, O), (N-3671: CH<sub>2</sub>COONH<sub>2</sub>, 4-F-Ph, O, O), (N-3672: CH<sub>2</sub>COONH<sub>2</sub>, 4-Br-Ph, O, O), (N-3673: CH<sub>2</sub>COONH<sub>2</sub>, 5-Cl-thiophene-2-yl, O, O), (N-3674: CH<sub>2</sub>COONH<sub>2</sub>, 3,4-diF-Ph, O, O), (N-3675: CH<sub>2</sub>COONH<sub>2</sub>, 5-Br-thiophene-2-yl, O, O), (N-3676: CH<sub>2</sub>COONH<sub>2</sub>, 3,4-diBr-Ph, O, O), (N-3677: CH<sub>2</sub>COONH<sub>2</sub>, 4-CF<sub>3</sub>-Ph, O, O), (N-3678: CH<sub>2</sub>COONH<sub>2</sub>, 3-Cl-Ph, O, O), (N-3679: CH<sub>2</sub>COONH<sub>2</sub>, 3-Br-Ph, O, O), (N-3680: CH<sub>2</sub>COONH<sub>2</sub>, 3-F-Ph, O, O), (N-3681: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-F-Ph, O, O), (N-3682: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-Br-Ph, O, O), (N-3683: CH<sub>2</sub>COONHCH<sub>3</sub>, 5-Cl-thiophene-2-yl, O, O), (N-3684: CH<sub>2</sub>COONHCH<sub>3</sub>, 3,4-diF-Ph, O, O), (N-3685: CH<sub>2</sub>COONHCH<sub>3</sub>, 5-Br-thiophene-2-yl, O, O), (N-3686: CH<sub>2</sub>COONHCH<sub>3</sub>, 3,4-diBr-Ph, O, O), (N-3687: CH<sub>2</sub>COONHCH<sub>3</sub>, 4-CF<sub>3</sub>-Ph, O, O), (N-3688: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Cl-Ph, O, O), (N-3689: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-Br-Ph, O, O), (N-3690: CH<sub>2</sub>COONHCH<sub>3</sub>, 3-F-Ph, O, O), (N-3691: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-F-Ph, O, O), (N-3692: CH<sub>2</sub>CH<sub>2</sub>Cl, 4-Br-Ph, O, O),



- (N-3693:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 5-Cl-thiophene-2-yl, O, O), (N-3694:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3,4-diF-Ph, O, O), (N-3695:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 5-Br-thiophene-2-yl, O, O), (N-3696:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3,4-diBr-Ph, O, O), (N-3697:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 4- $\text{CF}_3$ -Ph, O, O), (N-3698:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3-Cl-Ph, O, O), (N-3699:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3-Br-Ph, O, O), (N-3700:  $\text{CH}_2\text{CH}_2\text{Cl}$ , 3-F-Ph, O, O), (N-3701: 4- $\text{NH}_2$ -Ph, H, S, S), (N-3702: 4-N(Ac)H-Ph, H, S, S), (N-3703: 4-OH-Ph, H, S, S), (N-3704: 3,4-di(OH) $_2$ -Ph, H, S, S), (N-3705: 3,4-di( $\text{NH}_2$ )-Ph, H, S, S), (N-3706: 3:4-[N(Ac)H] $_2$ -Ph, H, S, S), (N-3707: 4-SH-Ph, H, S, S), (N-3708: 4-SMe-Ph, H, S, S), (N-3709: 3,4-diBr-Ph, H, S, S), (N-3710: 4-N(Me)H-Ph, H, S, S), (N-3711: 4-N(Me) $_2$ -Ph, H, S, S), (N-3712: 4-N(Me) $_3^+$ -Ph, H, S, S), (N-3713: 4-Et-Ph, H, S, S), (N-3714: 4-iPr-Ph, H, S, S), (N-3715: 4-nPr-Ph, H, S, S), (N-3716: 4-nBu-Ph, H, S, S), (N-3717: 4-iBu-Ph, H, S, S), (N-3718: 3,4-diMe-Ph, H, S, S), (N-3719: 1,3-Benzodioxole-5-yl, H, S, S), (N-3720: N-Me-pyridinium-4-yl, H, S, S), (N-3721: N-Me-pyridinium-3-yl, H, S, S), (N-3722: 5-Me-Pyridine-2-yl, H, S, S), (N-3723: 2-Pyrazinyl, H, S, S), (N-3724: 3-Pyrrolyl, H, S, S), (N-3725: 1-Me-pyrrole-3-yl, H, S, S), (N-3726: Pyridine N-oxide-4-yl, H, S, S), (N-3727: Pyridine N-oxide-3-yl, H, S, S), (N-3728: 6-OH-pyridine-3-yl, H, S, S), (N-3729: 6-SH-pyridine-3-yl, H, S, S), (N-3730: 1-Ac-pyrrole-3-yl, H, S, S), (N-3731: 4- $\text{CF}_3$ -Ph, H, S, S), (N-3732: 4-CN-Ph, H, S, S), (N-3733: 4-CHO-Ph, H, S, S), (N-3734: 3-Cl-Ph, H, S, S), (N-3735: 3-Br-Ph, H, S, S), (N-3736: 3-F-Ph, H, S, S), (N-3737: 3-I-Ph, H, S, S), (N-3738: 4-I-Ph, H, S, S), (N-3739: 4-OCF $_3$ -Ph, H, S, S), (N-3740: 3,4-diI-Ph, H, S, S), (N-3741: Indole-6-yl, H, S, S), (N-3742: 1-Ac-indole-6-yl, H, S, S), (N-3743: 1-Me-indole-6-yl, H, S, S), (N-3744: 4-(1-Imidazolyl)-Ph, H, S, S), (N-3745: 4-Morphorino-Ph, H, S, S), (N-3746: 4-(1-Piperazinyl)-Ph, H, S, S), (N-3747: 2:5-diMe-thiophene-3-yl, H, S, S), (N-3748: 2-Furyl, H, S, S), (N-3749: 5-Me-furan-2-yl, H, S, S), (N-3750: 5-Me-furan-2-yl, H, S, S), (N-3751: 2-Thiazolyl, H, S, S), (N-3752: 1:4-Benzodioxin-6-yl, H, S, S), (N-3753: Benzo[b]furan-2-yl,

- H, S, S), (N-3754: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, H, S, S), (N-3755: 4-N(Me)HCH<sub>2</sub>-Ph, H, S, S), (N-3756: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, H, S, S), (N-3757: 6-Cl-pyridine-3-yl, H, S, S), (N-3758: 5,6-diCl-pyridine-3-yl, H, S, S), (N-3759: 5-Cl-pyridine-2-yl, H, S, S), (N-3760: 4:5-diCl-pyridine-2-yl, H, S, S), (N-3761: 4-ClCH<sub>2</sub>-Bn, H, S, S), (N-3762: Bn, H, S, S), (N-3763: 4-Cl-Bn, H, S, S), (N-3764: 4-Br-Bn, H, S, S), (N-3765: 4-F-Bn, H, S, S), (N-3766: 3,4-diCl-Bn, H, S, S), (N-3767: 3,4-diBr-Bn, H, S, S), (N-3768: 3,4-diF-Bn, H, S, S), (N-3769: 4-Cl-Bz, H, S, S), (N-3770: 3,4-diCl-Bz, H, S, S), (N-3771: 4-Br-Bz, H, S, S), (N-3772: 3,4-diBr-Bz, H, S, S), (N-3773: 4-F-Bz, H, S, S), (N-3774: 3,4-diF-Bz, H, S, S), (N-3775: 4-NH<sub>2</sub>-Ph, H, S, O), (N-3776: 4-N(Ac)H-Ph, H, S, O), (N-3777: 4-OH-Ph, H, S, O), (N-3778: 3,4-di(OH)<sub>2</sub>-Ph, H, S, O), (N-3779: 3,4-di(NH<sub>2</sub>)-Ph, H, S, O), (N-3780: 3:4-[N(Ac)H]<sub>2</sub>-Ph, H, S, O), (N-3781: 4-SH-Ph, H, S, O), (N-3782: 4-SMe-Ph, H, S, O), (N-3783: 3,4-diBr-Ph, H, S, O), (N-3784: 4-N(Me)H-Ph, H, S, O), (N-3785: 4-N(Me)<sub>2</sub>-Ph, H, S, O), (N-3786: 4-N(Me)<sub>3</sub><sup>+</sup>-Ph, H, S, O), (N-3787: 4-Et-Ph, H, S, O), (N-3788: 4-iPr-Ph, H, S, O), (N-3789: 4-nPr-Ph, H, S, O), (N-3790: 4-nBu-Ph, H, S, O), (N-3791: 4-iBu-Ph, H, S, O), (N-3792: 3,4-diMe-Ph, H, S, O), (N-3793: 1,3-Benzodioxole-5-yl, H, S, O), (N-3794: N-Me-pyridinium-4-yl, H, S, O), (N-3795: N-Me-pyridinium-3-yl, H, S, O), (N-3796: 5-Me-Pyridine-2-yl, H, S, O), (N-3797: 2-Pyrazinyl, H, S, O), (N-3798: 3-Pyrrolyl, H, S, O), (N-3799: 1-Me-pyrrole-3-yl, H, S, O), (N-3800: Pyridine N-oxide-4-yl, H, S, O), (N-3801: Pyridine N-oxide-3-yl, H, S, O), (N-3802: 6-OH-pyridine-3-yl, H, S, O), (N-3803: 6-SH-pyridine-3-yl, H, S, O), (N-3804: 1-Ac-pyrrole-3-yl, H, S, O), (N-3805: 4-CF<sub>3</sub>-Ph, H, S, O), (N-3806: 4-CN-Ph, H, S, O), (N-3807: 4-CHO-Ph, H, S, O), (N-3808: 3-Cl-Ph, H, S, O), (N-3809: 3-Br-Ph, H, S, O), (N-3810: 3-F-Ph, H, S, O), (N-3811: 3-I-Ph, H, S, O), (N-3812: 4-I-Ph, H, S, O), (N-3813: 4-OCF<sub>3</sub>-Ph, H, S, O), (N-3814: 3,4-diI-Ph, H, S, O), (N-3815: Indole-6-yl, H, S, O), (N-3816: 1-Ac-indole-6-yl, H, S, O), (N-3817: 1-Me-indole-6-yl, H, S, O), (N-3818: 4-(1-

Imidazolyl)-Ph, H, S, O), (N-3819: 4-Morpholino-Ph, H, S, O), (N-3820: 4-(1-Piperazinyl)-Ph, H, S, O), (N-3821: 2:5-diMe-thiophene-3-yl, H, S, O), (N-3822: 2-Furyl, H, S, O), (N-3823: 5-Me-furan-2-yl, H, S, O), (N-3824: 5-Me-furan-2-yl, H, S, O), (N-3825: 2-Thiazolyl, H, S, O), (N-3826: 1:4-Benzodioxin-6-yl, H, S, O), (N-3827: Benzo[b]furan-2-yl, H, S, O), (N-3828: 4-NH<sub>2</sub>CH<sub>2</sub>-Ph, H, S, O), (N-3829: 4-N(Me)HCH<sub>2</sub>-Ph, H, S, O), (N-3830: 4-N(Me)<sub>2</sub>CH<sub>2</sub>-Ph, H, S, O), (N-3831: 6-Cl-pyridine-3-yl, H, S, O), (N-3832: 5,6-diCl-pyridine-3-yl, H, S, O), (N-3833: 5-Cl-pyridine-2-yl, H, S, O), (N-3834: 4:5-diCl-pyridine-2-yl, H, S, O), (N-3835: 4-ClCH<sub>2</sub>-Bn, H, S, O), (N-3836: Bn, H, S, O), (N-3837: 4-Cl-Bn, H, S, O), (N-3838: 4-Br-Bn, H, S, O), (N-3839: 4-F-Bn, H, S, O), (N-3840: 3,4-diCl-Bn, H, S, O), (N-3841: 3,4-diBr-Bn, H, S, O), (N-3842: 3,4-diF-Bn, H, S, O), (N-3843: 4-Cl-Bz, H, S, O), (N-3844: 3,4-diCl-Bz, H, S, O), (N-3845: 4-Br-Bz, H, S, O), (N-3846: 3,4-diBr-Bz, H, S, O), (N-3847: 4-F-Bz, H, S, O), (N-3848: 3,4-diF-Bz, H, S, O), (N-3849: 4-NO<sub>2</sub>-Bn, H, S, O), (N-3850: 4-CN-Bn, H, S, O)

#### Test Example 1

##### Isolation and purification of Thrombopoietin (TPO)

Human TPO (hTPO) and murine TPO (mTPO) were purchased from R&D Systems.

Test Example 2 The increasing effect in vitro of the megakaryocyte colonies with the compound (A-1), (B-17), and (C-1)

We examined the ability of the compound in promoting differentiation of human hematopoietic progenitor cells into mature megakaryocytes. Human bone marrow cells (2.2 X 10<sup>5</sup> cells) were plated in 3-cm dishes and cultured in methylcellulose in Iscove's Modified Dulbecco's medium in the presence of 1% of the compound (A-1, B-17, C-1) dissolved in 10% ethanol. After incubation at

37°C for 7 days in the 5% CO<sub>2</sub> incubator, the megakaryocyte colonies were counted. The result is shown in Fig. 1.

### Test Example 3 The thrombopoietic activity of the compound (B-17)

5           The TPO dependent BaF/hTPOR cell line which was established by introducing human TPO receptor (hTPOR) into BaF-B03 cells according to Collins et al (J. Cell. Physiol., 137:293-298 (1988)) was used to test the thrombopoietic activity of the present compound (B-17). The DNA sequences and encoded peptide sequences for human hTPOR have been described by  
10   Vigon et al (Proc. Natl. Acad. Sci. USA, 89:5640-5644 (1992)). TPO dose not have any ability to support proliferation of interlukin-3 dependent parental cell line BaF-B03. BAF/hTPOR cells were maintained in RPMI medium and WEHI-3B conditioned medium as a source of murine interleukin-3 (IL-3). These cells were washed and resuspended in RPMI medium without a source of  
15   murine IL-3 and seeded into each well of 96-well microtiter plates at a density of 5 X10<sup>4</sup> cells per well in the absence or presence of various concentration of hTPO or the present compound. After incubation at 37°C for 20 hours in the 5% CO<sub>2</sub> incubator, 10% WST-1 reagent (Takara Biomedicals, Japan) was added to each wells and the cells were further incubated for 4 hours. The absorbance  
20   at 450 nm was measured and the result is shown in Fig. 2. Effect of the present compound on the growth of the parental cell line BaF-B03 not expressing TPOR is shown in Fig. 3. Effect of the present compound on the growth of the BaF-B03 expressing murine TPOR is shown in Fig. 4. Table 24 exemplifies the ED<sub>50</sub> for tested compounds of the present invention, wherein  
25   the ED<sub>50</sub> is the half concentration of the concentration showing the maximum thrombopoietic activity

10043008.012502

Table 24

Compound No.	ED <sub>50</sub> (μM)	Compound No.	ED <sub>50</sub> (μM)	Compound No.	ED <sub>50</sub> (μM)
A-1	0.012	A-32	0.077	A-73	0.070
A-2	0.058	A-37	0.027	B-1	0.071
A-3	0.017	A-38	0.047	B-2	0.011
A-4	0.036	A-42	0.072	B-3	0.047
A-5	0.022	A-43	0.073	B-4	0.037
A-6	0.045	A-49	0.035	B-5	0.047
A-7	0.060	A-50	0.026	B-6	0.072
A-11	0.031	A-53	0.023	B-14	0.023
A-12	0.011	A-56	0.096	B-15	0.077
A-13	0.021	A-59	0.084	B-16	0.020
A-14	0.015	A-61	0.069	B-17	0.030
A-15	0.026	A-63	0.016	B-18	0.016
A-16	0.049	A-64	0.047	B-21	0.084
A-20	0.029	A-67	0.050	C-1	0.068
A-21	0.041	A-70	0.020	E-2	0.062
A-25	0.099	A-71	0.080	H-5	0.047
A-26	0.072	A-72	0.035		

10048008.012502

Test Example 4 The compound(B-17)-Induced signal transduction via hTPOR

Drachman et al (J. Biol. Chem, 270: 4979-4982 (1995)) reported that TPO induced tyrosine phosphorylation of Jak2, Shc, and c-Mpl. To compare the signaling pathway of TPO and the compound of the present invention, we analyzed the tyrosine phosphorylation of signal transducers by stimulation of the compound according to the method reported by Drachman. Briefly, BaF/hTPOR cells suspended in the RPMI medium ( $1 \times 10^7$  cells/ml) without WEHI-3B were incubated for 4 hours at  $37^\circ\text{C}$ . 25 ng/ml of TPO or 200 nM of the compound (B-17) was added to cells and incubated for 10 min at  $37^\circ\text{C}$ . After the cells were washed twice with PBS then lysed in a buffer composed of 1% Triton X-100. After the sample were spun in a centrifuge and the supernatant were immunoprecipitated by using antibodies against several proteins related to intracellular signal transduction. Immune complexes were separated by SDS-polyacrylamide gel electrophoresis. Protein was electrophoretically transferred to nitrocellulose sheets and tyrosine phosphorylated protein was detected by anti-phosphotyrosine antibody. Results were summarized in Table 25.

Table 25

	Vehicle	Compound (B-17)	TPO
Jak1	-	-	-
Jak2	-	+	+
Jak3	-	-	-
Tyk2	-	+	+
STAT1	-	-	-
STAT3	-	+	+
STAT5	-	+	+
STAT6	-	-	-
Mpl	-	+	+
Shc	-	+	+
Cbl	-	+	+
Vav	-	+	+
Ship	-	-	-
SHPTP2	-	+	+
PI3K	-	-	-
PLCy1	-	+	+
MAPK	-	+	+
SAPK	-	+	+
p38MAPK	-	+	+

205210.80084001

As shown in Fig.1, addition of the compounds of the present invention induced forming megakaryocyte colonies and the number of colonies increased depending on the concentration of the compounds. This result revealed that the compounds of the present invention induced the differentiation of human  
 5 bone marrow cells and produce megakaryocytes having ability of producing platelet.

The compound supported the proliferation of TPO-dependent BaF/hTPOR in a dose-dependent manner as shown in Fig.2. Parental BaF cells bearing no TPOR was not induced the proliferation by compounds as shown in Fig. 3.  
 10 BaF/mTPOR expressing murine TPOR was not induced the proliferation by compounds as shown in Fig. 4. These results suggest that the compound of the present invention exert the thrombopoietic activity by interacting with hTPOR because it is active only in cells expressing hTPOR.

As shown in Table 25, the compound induced phosphorylation of following the  
 15 same intracellular signal transducing molecules as TPO did: Jak2, Tyk2, STAT3, STAT5, Shc, Vav, SHPTP2, Mpl, PLC  $\gamma$  1, Cbl, MAPK, SAPK, and p38MAPK. Therefore, the compounds elicit thrombopoietic activity by stimulating the signal transduction pathways identical to those of TPO.

## 20 Formulation example

### Formulation example 1

Granules are prepared using the following ingredients.

Ingredients	The compound represented by the formula (I) 10 mg
Lactose	700 mg
25	Corn starch 274 mg
	HPC-L 16 mg
	1000 mg



The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. They are mixed by a twin shell blender. An aqueous solution of HPC-L (low mucosity hydroxypropylcellulose) is added to the mixture and the resulting mixture is kneaded, granulated (by the extrusion with pore size 0.5 to 1 mm mesh), and dried. The dried granules thus obtained are sieved by a swing sieve (12/60 mesh) to yield the granules.

#### Formulation 2

Powders for filling capsules are prepared using the following ingredients.

Ingredients	The compound represented by the formula (I)	10 mg
	Lactose	79 mg
	Corn starch	10 mg
	<u>Magnesium stearate</u>	<u>1 mg</u>
		100 mg

The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. These ingredients and magnesium stearate are mixed by a twin shell blender. 100 mg of the 10-fold trituration is filled into a No. 5 hard gelatin capsule.

#### Formulation 3

Granules for filling capsules are prepared using the following ingredients.

Ingredients	The compound represented by the formula (I)	15 mg
	Lactose	90 mg

Corn starch 42 mg

HPC-L 3 mg

150 mg

The compound represented by the formula (I) and lactose are made pass through a 60 mesh sieve. Corn starch is made pass through a 120 mesh sieve. After mixing them, an aqueous solution of HPC-L is added to the mixture and the resulting mixture is kneaded, granulated, and dried. After the dried granules are lubricated, 150 mg of that are filled into a No. 4 hard gelatin capsule.

#### Formulation 4

Tablets are prepared using the following ingredients.

Ingredients The compound represented by the formula (I) 10 mg

Lactose 90 mg

Microcrystal cellulose 30 mg

CMC-Na 15 mg

Magnesium stearate 5 mg

150 mg

The compound represented by the formula (I), lactose, microcrystal cellulose, and CMC-Na (carboxymethylcellulose sodium salt) are made pass through a 60 mesh sieve and then mixed. The resulting mixture is mixed with magnesium stearate to obtain the mixed powder for the tablet formulation. The mixed powder is compressed to yield tablets of 150 mg.

#### Industrial Applicability

The compounds of the present invention have thrombopoietin receptor agonism and are useful as the treating or preventing agent for

hemopathy accompanied with unusual count of platelet, for example,  
thrombocytopenia and the like

10048008.012502